



# EXERCISES — Hello World Shebang

---

version #f6de30ca5ee18fb9a30e5fbfc9eb9a1de8e13354



**The way is lit. The path is clear.  
We require only the strength to follow it.**

# Copyright

This document is for internal use at EPITA ([website](#)) only.

Copyright © 2022-2023 Assistants <[assistants@tickets.assistants.epita.fr](mailto:assistants@tickets.assistants.epita.fr)>

## The use of this document must abide by the following rules:

- ▷ You downloaded it from the assistants' intranet.\*
- ▷ This document is strictly personal and must **not** be passed onto someone else.
- ▷ Non-compliance with these rules can lead to severe sanctions.

## Contents

1	Goal	3
2	Example	3

---

\*<https://intra.assistants.epita.fr>

## File Tree

```
hello_world_shebang/  
└─ hello.sh  (to submit)
```

**Reminder** : Grant execution permission to your scripts before pushing them

## 1 Goal

It is now your turn to write your own shell script. Your script will be named `hello.sh`. It will simply write “Hello World!” on the standard output. It must be callable with `./hello.sh` (which must call `/bin/sh hello.sh`). Do not forget to set the correct permissions in order for your script to be executable.

### Tips

Using `<command> | cat -e` will print a `$` where there are linefeeds in the output of `<command>`. This will help you make sure that your format is correct.

## 2 Example

```
42sh$ ./hello.sh  
Hello World!  
42sh$ ./hello.sh | cat -e  
Hello World!$
```

*The way is lit. The path is clear. We require only the strength to follow it.*