

# An Event-B Specification of Elevator

A machine for testing the basics of code generation. It can move an elevator up and down between limits specified by constants.

<b>1</b>	<b>CONTEXT</b>	<b>HouseContext</b>	<b>2</b>
1.1	DIR		2
1.2	down max_floor up		2
<b>2</b>	<b>MACHINE</b>	<b>Elevator</b>	<b>3</b>
2.1	curr dest dir		3
2.2	moveUp		3
2.3	moveDown		3
2.4	enterDest( <i>d</i> )		3
2.5	startMovingUp		4
2.6	startMovingDown		4

## SETS

1.1

`DIR` The direction of travel

## CONSTANTS

1.2

`up` Moving up`down` Moving down`max_floor` The house has no more than these number of floors.

## AXIOMS

`axm_01:` `partition(DIR, {up}, {down})``axm_02:` `max_floor`  $\in \mathbb{N}$  The maximum floor is a number.`axm_03:` `max_floor = 10`

END

## VARIABLES

2.1

*curr*    Current floor  
*dest*    Destination floor, stop when  $curr == dest$   
*dir*     Direction of movement

## INVARIANTS

*inv\_1:*     $curr \in \mathbb{N}$   
*inv\_2:*     $curr > 0$   
*inv\_3:*     $curr \leq max\_floor$   
*inv\_4:*     $dest \in \mathbb{N}$   
*inv\_5:*     $dest > 0$   
*inv\_6:*     $dest \leq max\_floor$   
*inv\_7:*     $dir \in DIR$

## EVENT INITIALISATION

## THEN

*init\_1:*     $curr := 1$   
*init\_2:*     $dest := 1$   
*init\_3:*     $dir := up$

## END

## EVENT moveUp

2.2

## WHERE

*grd\_1:*     $dir = up$   
*grd\_2:*     $curr < max\_floor$   
*grd\_3:*     $curr \neq dest$

## THEN

*act\_01:*     $curr := curr + 1$

## END

## EVENT moveDown

2.3

## WHERE

*grd\_1:*     $dir = down$   
*grd\_2:*     $curr > 1$   
*grd\_3:*     $curr \neq dest$

## THEN

*act\_01:*     $curr := curr - 1$

## END

## EVENT enterDest

2.4

## ANY

*d*

## WHERE

*grd\_1:*     $d \in \mathbb{N}$   
*grd\_2:*     $d > 0$

```
    grd_3:   $d \leq \text{max\_floor}$   
THEN  
    act_1:   $\text{dest} := d$   
END
```

```
EVENT startMovingUp  
WHERE  
    grd_1:   $\text{dest} > \text{curr}$   
    gtd_2:   $\text{dir} = \text{down}$   
THEN  
    act_1:   $\text{dir} := \text{up}$   
END
```

2.5

```
EVENT startMovingDown  
WHERE  
    grd_1:   $\text{dest} < \text{curr}$   
    gtd_2:   $\text{dir} = \text{up}$   
THEN  
    act_1:   $\text{dir} := \text{down}$   
END
```

2.6

curr, 3

dest, 3

dir, 3

Elevator, 3

enterDest, 3

HouseContext, 2, 3

INITIALISATION, 3

moveDown, 3

moveUp, 3

startMovingDown, 4

startMovingUp, 4