

1D-Continuous Dynamical Systems (Assignment Sheet 2)

Introduction To Chaos Applied To Systems, Processes And Products (ETSIDI, UPM)

Alfonso Allen-Perkins, Juan Carlos Bueno and Eduardo Faleiro

2025-02-14

Contents

Exercise 1	1
Exercise 2	1
Exercise 3	2
Exercise 4	2
Exercise 5	2
Exercise 6	2

Exercise 1

Consider the system

$$\dot{x} = x^2 - 1$$

Solve and plot \dot{x} versus t for:

- **Case a:** $x(0) < -1$
- **Case b:** $-1 < x(0) < 1$
- **Case c:** $x(0) > 1$

Question: What can be concluded about the points $x = 1$ and $x = -1$?

Exercise 2

Given the system

$$\dot{x} = 3x - x^3$$

- Find all the **fixed points**.
 - Analyze their **stability**.
 - Solve **numerically** with $x(0) = 5$ and plot for large t .
 - Animate the solution.
-

Exercise 3

The Logistic Flow is defined as:

$$\dot{x} = \mu x(1 - x)$$

- Find **fixed points** as a function of μ .
 - Perform a **stability analysis**.
 - Solve **numerically** with $x(0) = 0.5$ and animate the trajectory.
-

Exercise 4

Solve analytically the **Logistic Flow** (Exercise 3) and compare it with the numerical solution using `ode45` for:

- $x(0) = 0.1$, with $\mu = 2$.
-

Exercise 5

For the following systems, **plot** \dot{x} vs x , find **fixed points**, and analyze **stability**:

- $\dot{x} = \sin(x)e^{-x}$
 - $\dot{x} = e^{-x} - 10 \cos(x)$
 - $\dot{x} = 1 + \frac{\cos(x)}{2}$
-

Exercise 6

Consider an **electrical circuit** with a **linear resistor** R in series with **capacitor** C and **battery** with constant voltage V . Let $Q(t)$ denote the charge of the capacitor at time $t \geq 0$.

- Plot $Q(t)$ when the capacitor starts with no charge.

Question: What changes if the resistor is nonlinear, that is, if the voltage across the resistor depends on the electric current?