

## Formal Methods (SE2003)

Date: 24th February 2025

Course Instructor(s)

Dr.Wafa Basit

### Sessional-I Exam

Student Name

Roll No

Section

Student Signature

Total Time: 1 Hours

Total Marks: 25

Total Questions: 1

Vetted by  
Semester: SP-2025

Vetter Signature

Campus: Lahore

Dept: Software Engineering

#### Instructions

- Make assumptions where necessary
- In case of multiple solutions, mention the final one
- All Questions have to be attempted on question paper.
- Please draw neat and understandable diagrams
- Use of lead pencil is not allowed.

**Question # 1** A simple control system monitors the entry and exit of vehicles from a car park. It maintains a count of the number of vehicles presently inside; this count should never exceed *capacity*, an integer number greater than zero. *Whereis* is a partial function that maintains the locations of the parked cars in the parking: **(Total Points 25, 5 marks each)**

*CarParking*

*Count*: $\mathbb{N}$

*Whereis*:  $Car \rightarrow Location$

*Count*  $\leq$  *Capacity*

Note: Only write the success scenarios for each operation. Don't use the names of input and output variables that are same as the existing key words. Write necessary pre and post conditions

- a) A successful park operation allocates a location to a new car. The car and location both will be provided by the user. The location should not be already occupied. It also increments the counter by one.

\_CarPark\_


- b) A successful exit operation removes the car from the car parking and decrements the counter.

\_CarExit\_


- c) A successful UpdateParking operation changes the location of already parked car to a new location (it should not be ;aready occupied) and the count remains the same:

\_UpdateParking\_


- d) A successful ViewParking operation returns the location of already parked car and the count remains the same:

---

*UpdateParking*

A blank coordinate system with a horizontal x-axis and a vertical y-axis. The axes are represented by thin black lines. The x-axis is labeled 'x' at its right end, and the y-axis is labeled 'y' at its top end. The origin is at the intersection of the two axes.

- e) An unsuccessful park operation has a complementary precondition. This time, the count is equal to capacity. A new entry shall not be made and a message will be displayed telling that no space is available.

CapacityReached\_\_\_\_\_

A blank coordinate plane with a horizontal x-axis and a vertical y-axis intersecting at the origin. The axes are represented by thin black lines.

- f) Draw a petrinet to model the car park scenario defined in part a.

-----Good Luck-----