C. Success Rate

time limit per test: 2 seconds memory limit per test: 256 megabytes

input: standard input output: standard output

You are an experienced Codeforces user. Today you found out that during your activity on Codeforces you have made y submissions, out of which x have been successful. Thus, your current success rate on Codeforces is equal to x / y.

Your favorite rational number in the [0;1] range is p / q. Now you wonder: what is the smallest number of submissions you have to make if you want your success rate to be p / q?

Input

The first line contains a single integer t ($1 \le t \le 1000$) — the number of test cases.

Each of the next t lines contains four integers x, y, p and q ($0 \le x \le y \le 10^9$; $0 \le p \le q \le 10^9$; y > 0; q > 0).

It is guaranteed that p / q is an irreducible fraction.

Hacks. For hacks, an additional constraint of $t \le 5$ must be met.

Output

For each test case, output a single integer equal to the smallest number of submissions you have to make if you want your success rate to be equal to your favorite rational number, or -1 if this is impossible to achieve.

Example

```
input

4
3 10 1 2
7 14 3 8
20 70 2 7
5 6 1 1

output

4
10
0
-1
```

Note

In the first example, you have to make 4 successful submissions. Your success rate will be equal to 7/14, or 1/2.

In the second example, you have to make 2 successful and 8 unsuccessful submissions. Your success rate will be equal to 9/24, or 3/8.

In the third example, there is no need to make any new submissions. Your success rate is already equal to 20/70, or 2/7.

In the fourth example, the only unsuccessful submission breaks your hopes of having the success rate equal to 1.