A. LLPS

time limit per test: 2 seconds memory limit per test: 256 megabytes

input: standard input output: standard output

This problem's actual name, "Lexicographically Largest Palindromic Subsequence" is too long to fit into the page headline.

You are given string s consisting of lowercase English letters only. Find its lexicographically largest palindromic subsequence.

We'll call a non-empty string $s[p_1p_2...p_k] = s_{p_1}s_{p_2}...s_{p_k}$ ($1 \le p_1 \le p_2 \le ... \le p_k \le |s|$) a <u>subsequence</u> of string $s = s_1s_2...s_{|s|}$, where |s| is the length of string s. For example, strings "abacaba" and "abacaba" are subsequences of string "abacaba".

String $x = x_1x_2... x_{|x|}$ is <u>lexicographically larger</u> than string $y = y_1y_2... y_{|y|}$ if either |x| > |y| and $x_1 = y_1, x_2 = y_2, ..., x_{|y|} = y_{|y|}$, or there exists such number r (r < |x|, r < |y|) that $x_1 = y_1, x_2 = y_2, ..., x_r = y_r$ and $x_{r+1} > y_{r+1}$. Characters in the strings are compared according to their ASCII codes. For example, string "ranger" is lexicographically larger than string "poster" is lexicographically larger than string "post".

String $s = s_1 s_2 \dots s_{|s|}$ is a <u>palindrome</u> if it matches string $rev(s) = s_{|s|} s_{|s|-1} \dots s_1$. In other words, a string is a palindrome if it reads the same way from left to right and from right to left. For example, palindromic strings are "racecar", "refer" and "z".

Input

The only input line contains a non-empty string s consisting of lowercase English letters only. Its length does not exceed 10.

Output

Print the lexicographically largest palindromic subsequence of string *s*.

Examples

input	
radar	
output	
rr	

input	
роммоммом	
output	
WWWWW	

input	
codeforces	
output	
S	

input	
mississipp	

output

SSSS

Note

Among all distinct subsequences of string "radar" the following ones are palindromes: "a", "d", "r", "aa", "rr", "ada", "rar", "rdr", "raar" and "radar". The lexicographically largest of them is "rr".