# D. Fish Weight

time limit per test: 1 second memory limit per test: 256 megabytes input: standard input

output: standard output

It is known that there are k fish species in the polar ocean, numbered from 1 to k. They are sorted by non-decreasing order of their weight, which is a positive number. Let the weight of the i-th type of fish be  $w_i$ , then  $0 < w_1 \le w_2 \le ... \le w_k$  holds.

Polar bears Alice and Bob each have caught some fish, and they are guessing who has the larger sum of weight of the fish he/she's caught. Given the type of the fish they've caught, determine whether it is possible that the fish caught by Alice has a **strictly larger** total weight than Bob's. In other words, does there exist a sequence of weights  $w_i$  (not necessary integers), such that the fish caught by Alice has a strictly larger total weight?

## Input

The first line contains three integers n, m, k ( $1 \le n$ ,  $m \le 10^5$ ,  $1 \le k \le 10^9$ ) — the number of fish caught by Alice and Bob respectively, and the number of fish species.

The second line contains n integers each from 1 to k, the list of fish type caught by Alice. The third line contains m integers each from 1 to k, the list of fish type caught by Bob.

Note that one may have caught more than one fish for a same species.

### **Output**

Output "YES" (without quotes) if it is possible, and "NO" (without quotes) otherwise.

#### **Examples**

```
input
3 3 3
2 2 2
1 1 3

output

YES
```

```
input
4 7 9
5 2 7 3
3 5 2 7 3 8 7

output

NO
```

#### Note

In the first sample, if  $w_1 = 1$ ,  $w_2 = 2$ ,  $w_3 = 2.5$ , then Alice has a total of 2 + 2 + 2 = 6 weight units, while Bob only has 1 + 1 + 2.5 = 4.5.

In the second sample, the fish that Alice caught is a subset of Bob's. Therefore, the total weight of Bob's fish is always not less than the total weight of Alice's fish.