

## C. Bear and Tree Jumps

time limit per test: 2 seconds  
memory limit per test: 256 megabytes  
input: standard input  
output: standard output

A tree is an undirected connected graph without cycles. The distance between two vertices is the number of edges in a simple path between them.

Limak is a little polar bear. He lives in a tree that consists of  $n$  vertices, numbered 1 through  $n$ .

Limak recently learned how to jump. He can jump from a vertex to any vertex within distance at most  $k$ .

For a pair of vertices  $(s, t)$  we define  $f(s, t)$  as the minimum number of jumps Limak needs to get from  $s$  to  $t$ . Your task is to find the sum of  $f(s, t)$  over all pairs of vertices  $(s, t)$  such that  $s < t$ .

### Input

The first line of the input contains two integers  $n$  and  $k$  ( $2 \leq n \leq 200\,000$ ,  $1 \leq k \leq 5$ ) — the number of vertices in the tree and the maximum allowed jump distance respectively.

The next  $n - 1$  lines describe edges in the tree. The  $i$ -th of those lines contains two integers  $a_i$  and  $b_i$  ( $1 \leq a_i, b_i \leq n$ ) — the indices on vertices connected with  $i$ -th edge.

It's guaranteed that the given edges form a tree.

### Output

Print one integer, denoting the sum of  $f(s, t)$  over all pairs of vertices  $(s, t)$  such that  $s < t$ .

### Examples

input
6 2 1 2 1 3 2 4 2 5 4 6
output
20

  

input
13 3 1 2 3 2 4 2 5 2 3 6 10 6 6 7 6 13 5 8 5 9 9 11 11 12
output
114

input
3 5 2 1 3 1
output
3

## Note

In the first sample, the given tree has 6 vertices and it's displayed on the drawing below. Limak can jump to any vertex within distance at most 2. For example, from the vertex 5 he can jump to any of vertices: 1, 2 and 4 (well, he can also jump to the vertex 5 itself).

There are pairs of vertices  $(s, t)$  such that  $s < t$ . For 5 of those pairs Limak would need two jumps:  $(1, 6)$ ,  $(3, 4)$ ,  $(3, 5)$ ,  $(3, 6)$ ,  $(5, 6)$ . For other 10 pairs one jump is enough. So, the answer is  $5 \cdot 2 + 10 \cdot 1 = 20$ .

In the third sample, Limak can jump between every two vertices directly. There are 3 pairs of vertices  $(s < t)$ , so the answer is  $3 \cdot 1 = 3$ .