

## GE Water & Process Technologies

## Material Safety Data Sheet

Issue Date: 03-APR-2013 Supercedes: 26-SEP-2012

### **GENGARD GN7004**

### 1 Identification

Identification of substance or preparation GENGARD GN7004

**Product Application Area** Dispersant.

Company/Undertaking Identification GE Betz, Inc.

4636 Somerton Road Trevose, PA 19053 T 215 355-3300, F 215 953 5524

**Emergency Telephone** 

(800) 877-1940

Prepared by Product Stewardship Group: T 215-355-3300 Prepared on: 03-APR-2013

## 2 Hazard(s) identification

### \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

### EMERGENCY OVERVIEW

### CAUTION

May cause slight irritation to the skin. May cause slight irritation to the eyes. Not expected to cause respiratory tract irritation.  $\,$ 

DOT hazard is not applicable Odor: Mild; Appearance: Amber, Liquid

Fire fighters should wear positive pressure self-contained breathing apparatus(full face-piece type). Proper fire-extinguishing media: dry chemical, carbon dioxide, foam or water

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

### POTENTIAL HEALTH EFFECTS

### ACUTE SKIN EFFECTS:

Primary route of exposure; May cause slight irritation to the skin.

### ACUTE EYE EFFECTS:

May cause slight irritation to the eyes.

### ACUTE RESPIRATORY EFFECTS:

Not expected to cause respiratory tract irritation.

#### INGESTION EFFECTS:

May cause gastrointestinal irritation with possible nausea, vomiting, abdominal discomfort and diarrhea.

#### TARGET ORGANS:

Repeated skin contact may cause sensitization.

#### MEDICAL CONDITIONS AGGRAVATED:

Not known.

### SYMPTOMS OF EXPOSURE:

May cause redness or itching of skin.

## 3 Composition / information on ingredients

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this MSDS for our assessment of the potential hazards of this formulation.

#### HAZARDOUS INGREDIENTS:

This product is not hazardous as defined by OSHA regulations.

No component is considered to be a carcinogen by the National Toxicology Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration at OSHA thresholds for carcinogens.

### 4 First-aid measures

### SKIN CONTACT:

Wash thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persists.

### EYE CONTACT:

Remove contact lenses. Hold eyelids apart. Immediately flush eyes with plenty of low-pressure water for at least 15 minutes. Get medical attention if irritation persists after flushing.

### INHALATION:

If nasal, throat or lung irritation develops - remove to fresh air and get medical attention.

### INGESTION:

Do not feed anything by mouth to an unconscious or convulsive victim. Do not induce vomiting. Immediately contact physician. Dilute contents of stomach using 2-8 fluid ounces (60-240 mL) of milk or water.

### NOTES TO PHYSICIANS:

No special instructions

## 5 Fire-fighting measures

#### FIRE FIGHTING INSTRUCTIONS:

Fire fighters should wear positive pressure self-contained breathing apparatus (full face-piece type).

### EXTINGUISHING MEDIA:

dry chemical, carbon dioxide, foam or water

#### HAZARDOUS DECOMPOSITION PRODUCTS:

oxides of carbon

### FLASH POINT:

> 213F > 101C P-M(CC)

### 6 Accidental release measures

#### PROTECTION AND SPILL CONTAINMENT:

Ventilate area. Use specified protective equipment. Contain and absorb on absorbent material. Place in waste disposal container. Flush area with water. Wet area may be slippery. Spread sand/grit.

#### DISPOSAL INSTRUCTIONS:

Water contaminated with this product may be sent to a sanitary sewer treatment facility, in accordance with any local agreement, a permitted waste treatment facility or discharged under a permit. Product as is - Incinerate or land dispose in an approved landfill.

## 7 Handling and storage

### HANDLING:

Normal chemical handling.

#### STORAGE:

Keep containers closed when not in use. Store in cool ventilated location. Store away from oxidizers. Shelf life 360 days.

## 8 Exposure controls / personal protection

### EXPOSURE LIMITS

This product is not hazardous as defined by OSHA regulations.

### ENGINEERING CONTROLS:

adequate ventilation

### PERSONAL PROTECTIVE EQUIPMENT:

Use protective equipment in accordance with 29CFR 1910 Subpart I

### RESPIRATORY PROTECTION:

A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.

USE AIR PURIFYING RESPIRATORS WITHIN USE LIMITATIONS ASSOCIATED WITH THE EQUIPMENT OR ELSE USE SUPPLIED AIR-RESPIRATORS.

If air-purifying respirator use is appropriate, use any of the following particulate respirators: N95, N99, N100, R95, R99, R100, P95, P99 or P100.

### SKIN PROTECTION:

rubber, butyl, viton or neoprene gloves -- Wash off after each use. Replace as necessary.

### EYE PROTECTION:

splash proof chemical goggles

## 9 Physical and chemical properties

```
Spec. Grav. (70F, 21C)
                      1.134
                                       Vapor Pressure (mmHG) ~ 18.0
Freeze Point (F)
Freeze Point (C)
                                     Vapor Density (air=1) < 1.00
                                     % Solubility (water)
Viscosity(cps 70F,21C) 44
                                                              100.0
Odor
                                  Mild
Appearance
                                  Amber
Physical State
Flash Point P-M(CC)
                                 Liquid
                                 > 213F > 101C
                                 5.0
pH As Is (approx.)
Evaporation Rate (Ether=1)
                                 < 1.00
Percent VOC:
                                    0.0
```

NA = not applicable ND = not determined

## 10 Stability and reactivity

### CHEMICAL STABILITY:

Stable under normal storage conditions.

### POSSIBILITY OF HAZARDOUS REACTIONS:

Contact with water reactive compounds may cause fire or explosion.

#### INCOMPATIBILITIES:

May react with strong oxidizers.

#### DECOMPOSITION PRODUCTS:

oxides of carbon

# 11 Toxicological information

```
Oral LD50 RAT: >5000 mg/kg

NOTE - Calculated according to GHS additivity formula

Dermal LD50 RABBIT: >5000 mg/kg

NOTE - Calculated according to GHS additivity formula
```

### 12 Ecological information

### AQUATIC TOXICOLOGY

```
Ceriodaphnia 48 Hour Static Acute Bioassay
LC50= 1707.6; No Effect Level= 1250 mg/L
Ceriodaphnia 7 Day Chronic Bioassay
Reproduction NOEL= 500; Reproduction LOEC= 1000 mg/L
Daphnia magna 48 Hour Static Acute Bioassay
LC50= 3677; No Effect Level= 2500 mg/L
Fathead Minnow 7 Day Chronic Bioassay
Growth NOEL= 1000; Growth LOEL= 2000 mg/L
Fathead Minnow 96 Hour Static Acute Bioassay
LC50= 2367; No Effect Level= 1250 mg/L
Rainbow Trout 96 Hour Static Acute Bioassay
LC50= 1894; No Effect Level= 1250 mg/L
```

### BIODEGRADATION

BOD-28 (mg/g): 24 BOD-5 (mg/g): 0 COD (mg/g): 385 TOC (mg/g): 109

## 13 Disposal considerations

If this undiluted product is discarded as a waste, the US RCRA hazardous waste identification number is: Not applicable.

Please be advised; however, that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

## 14 Transport information

```
Transportation Hazard: Not Applicable
DOT: Not Regulated

DOT EMERGENCY RESPONSE GUIDE #: Not applicable
Note: Some containers may be DOT exempt, please check BOL for exact container classification
IATA: Not Regulated

IMDG: Not Regulated
```

### 15 Regulatory information

```
TSCA:
          All components of this product are included on or are in
          compliance with the U.S. TSCA regulations.
    CERCLA AND/OR SARA REPORTABLE QUANTITY (RQ):
          No regulated constituent present at OSHA thresholds
    NSF Registered and/or meets USDA (according to 1998 Guidelines):
          Registration number: 141931
          Category Code(s):
       G5
          Cooling and retort water treatment products - all
            food processing areas
            Boiler treatment products - all food processing
             areas/nonfood contact
    SARA SECTION 312 HAZARD CLASS:
          Delayed (Chronic)
    SARA SECTION 302 CHEMICALS:
          No regulated constituent present at OSHA thresholds
    SARA SECTION 313 CHEMICALS:
          No regulated constituent present at OSHA thresholds
CALIFORNIA REGULATORY INFORMATION
```

# CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):

This product contains one or more ingredients at trace levels known to the state of California to cause cancer.

No regulated constituent present at OSHA thresholds

## 16 Other information

### HMIS vII CODE TRANSLATION

Health	1	Slight Hazard
Fire	1	Slight Hazard
Reactivity	0	Minimal Hazard
Special	NONE	No special Hazard
(1) Protective Equipment	В	Goggles,Gloves

(1) refer to section 8 of MSDS for additional protective equipment recommendations.

### CHANGE LOG

	EFFECTIVE		
	DATE	REVISIONS TO SECTION:	SUPERCEDES
MSDS status:	20-APR-2007		** NEW **
	06-JUN-2007	8,15	20-APR-2007
	09-NOV-2007	2,3,4,7,8	06-JUN-2007
	28-APR-2008	12	09-NOV-2007
	20-JAN-2009	12	28-APR-2008
	05-JUN-2009	12	20-JAN-2009
	15-JUN-2009	10,15	05-JUN-2009
	01-FEB-2011	8	15-JUN-2009
	01-APR-2011	10,11	01-FEB-2011
	09-JUN-2011	3,8	01-APR-2011
	30-MAR-2012	2,4,16	09-JUN-2011
	26-SEP-2012	12	30-MAR-2012
	03-APR-2013	12	26-SEP-2012