

Problem Set #[1]
MACS 30100, Dr. Evans
Joanna Tung

Problem 1

Part 1b. Goldrick-Rab, Kelchen, Harris and James Benson. "Reducing Income Inequality in Educational Attainment: Experimental Evidence on the Impact of Financial Aid on College Completion." *American Journal of Sociology* 121(2016): 1762-1817. Accessed January 8, 2017. doi:10.1086/685442.

Part 1c. The following equation was used by authors to model the impact of the Wisconsin Scholars Grant (WSG) offers on on-time graduation rates for a given student i , accounting for financial and demographic characteristics of student i (page 1784). (Authors also used this same equation to model the treatment effect of the WSG grant on retention and credits earned in the fall of the third semester, but this will not be considered in this homework.) Variable T_i indicates whether an offer of the WSG was received in the first year of college; C_i indicates college fixed effects; X_i indicates the financial or demographic measure of interest; variable Y_i indicates likelihood of on-time graduation.

$$Y_i = \alpha_{0i} + \alpha_{1i}T_i + \alpha_{2i}C_i + \alpha_{3i}(T_i X_i) + \alpha_{4i}C_i + \epsilon_i \quad (1)$$

Part 1d. Exogenous variables in this model are T_i , C_i and X_i . The endogenous variable is Y_i .

Part 1e. This model is static, linear, and stochastic.

Part 1f. This model permitted researchers to account only for one financial or demographic measure of interest (race, gender, ACT score, siblings, family income, financial independence etc.) at a time. This model would be considerably strengthened if the effects of multiple combinations of financial/demographic measures of interest were measured concurrently. One variable that researchers did not consider was degree-type pursued. This could conceivably also have an effect on on-time graduation rates.

Problem 2

Part 2a. The following equation models the predicated lifespan (in years, Y_i) for popular musician i . Variable A_i indicates primary drug use type, where 1 denotes natural or hallucinogenic drug types (marijuana, mushrooms, LSD), 2 denotes middle-range addictive drugs (alcohol, cigarettes, cocaine, prescription opioids), and 3 denotes hard-addictive drug types (methamphetamine, heroin, angel dust), where numerical value is assigned based on the most severe drug used on average 4 out of 7 days a week for a minimum of a 2 years period. Variable T_i indicates total years of drug A_i

use. Variable B_i indicates first age of commercial success. Variable C_i indicates level of family support, ranging from 0-5.

$$Y_i = \alpha_{0i} + \alpha_{1i}A_i + \alpha_{2i}(A_i x T_i) + \alpha_{3i}B_i + \alpha_{4i}C_i + \epsilon_i \quad (2)$$

Part 2d. This model assumes that the type of persistent drug use, years of persistent drug use, age of first commercial success, and strength of family relationships are the primary factors for estimating the predicted lifespan of popular musicians.

Part 2e. I chose these factors based on the assumption that popular musicians die prematurely young due to strenuous health problems caused primarily by drug use, and to a lesser degree, poor self-care. As a result, this model includes variables to account for type of chronic drug use and the length of chronic usage, where chronic is defined by a minimum of 4 out of 7 days per week usage. Poor self-care is caused by and correlated with a variety of factors: to address the variability of these factors, I focused on two factors that I believe play a large role in the ability of a given musician to properly regulate self-care practices: age of first commercial success and strength of family support mechanisms. Here, I assume that age is an indirect measure of maturity, which I take as an important factor in determining a given musician's ability to acknowledge his or her own self-care needs and ability to balance self-care concerns with commercial success. Strength of family support is used to indicate the emotional and mental support system available to the musician; I believe this is an important factor, assuming that poor self-care in musicians (separate from drug usage habits) are likely to be correlated with low levels of self-esteem. This model assumes that the better the psychological/emotional support system available to a musician, the more likely the musician is to take better care of their health. Other factors such as musical genre, magnitude of financial success, and length of career I believe to be less directly correlated to self-care; indeed, I would argue that factors such as magnitude of financial success and length of career measure levels of self-esteem, rather than the effect on a given musician's health. With these assumptions, the use of "strength of family support" better captures effect on health outcomes (and thus lifespan) than these arguably "indirect" measures on musician health.

Part 2f. A preliminary test of these factors could be performed by determining whether this model holds for a dataset of 1 male and 1 female band in each of the listed musical genres (rock, pop, hip hop/rap, country). Selected bands must include both live and dead musicians so that the predicted lifespan model can be accurately tested for dead musicians, while also testing for underestimation of lifespan among live musicians.