Show an appropriate amount of work. You can (and probably should) check your work with a computer.

1. Compute and simplify a bit all possible values of


**1.1.** 
$$Z = \left(\frac{i}{1+i}\right)^3 =$$

- **1.2.** Roots of  $z^5 = -32i$  z = -32i
- **1.3.** Roots of  $(z \overline{i})(z^2 4 \overline{i} z + 5) = 0$   $z = \boxed{}$

## 2. Sketch and label the sets

- **2.1.** Points  $C_1$  satisfying |z+i| < 2.
- **2.2.** Points  $C_2$  satisfying  $re(z \bar{t}) = 1$ .
- **2.3.** Points  $C_3$  satisfying  $arg(z + i) = 3 \pi/4$ .

Out[0]=



- **3.** For f(z) = u(x, y) + i v(x, y) and write down the CR equations
- **3.1.** Explain why u satisfies  $u_{xx} + u_{yy} = 0$ .
- **3.2.** Is  $i x^3 3x^2y 3ixy^2 + y^3$  analytic? If it is write down f(z).
- **3.3.** Is  $i x^3 + 3x^2y 3ixy^2 + y^3$  analytic? If it is write down f(z).
- **3.4.** Is  $e^{x-iy}$  analytic?

**4.1.** Compute  $\int_{\mathcal{O}} e^{1/z} dz$  for the ccw unit circle. #5.6.1 p166

**4.2.** Show 
$$\int_0^\infty \frac{dx}{x^4 + 2 x^2 \cos(2 \alpha) + 1} = \left| \frac{\pi}{4 \cos(\alpha)} \right|$$
 #5.6.4 p166

**4.3.** Show 
$$\int_0^\infty \frac{e^{-x} - \cos(x) dx}{x} = 0$$
 #5.6.5 p166

**4.4.** Show 
$$\int_{-\infty}^{\infty} \frac{dx}{1+x^{2p}} = \left| \frac{\pi}{p \sin(\frac{\pi}{2p})} \right|$$
 #5.6.7 p166


- **5.** Reminder  $\frac{d}{dz}$  (arcsin(z)) =  $\frac{1}{\sqrt{1-z^2}}$
- **5.1.** Discuss the singularities of  $f(z) = \arcsin(z)$  for  $z \in \mathbb{C}$
- **5.2.** Compute two non-zero terms of the Taylor Series for f(z) about z = 0.
- **5.3.** Compute the general term of the Taylor Series for f(z) about z = 0.
- **5.4.** What is the radius of convergence for the TS about z = 0?
- 5.5. What would be the radius of convergence for the TS about  $z = \overline{i}$ ?

- **6.**  $f(z) = \sum_{n=-\infty}^{n=\infty} a_n z^n$  is the Laurent Series for f about z = 0.
- **6.1.** What is the name for  $a_{-1}$ ? Why is it particularly important?
- **6.2.** Write down a simple formula for  $a_n$  with  $n \ge 0$  valid when f is analytic near z = 0.
- **6.3.** Write down a formula for  $a_n$  valid when f is not analytic near z = 0. Explain when this formula is valid.


7. Compute  $\lim_{n\to\infty}\sum_{k=-n}^{k=n}\frac{1}{n^4+1}$  using a contour integral. Explain your steps and show appropriate work. In this problem you do not need to compute residues. If you have defined f and  $z_i$  you can just write  $res(f, z_i)$  for the residue.

for  $0 \le t < 1$  $p_1(t) =$  $p_2(t) =$ for  $0 \le t < 1$  $dt + \int_0^1$  $\int_{\Gamma} f(z) \, \mathrm{d}z = \int_0^1$ dt. For  $f(z) = \frac{z^2}{z-i}$  evaluate  $\int_{\Gamma} f(z) dz = \int_{\Gamma} f(z) dz$ Show


appropriate work below.



## **9.** For the closed counter clockwise contour $\Gamma$ shown below



Explain the need for care when evaluating these individual line integrals using FTC and logs.



**10.** Compute  $\int_{\Gamma} \frac{e^z}{(z^2+9)(z-3)} dz =$ for the counter clockwise contour  $\Gamma$ . Show appropriate work.



