

# Paths of analysis\*

C32

Synthia

March 3, 2022

## 1 Analysis parameters

**Analysis type:** Automatic Retrosynthesis

**Rules:** none selected

**Filters:** FGI, FGI with protections

**Max. paths returned:** 5

**Max. iterations:** 300

**Commercial:**

1. Max. molecular weight - 1000 g/mol
2. Max. price - 1000 \$/g

**Published:**

1. Max. molecular weight - 1000 g/mol
2. Popularity - 10

**My Stockroom:**

1. Max. molecular weight - 1000 g/mol

**Reaction scoring formula:**  $\text{TUNNEL\_COEF} * \text{FGI\_COEF} * \text{STEP} * 20 + 1000000 * (\text{CONFLICT} + \text{NON\_SELECTIVITY} + \text{FILTERS} + \text{PROTECT})$

**Chemical scoring formula:**  $\text{SMALLER}^3, \text{SMALLER}^{1.5}$

**Min. search width:** 400

**Max. reactions per product:** 60

**Strategies:** none selected

---

\*The results stated herein were generated using the proprietary platform owned and maintained by Grzybowski Scientific Inventions, Inc., a subsidiary of Merck KGaA, Darmstadt Germany. The results are provided on an as is basis, and shall be used solely in connection with the rights afforded in the license agreement and for no other purpose.

FGI Coeff: 0

JSON Parameters: {}

## 2 Paths

2 paths found. *Paths are sorted by score. Reactions are sorted in appearance order for each path.*

### 2.1 Path 1

Score: 231.32





Figure 1: Outline of path 1

#### 2.1.1 Reduction of nitro group



Substrates:

- 1-Bromo-5-isopropoxy-2-methyl-4-nitrobenzene - *available at Sigma-Aldrich*

**Products:**

- Cc1cc(N)c(OC(C)C)cc1Br

**Typical conditions:** Zn. aq NH<sub>4</sub>. EtOH //Zn.Hcl


**Protections:** none

**Yield:** good

**Reference:** DOI: [10.1002/anie.201512005](https://doi.org/10.1002/anie.201512005) and [10.1002/anie.201104681](https://doi.org/10.1002/anie.201104681) and [10.3390/molecules17055497](https://doi.org/10.3390/molecules17055497) and [10.3390/molecules19022655](https://doi.org/10.3390/molecules19022655) and [10.1021/ol5033464](https://doi.org/10.1021/ol5033464) (SI,page 3) and [10.5012/bkcs.2013.34.4.1275](https://doi.org/10.5012/bkcs.2013.34.4.1275)

**Retrosynthesis ID:** 6145

### 2.1.2 Amination of aryl bromides



**Substrates:**

- 2-Bromo-N,N-dimethylbenzenesulphonamide 1g pack - *Combi-Blocks*
- Benzylamine - *available at Sigma-Aldrich*

**Products:**

- CN(C)S(=O)(=O)c1ccccc1NCc1ccccc1

**Typical conditions:** Pd.ligand.base or CuI.ligand.base


**Protections:** none

**Yield:** good

**Reference:** [10.1021/ja903049z](https://doi.org/10.1021/ja903049z) and [10.1021/jo060945k](https://doi.org/10.1021/jo060945k) and [10.1021/jo060190h](https://doi.org/10.1021/jo060190h) and [10.1039/B923255A](https://doi.org/10.1039/B923255A) and [10.1021/jm8003625](https://doi.org/10.1021/jm8003625) and [10.1021/jo9006738](https://doi.org/10.1021/jo9006738)

**Retrosynthesis ID:** 28544

### 2.1.3 Synthesis of haloarenes via triflates



**Substrates:**

1. 5-chloro-uracil - *Combi-Blocks*

**Products:**

1. O=c1[nH]c(F)ncc1Cl

**Typical conditions:** 1. Tf2O 2. [Pd].MX


**Protections:** none

**Yield:** moderate

**Reference:** [10.1016/j.tetasy.2012.04.008](#) and [WO2007/136577](#) (p46) and [10.1021/ol202098h](#) and [10.1021/ol402859k](#) and [10.1021/jacs.5b09308](#)

**Retrosynthesis ID:** 23940

### 2.1.4 Photoredox Cross-Electrophile Coupling of Unactivated Alkyl Bromides



**Substrates:**

1. Cc1cc(N)c(OC(C)C)cc1Br
2. 2-Bromopropane - *available at Sigma-Aldrich*

**Products:**

1. Cc1cc(N)c(OC(C)C)cc1C(C)C

**Typical conditions:** [Ir]-photocat.[Ni]-cat.TTMSS.base.blue light


**Protections:** none

**Yield:** good

**Reference:** [10.1021/jacs.6b04818](#) and [10.1016/j.bbrc.2020.04.028](#) and [10.1021/ac-smmedchemlett.8b00183](#)

**Retrosynthesis ID:** 31016940

**2.1.5 Amination of pyridones**



**Substrates:**

1. CN(C)S(=O)(=O)c1ccccc1NCc1ccccc1
2. O=c1[nH]c(F)ncc1Cl

**Products:**

1. CN(C)S(=O)(=O)c1ccccc1N(Cc1ccccc1)c1nc(F)ncc1Cl

**Typical conditions:** 1.PCl5.2.amine


**Protections:** none

**Yield:** moderate

**Reference:** [10.1021/jm300780p](#) AND [10.3390/molecules170910902](#) AND [10.1021/jm00392a017](#)

**Retrosynthesis ID:** 14895

## 2.1.6 Nucleophilic aromatic substitution



**Substrates:**

- Cc1cc(N)c(OC(C)C)cc1C(C)C
- CN(C)S(=O)(=O)c1ccccc1N(Cc1ccccc1)c1nc(F)ncc1Cl

**Products:**

- Cc1cc(Nc2ncc(Cl)c(N(Cc3ccccc3)c3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C(C)C

**Typical conditions:** Solvent


**Protections:** none

**Yield:** good

**Reference:** [10.1002/9781118093559.ch4](#)

**Retrosynthesis ID:** 49476

## 2.1.7 Debenzylation



**Substrates:**

1. Cc1cc(Nc2ncc(Cl)c(N(Cc3ccccc3)c3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C(C)C

**Products:**

1. Cc1cc(Nc2ncc(Cl)c(Nc3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C(C)C

**Typical conditions:** H<sub>2</sub>. Pd/C or Pd(OH)<sub>2</sub>

**Protections:** none

**Yield:** good

**Reference:** DOI: [10.1002/1521-3773\(20020603\)41:11<1895::AID-ANIE1895>3.0.CO;2-3](https://doi.org/10.1002/1521-3773(20020603)41:11<1895::AID-ANIE1895>3.0.CO;2-3) and [10.1021/jo400589j](https://doi.org/10.1021/jo400589j) and [10.1021/jm8012932](https://doi.org/10.1021/jm8012932) (SI, page S6) and [10.1080/00397911.2016.1261164](https://doi.org/10.1080/00397911.2016.1261164)

**Retrosynthesis ID:** 9995661

## 2.2 Path 2

Score: 331.78





Figure 2: Outline of path 2

### 2.2.1 Reduction of nitro group



#### Substrates:

- 1-Bromo-5-isopropoxy-2-methyl-4-nitrobenzene - *available at Sigma-Aldrich*

#### Products:

- Cc1cc(N)c(OC(C)C)cc1Br

**Typical conditions:** Zn. aq NH<sub>4</sub>. EtOH //Zn.Hcl


**Protections:** none

**Yield:** good

**Reference:** DOI: [10.1002/anie.201512005](https://doi.org/10.1002/anie.201512005) and [10.1002/anie.201104681](https://doi.org/10.1002/anie.201104681) and [10.3390/molecules17055497](https://doi.org/10.3390/molecules17055497) and [10.3390/molecules19022655](https://doi.org/10.3390/molecules19022655) and [10.1021/ol5033464](https://doi.org/10.1021/ol5033464) (SI,page 3) and [10.5012/bkcs.2013.34.4.1275](https://doi.org/10.5012/bkcs.2013.34.4.1275)

**Retrosynthesis ID:** 6145

### 2.2.2 Photoredox Cross-Electrophile Coupling of Unactivated Alkyl Bromides





**Substrates:**

1. Cc1cc(N)c(OC(C)C)cc1Br
2. Bromocyclopropane - *available at Sigma-Aldrich*

**Products:**

1. Cc1cc(N)c(OC(C)C)cc1C1CC1

**Typical conditions:** [Ir]-photocat.[Ni]-cat.TTMSS.base.blue light


**Protections:** none

**Yield:** good

**Reference:** [10.1021/jacs.6b04818](#) and [10.1016/j.bbrc.2020.04.028](#) and [10.1021/acsmmedchemlett.8b00183](#)

**Retrosynthesis ID:** 31016940

**2.2.3 Hydrogenolysis of cyclopropane**



**Substrates:**

1. Cc1cc(N)c(OC(C)C)cc1C1CC1

**Products:**

1. Cc1cc(N)c(OC(C)C)cc1C(C)C

**Typical conditions:** H<sub>2</sub>.Pd/C


**Protections:** none

**Yield:** good

**Reference:** [10.1021/jo00264a013](#) AND [10.1021/ja00272a046](#) AND [10.1021/jm950677a](#)

**Retrosynthesis ID:** 12334

### 2.2.4 Balz-Schiemann Reaction



**Substrates:**

1. 4,5-Dichloropyrimidin-2-amine - *Combi-Blocks*

**Products:**

1. Fc1nc(Cl)c(Cl)n1

**Typical conditions:** NaNO2.HF-pyridine.-25 to 0C


**Protections:** none


**Yield:** moderate

**Reference:** [10.1021/jm100432w](#) and [10.1021/jm5008177](#) and [10.1021/ol401540k](#) and [10.1021/jm401551n](#) (main text and SI, page S8) and [10.1515/chempap-2016-0033](#) and [10.1021/jm0311442](#) and [10.1016/j.jfluchem.2007.03.012](#) and [10.1021/jo00185a023](#)

**Retrosynthesis ID:** 29906

### 2.2.5 Chan-Lam Coupling





**Substrates:**

1. 2-(N,N-DIMETHYLSULPHAMOYL)BENZENE BORONIC ACID - *Combi-Blocks*
2. Benzhydrazide - *available at Sigma-Aldrich*

**Products:**

1. CN(C)S(=O)(=O)c1ccccc1NNC(=O)c1ccccc1

**Typical conditions:** Cu(Oac)2.dioxane


**Protections:** none

**Yield:** good

**Reference:** *10.1039/C4OB02343A*

**Retrosynthesis ID:** 31015967

**2.2.6 Nucleophilic aromatic substitution**



**Substrates:**

1. Fc1ncc(Cl)c(Cl)n1
2. CN(C)S(=O)(=O)c1ccccc1NNC(=O)c1ccccc1

**Products:**

1. CN(C)S(=O)(=O)c1ccccc1N(NC(=O)c1ccccc1)c1nc(F)ncc1Cl

**Typical conditions:** EtOH.Heat or DMF.K2CO3


**Protections:** none

**Yield:** good

**Reference:** [10.1016/0040-4020\(95\)00966-3](#) and [10.1002/jhet.5570220420](#) and [10.1021/jo402481t](#)

**Retrosynthesis ID:** 29647

## 2.2.7 Nucleophilic aromatic substitution



**Substrates:**

1. Cc1cc(N)c(OC(C)C)cc1C(C)C
2. CN(C)S(=O)(=O)c1ccccc1N(NC(=O)c1ccccc1)c1nc(F)ncc1Cl

**Products:**

1. Cc1cc(Nc2ncc(Cl)c(N(NC(=O)c3ccccc3)c3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C(C)C

**Typical conditions:** Solvent


**Protections:** none

**Yield:** good

**Reference:** [10.1002/9781118093559.ch4](#)

**Retrosynthesis ID:** 49476

## 2.2.8 Reduction of phenylhydrazines



### Substrates:

1. Cc1cc(Nc2ncc(Cl)c(N(NC(=O)c3ccccc3)c3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C(C)C

### Products:

1. Cc1cc(Nc2ncc(Cl)c(Nc3ccccc3S(=O)(=O)N(C)C)n2)c(OC(C)C)cc1C(C)C

**Typical conditions:** RaNi.H2.MeOH

**Protections:** none

**Yield:** moderate

**Reference:** DOI: [10.1021/ol501424f](https://doi.org/10.1021/ol501424f)

**Retrosynthesis ID:** 1808