Paths of analysis*

Synthia

March 3, 2022

1 Analysis parameters

Analysis type: Automatic Retrosynthesis

Rules: none selected

Filters: FGI, FGI with protections

Max. paths returned: 5

Max. iterations: 300

Commercial:

1. Max. molecular weight - 1000 g/mol

2. Max. price - 1000 \$/g

Published:

- 1. Max. molecular weight 1000 g/mol
- 2. Popularity 10

My Stockroom:

1. Max. molecular weight - 1000 g/mol

Reaction scoring formula: TUNNEL_COEF*FGI_COEF*STEP*20+1000 000*(CONFLICT+NON SELECTIVITY+FILTERS+PROTECT)

Chemical scoring formula: SMALLER^ 3,SMALLER^ 1.5

Min. search width: 400

Max. reactions per product: 60

Strategies: none selected

^{*}The results stated herein were generated using the proprietary platform owned and maintained by Grzybowski Scientific Inventions, Inc., a subsidiary of Merck KGaA, Darmstadt Germany. The results are provided on an as is basis, and shall be used solely in connection

with the rights afforded in the license agreement and for no other purpose.

FGI Coeff: 0

JSON Parameters: {}

2 Paths

3 paths found. Paths are sorted by score. Reactions are sorted in appearance order for each path.

2.1 Path 1

Score: 273.24





Figure 1: Outline of path 1

2.1.1 [2+2] photocycloaddition



Substrates:

- 1. Sodium vinylsulfonate solution available at Sigma-Aldrich
- 2. Ethene available at Sigma-Aldrich

Products:

1. O=S(=O)(O)C1CCC1

Typical conditions: light

Protections: none

Yield: moderate

Reference: 10.1002/0471264180.or044.02 and 10.1021/acs.chemrev.5b00723 and 10.1007/s11426-015-5516-5 and 10.1016/S0957-4166(00)80211-6 and CN107805197A, p.0009 and 10.1039/c2sc20658g

Retrosynthesis ID: 1225

2.1.2 Synthesis sulfonyl chlorides from sulfonic acids

Substrates:

1. O=S(=O)(O)C1CCC1

2. Thionyl chloride - available at Sigma-Aldrich

Products:

1. Cyclobutanesulfonyl chloride - AstaTech

Typical conditions: SOCl2.DMF.20C

Protections: none

Yield: good

Reference: Patent: WO2003106445 A1, 2003

Retrosynthesis ID: 2000

2.1.3 Sulfonylation of amides



Substrates:

1. Cyclobutanesulfonyl chloride - AstaTech

Products:

1. O=C(O)C1(C(=O)NS(=O)(=O)C2CCC2)CC1

Typical conditions: Py.RSO2Cl

Protections: none

Yield: good

Reference: 10.1021/ja9945313 AND 10.1016/j.ejmech.2013.04.028 AND 10.1039/c5ra14001c AND 10.1016/j.bmcl.2013.12.043 AND 10.1016/j.tetasy.2012.08.013

Retrosynthesis ID: 14787

2.1.4 Schmidt Reaction

Substrates:

1. O=C(O)C1(C(=O)NS(=O)(=O)C2CCC2)CC1

2. hydrazoic acid

Products:

1. NC1(C(=O)NS(=O)(=O)C2CCC2)CC1

Typical conditions: azide.H+.40C

Protections: none
Yield: moderate

Reference: 10.1039/B505080D

2.1.5 Amide coupling

Substrates:

- 1. Z-Hyp-OH available at Sigma-Aldrich
- 2. NC1(C(=O)NS(=O)(=O)C2CCC2)CC1

Products:

 $1. \ O = C(NC1(C(=O)NS(=O)(=O)C2CCC2)CC1)C1CC(O)CN1C(=O)OCc1ccccc1$

Typical conditions: DCC.DCM or EDC.DCM or SOCl2.DCM

Protections: none

Yield: good

Reference: 10.1021/cr100048w and 10.1039/B701677H and 10.1039/C5RA24527C and 10.3727/0000000006783981206 and 10.1021/np060007f and 10.1021/jo00012a058 and 10.1016/j.bmcl.2007.08.037 and 10.1039/C0OB00355G and 10.1021/jm500031w (p.3056) and 10.1016/j.tet.2011.03.046

Retrosynthesis ID: 10087

2.1.6 Cleavage of benzyloxycarbamates

Substrates:

 $1. \ \ O = C(NC1(C(=O)NS(=O)(=O)C2CCC2)CC1)C1CC(O)CN1C(=O)OCc1ccccc1$

Products:

1. O=C(NC1(C(=O)NS(=O)(=O)C2CCC2)CC1)C1CC(O)CN1

Typical conditions: H2.Pd/C

Protections: none

Yield: good

1340215 and 10.1016/S0040-4039(03)01181-X

Retrosynthesis ID: 9990024

2.1.7 Amide coupling

Substrates:

- 1. O=C(NC1(C(=O)NS(=O)(=O)C2CCC2)CC1)C1CC(O)CN1
- 2. Boc-DL-Val-OH available at Sigma-Aldrich

Products:

 $1. \ \ CC(C)C(NC(=O)OC(C)(C)C)C(=O)N1CC(O)CC1C(=O)NC1(C(=O)NS(=O)(=O)C2CCC2)CC1$

Typical conditions: DCC.DCM or EDC.DCM or SOCl2.DCM

Protections: none

Yield: good

Reference: 10.1021/o1400686f and 10.1021/jo00200a057 and 10.1021/cr100048w and 10.1039/B701677H and 10.1039/C5RA24527C and 10.3727/000000006783981206 and 10.1021/np060007f and 10.1021/jo00012a058 and 10.1016/j.bmcl.2007.08.037 and 10.1039/C0OB00355G and 10.1021/jm500031w (p.3056) and 10.1016/j.tet.2011.03.046

2.1.8 Mitsunobu reaction

Substrates:

- $1. \ CC(C)C(NC(=O)OC(C)(C)C)C(=O)N1CC(O)CC1C(=O)NC1(C(=O)NS(=O)(=O)C2CCC2)CC1$
- 2. Methyl 3-chloro-4-hydroxybenzoate available at Sigma-Aldrich

Products:

Typical conditions: DEAD.or.DCAD.or.DIAD.PPh3

Protections: none

Yield: good

Reference: DOI: 10.1021/jo0345751 AND 10.1021/ol0618757

Retrosynthesis ID: 7562

2.2 Path 2

Score: 388.83

2.2.1 [2+2] photocycloaddition




Figure 2: Outline of path 2

S + **S → ?**

Substrates:

1. Sodium vinylsulfonate solution - available at Sigma-Aldrich

2. Ethene - available at Sigma-Aldrich

Products:

1. O=S(=O)(O)C1CCC1


Typical conditions: light

Protections: none
Yield: moderate

Reference: 10.1002/0471264180.or044.02 and 10.1021/acs.chemrev.5b00723 and 10.1007/s11426-015-5516-5 and 10.1016/S0957-4166(00)80211-6 and CN107805197A, p.0009 and 10.1039/c2sc20658g

Retrosynthesis ID: 1225

2.2.2 Synthesis sulfonyl chlorides from sulfonic acids



Substrates:

1. O=S(=O)(O)C1CCC1

2. Thionyl chloride - available at Sigma-Aldrich

Products:

1. Cyclobutanesulfonyl chloride - Asta Tech

Typical conditions: SOCl2.DMF.20C

Protections: none

Yield: good

Reference: Patent: WO2003106445 A1, 2003

Retrosynthesis ID: 2000

2.2.3 Sulfonylation of amides

Substrates:

1. Cyclobutanesulfonyl chloride - AstaTech

Products:

1. O=C(O)C1(C(=O)NS(=O)(=O)C2CCC2)CC1

Typical conditions: Py.RSO2Cl

Protections: none

ections. none

Yield: good

 Reference:
 10.1021/ja9945313
 AND
 10.1016/j.ejmech.2013.04.028

 AND
 10.1039/c5ra14001c
 AND
 10.1016/j.bmcl.2013.12.043
 AND

 10.1016/j.tetasy.2012.08.013
 4.00
 10.1016/j.bmcl.2013.12.043
 10.1016/j.bmcl.2013.12.043
 AND

2.2.4 Amide coupling

Substrates:

- 1. cis-4-hydroxy-proline lactone Enamine
- 2. Boc-DL-Val-OH available at Sigma-Aldrich

Products:

 $1. \ \mathrm{CC}(\mathrm{C})\mathrm{C}(\mathrm{NC}(=\mathrm{O})\mathrm{OC}(\mathrm{C})(\mathrm{C})\mathrm{C})\mathrm{C}(=\mathrm{O})\mathrm{N1}\mathrm{CC2}\mathrm{CC1}\mathrm{C}(=\mathrm{O})\mathrm{O2}$

Typical conditions: DCC.DCM or EDC.DCM or SOC12.DCM

Protections: none

Yield: good

Reference: 10.1021/o1400686f and 10.1021/jo00200a057 and 10.1021/cr100048w and 10.1039/B701677H and 10.1039/C5RA24527C and 10.3727/000000006783981206 and 10.1021/np060007f and 10.1021/jo00012a058 and 10.1016/j.bmcl.2007.08.037 and 10.1039/C0OB00355G and 10.1021/jm500031w (p.3056) and 10.1016/j.tet.2011.03.046

Retrosynthesis ID: 9147

2.2.5 Schmidt Reaction

Substrates:

- $1. \ \mathrm{O=C(O)C1(C(=O)NS(=O)(=O)C2CCC2)CC1}$
- 2. hydrazoic acid

Products:

1. NC1(C(=O)NS(=O)(=O)C2CCC2)CC1

Typical conditions: azide.H+.40C

Protections: none
Yield: moderate

Reference: 10.1039/B505080D Retrosynthesis ID: 11704

2.2.6 Intramolecular amidation of esters

Substrates:

- $1. \ \mathrm{CC(C)C(NC(=O)OC(C)(C)C)C(=O)N1CC2CC1C(=O)O2}$
- 2. NC1(C(=O)NS(=O)(=O)C2CCC2)CC1

Products:

 $1. \ CC(C)C(NC(=O)OC(C)(C)C)C(=O)N1CC(O)CC1C(=O)NC1(C(=O)NS(=O)(=O)C2CCC2)CC1$

Typical conditions: DABAL-(Me)3.THF.cooling

Protections: none

Yield: good

Reference: 10.1016/j.tetlet.2006.06.004 and 10.1246/cl.1987.803 and 10.1016/j.polymer.2013.01.040 and 10.1016/j.tetasy.2003.11.026 and 10.1021/ol050773y

,

2.2.7Mitsunobu reaction

Substrates:

- $1. \ \ CC(C)C(NC(=O)OC(C)(C)C)C(=O)N1CC(O)CC1C(=O)NC1(C(=O)NS(=O)(=O)C2CCC2)CC1$
- 2. Methyl 3-chloro-4-hydroxybenzoate available at Sigma-Aldrich

Products:

Typical conditions: DEAD.or.DCAD.or.DIAD.PPh3

Protections: none

Yield: good

Reference: DOI: 10.1021/jo0345751 AND 10.1021/ol0618757

Retrosynthesis ID: 7562

2.3 Path 3

Score: 428.92

Synthesis of acid chlorides from carboxylic acids




Figure 3: Outline of path 3



Substrates:

1. Boc-DL-Val-OH - available at Sigma-Aldrich

Products:

1. CC(C)C(NC(=O)OC(C)(C)C)C(=O)Cl

Typical conditions: oxalyl.chloride.or.SOCl2

Protections: none

Yield: good

Reference: 10.1002/adsc.200303011 and 10.3390/50500714

Retrosynthesis ID: 24405

2.3.2 Synthesis of tertiary amides from acid chlorides

Substrates:

1. cis-4-hydroxy-proline lactone - Enamine

2. CC(C)C(NC(=O)OC(C)(C)C)C(=O)Cl

Products:

$1. \ \mathrm{CC}(\mathrm{C})\mathrm{C}(\mathrm{NC}(=\mathrm{O})\mathrm{OC}(\mathrm{C})(\mathrm{C})\mathrm{C})\mathrm{C}(=\mathrm{O})\mathrm{N}1\mathrm{CC}2\mathrm{CC}1\mathrm{C}(=\mathrm{O})\mathrm{O}2$

Typical conditions: TEA.DCM.rt

Protections: none Yield: moderate

Reference: DOI: 10.1016/j.bmcl.2008.08.004 and 10.1016/j.tetlet.2008.05.010

Retrosynthesis ID: 9146

2.3.3 [2+2] photocycloaddition

Substrates:

- 1. Sodium vinylsulfonate solution available at Sigma-Aldrich
- 2. Ethene $available\ at\ Sigma-Aldrich$

Products:

 $1. \ \mathrm{O=S(=O)(O)C1CCC1}$

Typical conditions: light

Protections: none Yield: moderate

10.1002/0471264180.or044.02 and 10.1021/acs.chemrev.5b00723 10.1007/s11426-015-5516-5 and 10.1016/S0957-4166(00)80211-6 and

CN107805197A, p.0009 and 10.1039/c2sc20658g

2.3.4 Synthesis sulfonyl chlorides from sulfonic acids

Substrates:

- $1. \ \mathrm{O=S(=O)(O)C1CCC1}$
- 2. Thionyl chloride available at Sigma-Aldrich

Products:

1. Cyclobutanesulfonyl chloride - AstaTech

 $\textbf{Typical conditions:} \ \mathrm{SOCl2.DMF.20C}$


Protections: none

Yield: good

Reference: Patent: WO2003106445 A1, 2003

Retrosynthesis ID: 2000

2.3.5 Sulfonylation of amides



Substrates:

- $1. \ \ {\rm Cyclobutanesulfonyl\ chloride} \ \ \ \ \ {\it AstaTech}$

Products:

1. O=C(O)C1(C(=O)NS(=O)(=O)C2CCC2)CC1

Typical conditions: Py.RSO2Cl

Protections: none

Yield: good

10.1016/j.tetasy.2012.08.013

Retrosynthesis ID: 14787

2.3.6 Schmidt Reaction

Substrates:

- 1. O=C(O)C1(C(=O)NS(=O)(=O)C2CCC2)CC1
- 2. hydrazoic acid

Products:

1. NC1(C(=O)NS(=O)(=O)C2CCC2)CC1

Typical conditions: azide.H+.40C

Protections: none
Yield: moderate

Reference: 10.1039/B505080D Retrosynthesis ID: 11704

2.3.7 Intramolecular amidation of esters

Substrates:

 $1. \ \mathrm{CC}(\mathrm{C})\mathrm{C}(\mathrm{NC}(=\mathrm{O})\mathrm{OC}(\mathrm{C})(\mathrm{C})\mathrm{C})\mathrm{C}(=\mathrm{O})\mathrm{N}1\mathrm{CC}2\mathrm{CC}1\mathrm{C}(=\mathrm{O})\mathrm{O}2$

2. NC1(C(=O)NS(=O)(=O)C2CCC2)CC1

Products:

 $1. \ \ CC(C)C(NC(=O)OC(C)(C)C)C(=O)N1CC(O)CC1C(=O)NC1(C(=O)NS(=O)(=O)C2CCC2)CC1$

Typical conditions: DABAL-(Me)3.THF.cooling

Protections: none

Yield: good

Reference: 10.1016/j.tetlet.2006.06.004 and 10.1246/cl.1987.803 and 10.1016/j.polymer.2013.01.040 and 10.1016/j.tetasy.2003.11.026 and

10.1021/ol050773y

Retrosynthesis ID: 5035

2.3.8 Mitsunobu reaction

Substrates:

 $1. \ CC(C)C(NC(=O)OC(C)(C)C)C(=O)N1CC(O)CC1C(=O)NC1(C(=O)NS(=O)(=O)C2CCC2)CC1$

2. Methyl 3-chloro-4-hydroxybenzoate - available at Sigma-Aldrich

Products:

Typical conditions: DEAD.or.DCAD.or.DIAD.PPh3

Protections: none

Yield: good

Reference: DOI: 10.1021/jo0345751 AND 10.1021/ol0618757