



Discrete Structures: CMPSC 102

Oliver BONHAM-CARTER

Fall 2018
Week 2

Python

About Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files



- www.python.org
- Download python3 if you are using your own hardware



- Is an interpreted, object-oriented, high-level programming language with dynamic semantics.
- Excellent for Rapid Application Development thanks to Its high-level built in data structures, combined with dynamic typing and dynamic binding
- A scripting language for tool-making or automation
- Used for *quick and dirty* solutions, quick automation, or to connect existing components together from other languages.

Python

About Python

Shell


Mathematical
Operators

Strings

If statements

For loops

Reading from
files



- Python's simple, easy to learn syntax emphasizes readability and therefore reduces the cost of program maintenance.
- Python supports modules and packages, which encourages program modularity and code reuse.
- The Python interpreter and the extensive standard library are open source and freely available in all major platforms

The 2018 Top Programming Languages

Python

About Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files



<https://spectrum.ieee.org/at-work/innovation/the-2018-top-programming-languages>

The 2018 Top Programming Languages

Python

About Python

Shell

Mathematical
Operators


Strings

If statements

For loops

Reading from
files

Most Wanted Languages



Most wanted programming languages 2018

<https://www.daxx.com/article/python-developer-salary-usa>

US High-Paying Python Development Jobs

Python

About Python

Shell

Mathematical
Operators

Strings


If statements

For loops

Reading from
files

AVERAGE PYTHON DEVELOPER SALARIES 2018 BY STATE

DAXX



<https://www.daxx.com/article/python-developer-salary-usa>

Average Salaries in Programming

Python

About Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Skill	Average salaries	Monthly jobs advertised
Python	US\$116,379	6,550
Ruby	US\$115,005	1,080
Java	US\$112,592	10,443
Perl	US\$111,928	1,398
C++	US\$108,123	3,567
JavaScript	US\$103,503	8,764
C#	US\$101,715	4,101
PHP	US\$94,690	1,664
ASP.NET	US\$95,551	1,289
C	US\$95,166	5,639

<https://www.daxx.com/article/python-developer-salary-usa>

Users of Python Programming

- Industrial Light and Magic (George Lucas to create the FX for Star Wars).
- Google
 - Googles very first web-crawling spider was first written in Java 1.0 and was so difficult that they rewrote it into Python.
- Facebook
 - Responsible for multiple services in infrastructure management
- Netflix
 - Used to power data analyses tasks from the server side
- Dropbox
 - Built its API in Python
- And others; Instagram, Spotify, Quora, Reddit

Where can i learn more about the language?

Free online resources

Python

About Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

- Think Python First Edition, by Allen B. Downey
 - <http://greenteapress.com/wp/think-python/>
- A Collection of Tutorials
 - <https://wiki.python.org/moin/BeginnersGuide/Programmers>
- Interactive Python Tutorial
 - <https://www.learnpython.org/>
- Host, run, and code Python in the cloud!
 - <https://www.pythonanywhere.com/>

Running the Shell

Python

About Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

From your terminal window

```
python3
```

```
Python 3.6.1 (v3.6.1:69c0db5050, Mar 21 2017, 01:21:04)
[GCC 4.2.1 (Apple Inc. build 5666) (dot 3)] on darwin
Type "help", "copyright", "credits" or "license" for
more information.
>>>
```

- Depending on where you run this, you may have a slightly different version number.

Running the Python3 Shell

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

- Type statements or expressions at prompt:
- `print(" Hello, world")`
- `x = 12**2`
- `print(x)`
- `print(x/2)`
- `# bla bla bla...`
 - (this is a comment: everything after the # is ignored)

Data types

Note: Use identifiers to help you remember the types!

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

- Integers, counting numbers
 - `num_int = 1`
- Floats, decimals
 - `num_float = 3.1415`
- Strings
 - `s_str = " Hello World"`

Combining variables in print statements

```
x_int = 1
print(" The integer variable is :", x_int)
```

```
num_float = 3.14
print(" The float variable is :", num_float)
```

```
s_str = ("Hello World'')
print(" The integer is equal to", s_str)
```

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Mathematical Operators

- $3 + 4$ # Addition
- $3 - 4$ # Subtraction
- $3 * 4$ # Multiplication
- $3/4$ # Division ($\frac{3}{4}$)
- $3\%4$ # Modulus; Returns the remainder from the division
- $3 ** 4$ # Powers; raise three to the power of four
 - $= 3 * 3 * 3 * 3$
 - $= 3^4$
 - $= \text{pow}(3,4)$



Calling positions in strings

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

```
# Remember each char of a string has own position
```

```
s_str = "ABC"  
s_str[0] = 'A'  
s_str[1] = 'B'  
s_str[2] = 'C'  
s_str[200] = ??
```

```
# Another way to iterate  
# through a string using its length
```

```
for i_int in range(len(s_str)):  
    print(s_str[i_int])
```

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Examples of working with strings

```
"hello"+"world" # concatenation
```

```
"hello"*3 #repetition
```

```
"hello"[0] # indexing
```

```
"hello"[-1] # indexing from end
```

```
"hello"[1:4] # slicing out a subsequence
```

```
len("hello") # determine how many characters, size
```

```
"hello" < "jello" # comparison of ABC order
```

```
"e" in "hello" # True, "e" is found in the string
```

```
# General rule:
```

```
single quotes and double quotes are the same
```

```
'abc' == "abc"
```


Working with strings

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Characters at the front

```
line = "python programming is fun"  
line.startswith("python") # True  
line.startswith(" python") # False. Why is this?
```

Conditional Statements

Watch for the white space in the code!

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files



<code>if condition :</code>		<code>if a > b:</code>
<code> statements</code>		<code> print("I'll take a")</code>
<code>else:</code>		<code>else:</code>
<code> statements</code>		<code> print("I'll take b")</code>

Conditional Statements

Watch for the white space in the code!

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files



```
if testScore > medianScore:
    print("Above average.")
else:
    if testScore == medianScore:
        print("Average.")
    else:
        print("Below average.")
```

Conditionals: If statements

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

An if statement is a programming conditional statement that, if proved true, performs a specific function or task. If the condition is false, then another procedure is performed instead.

```
num_int = 5 # Assignment of 5 to variable "num_int"
if num_int == 3: # condition to check
    print(" True") # condition is true
else: # condition is not true
    print(" False") # num_int, is NOT equal to 3
```

```
#make a compressed conditional statement,
# no "else" statement necessary
num_int = 4
if num_int == 4: print("True")
```

If statements

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

```
name_str = "Bill"
if name_str == "Bill":
    print("Hello Bill!")
else:
    print("You are not Bill.")
    # Place the name in a string to print
    print("Your name is :",name_str)
```

For statements

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

A for loop is a statement in programming that performs predefined tasks while or until a predetermined condition is met.

```
# counter program
for i_int in range(10):
    print("  Count is:" ,i_int)
    # Note: you could add some conditional
    # if-statement here to check the value of i_int.

# Iterate through the string's chars
s_str = "hello world"
for i_int in s_str:
    print(i_int)
    # Note: you could add an if-statement here
```

Find a Single Variable in a File

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Watch out! Python uses white spaces (spaces and tabs) to define its blocks of code.

Make a source code: `vim nameReader.py`

```
file = open("names.txt")
for line in file:
    print("  Reading this line: ",line)
    if line.startswith("James"):
        print("** Found the name: ",line)
```

Make a textfile: `vim names.txt`

```
Jane smyth
Betty Davis
John smith
Buffalo Bill
James Bond
```

Find Two Variables in File

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Make a source code: vim findEmail.py

```
file = open("emails.txt")
for line in file:
    name, email = line.split(",")
    if name == "James Bond":
        print("    ** Found email: ",email)
```

Make a textfile: vim emails.txt

```
Jane smyth,smythj$ac.edu
Betty Davis,davisb@ac.edu
John smith,smithj@mum.com
Buffalo Bill,buffalob@prairie.com
James Bond,bondj@magestySecrets.co.uk
```


Find the Summation of Numbers in a File

Python

Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Make a source code: vim numberChecker.py

```
file = open("numbers.txt")
sum_int = 0
# defined outside of loop to be used inside
# and outside of loop
for num in file:
    n_int = int(num) # convert string to integer
    print(" Reading this number: ",n_int)
    sum_int = sum_int + n_int
print(" ** The summation of the number is :", sum_int)
```

Make a textfile: vim numbers.txt

```
1
2
3
4
5
6
```