

## **FUNCTIONAL SPINAL ASSESSMENT**

Patient Name:	Date:
PLEASE READ:	
This questionaire has been designed to give the doctor/therapist	information as to how your back pain has affected your
ability to manage in everyday life. Please answer every section a	and mark in each section only the one box that applies
to you. We realize you may consider that tow of the statements	in any one section relate to you, but mark the box which
most clearly describes your problem. Thank-you!	
SECTION 1: PAIN INTENSITY	SECTION 6: STANDING
I can tolerate the pain have without having to use pain killers	I can stand as long as I want without extra pain
The pain is bad, but I manage without taking pain killers	I can stand as long as I want but it gives me extra pain
Pain killers give complete relief from pain	Pain prevents me from standing for more than 1 hour
Pain killers give moderate relief from pain	Pain prevents me from standing for more than 30 minutes
Pain killers give very little relief from pain	Pain prevents me from standing for more than 10 minutes
Pain killers have no effect on the pain and I do not use them	Pain prevents me from standing at all
SECTION 2: PERSONAL CARE (Washing, Dressing, etc)	SECTION 7 - SLEEPING
I can look after myself normally without causing extra pain	Pain does not prevent me from sleeping well
I can look after myself normally but it causes extra pain	I can sleep well only by using tablets
It is painful to look after myself and I am slow and careful	Even when I take pills, I have less than six (6) hours sleep
I need some help but manage most of my personal care	Even when I take pills, I have less than four (4) hours sleep
I need help every day in most aspects of self care	Even when I take pills, I have less than two (2) hours sleep
I do not get dressed, wash with difficulty and stay in bed	Pain prevents me from sleeping at all
SECTION 3: LIFTING	SECTION 8: SEX LIFE
I can lift heavy weights without extra pain	My sex life is normal and causes no extra pain.
I can lift heavy weights but it gives extra pain	My sex life is normal but causes some extra pain.
Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned, e.g. on a table	My sex life is nearly normal but is very painful.
Pain prevents me from lifting heavy weights, but I can manage light weights if they are conveniently placed	My sex life is severely restricted by pain.
I can lift only very light weights	My sex life is nearly absent because of pain.
I cannot lift or carry anything at all	Pain prevents any sex life at all.
SECTION 4: WALKING	SECTION 9: SOCIAL LIFE
Pain does not prevent me walking any distance	My social life is normal and give me no extra pain
Pain prevents me walking more than 1 mile	My social life is normal but increases the degree of pain
Pain prevents me walking more than 1/2 mile	Pain has no significant effect on my social life apart from limiting my more energetic interests, e.g. dancing, etc.
Pain prevents me walking more than 1/4 mile	Pain has restricted my social life and I do not go out as often
I can only walk using a cane or crutches	Pain has restricted my social life to home
I am in bed most of the time and have to crawl to the toilet	I have no social life because of the pain
SECTION 5: SITTING	SECTION 10: TRAVELING
I can sit in any chair as long as I like	I can travel anywhere without extra pain
I can only sit in my favorite chair as long as I like	I can travel anywhere but it gives me extra pain
Pain prevents me from sitting more than 1 hour	Pain is bad, but I manage journeys over two (2) hours
Pain prevents me from sitting more than 1/2 hour	Pain restricts me to journeys of less than (1) hour
Pain prevents me from sitting more than 10 minutes	Pain restricts me to short necessary journeys under 30 minutes
Pain prevents me from sitting at all	Pain prevents me from traveling except to the doctor or hospital