


Álvaro Morón González 2ºDAW

Ejercicio 10

Accedo al archivo de configuración de apache2, y cambio el puerto a el 81.



```
daw@daw: /etc/apache2/sites-enabled
GNU nano 6.2 000-default.conf *
<VirtualHost *:81>
# The ServerName directive sets the request scheme, hostname and port that
# the server uses to identify itself. This is used when creating
# redirection URLs. In the context of virtual hosts, the ServerName
# specifies what hostname must appear in the request's Host: header to
# match this virtual host. For the default virtual host (this file) this
# value is not decisive as it is used as a last resort host regardless.
# However, you must set it for any further virtual host explicitly.
#ServerName www.example.com


ServerAdmin webmaster@localhost
DocumentRoot /var/www/html/prueba

# error, crit, alert, emerg.
# It is also possible to configure the loglevel for particular
# modules, e.g.
#LogLevel info ssl:warn

ErrorLog ${APACHE_LOG_DIR}/error.log
CustomLog ${APACHE_LOG_DIR}/access.log combined

^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^_ Go To Line
```

Hago lo mismo con el archivo de /etc/apache2 'ports.conf', y le digo que escuche el puerto 81.



```
daw@daw: /etc/apache2
GNU nano 6.2 ports.conf
# If you just change the port or add more ports here, you will likely also
# have to change the VirtualHost statement in
# /etc/apache2/sites-enabled/000-default.conf

Listen 81

<IfModule ssl_module>
    Listen 443
</IfModule>


<IfModule mod_gnutls.c>
    Listen 443
</IfModule>

# vim: syntax=apache ts=4 sw=4 sts=4 sr noet

[ Read 15 lines ]
^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^_ Go To Line
```

Álvaro Morón González 2ºDAW

Después reiniciamos el servidor apache.



```
daw@daw: /etc/apache2
daw@daw:/etc/apache2$ service apache2 restart
daw@daw:/etc/apache2$
```

Aquí abrimos la pagina en el navegador con el puerto 81.

