## Rajalakshmi Engineering College

Name: Alvin .B

Email: 240701034@rajalakshmi.edu.in

Roll no: 240701034 Phone: 9677000577

**Branch: REC** 

Department: I CSE FA

Batch: 2028

Degree: B.E - CSE



## NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 7\_MCQ

Attempt : 1 Total Mark : 20 Marks Obtained : 19

Section 1: MCQ

1. What will be the output of the following code?

import pandas as pnd pnd.Series([1,2], index= ['a','b','c'])

Answer

Value Error

Status: Correct Marks: 1/1

2. What is the result of the following NumPy operation?

import numpy as np arr = np.array([1, 2, 3]) r = arr + 5 print(r)

Answer

[6 7 8]

Marks: 1/1 Status: Correct

3. What is the primary purpose of Pandas DataFrame?

## Answer

To store data in tabular form for analysis and manipulation

Marks: 1/1 Status: Correct

4. What is the output of the following NumPy code snippet?

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5])
r = arr[arr > 2]
print(r)
```

**Answer** 

[3 4 5]

Marks: 1/1 Status: Correct

5. What is the output of the following NumPy code?

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5])
r = arr[2:4]
print(r)
```

**Answer** 

[3 4]

Marks: 1/1 Status: Correct

6. In the DataFrame created in the code, what is the index for the row containing the data for 'Jack'?

import pandas as pd

data = {'Name': ['Tom', 'Jack', 'nick', 'juli'], 'marks': [99, 98, 95, 90]}

df = pd.DataFrame(data, index=['rank1', 'rank2', 'rank3', 'rank4'])

print(df)

Answer

rank2

Status: Correct

Marks: 1/1

7. What does NumPy stand for?

Answer

**Numerical Python** 

Status: Correct Marks: 1/1

8. In NumPy, how do you access the first element of a one-dimensional array arr?

**Answer** 

arr[0]

Status: Correct Marks: 1/1

9. Which function is used to create a Pandas DataFrame?

Answer

| 249  | pd.DataFrame() Status: Correct   | Marks : 1/1               |
|------|--|---------------------------|
|      | 10. What is the output of the following code?  |                           |
|      | import numpy as np<br>a = np.arange(10)<br>print(a[2:5])   |                           |
|      | Answer   |                           |
|      | [2, 3, 4]  | o Di                      |
|      | Status: Correct  | Marks : 1/1               |
| 249  | The increase of the standard increase in the standard in the s | 240'                      |
|      | 11. The important data structure of pandas is/are  |                           |
|      | Answer   |                           |
|      | Both Series and Data Frame   |                           |
|      | Status: Correct  | Marks : 1/1               |
|      | 12. What does the np.arange(10) function in NumPy do?  |                           |
|      | Answer 103th   | 210314                    |
| 0 45 | Creates an array with 10 elements, from 1 to 10  | 2010                      |
| , L  | Status: Wrong  | Marks : 0/1               |
|      |  |                           |
|      | 13. What is the primary data structure used in NumPy for nume computations?  | erical                    |
|      | Answer   |                           |
|      | Array  |                           |
|      | Status : Correct 24010103 <sup>A</sup>   | Marks : 1/1               |
| 245  | 10'  | Marks: 1/1 3 <sup>A</sup> |
| 2100 | Status : Correct 24010103 <sup>A</sup>   | Jus                       |

11<sub>03</sub>A

| 240 | 14. Which of the following is a valid way to import NumPy in Py  Answer import numpy as np  Status: Correct | thon?<br>240 <sup>10103</sup> <sup>A</sup><br>Marks : 1/1 |
|-----|---|---|
|     | 15. Which NumPy function is used to find the indices of the magand minimum values in an array?              | ximum   |
| 240 | Answer argmax() and argmin() Status: Correct  | Marks: 1/1  |
|     | 16. Which NumPy function is used to calculate the standard dean array?                                      | viation of  |
|     | Answer numpy.std()  |   |
|     | Status: Correct   | Marks : 1/1   |
| 240 | 17. Minimum number of argument we require to pass in pandas  Answer   | s series ? 1010 <sup>3A</sup>                             |
|     | 1 Status: Correct   | Marks : 1/1   |
|     | Status : Correct  | IVIAIKS. I/I  |
|     | 18. What is the purpose of the following NumPy code snippet?  |   |
|     | <pre>import numpy as np arr = np.zeros((3, 4)) print(arr)</pre>   | ,03A  |
| 240 | print(arr)  Answer  | 240701034   |

Displays a 3x4 matrix filled with zeros

Marks : 1/1 Status : Correct

19. Which NumPy function is used to create an identity matrix?

Answer

numpy.identity()

Status: Correct Marks: 1/1

20. What will be the output of the following code snippet?

import numpy as np arr = np.array([1, 2, 3]) result = np.concatenate((arr, arr)) print(result)

**Answer** 

[123123]

Status: Correct Marks: 1/1