

Stratified Analysis

Alvin Sheng

Contents

Effect Size Analysis	2
CHD Stratified Analysis	3
CAR model results, Coronary Heart Disease Stratified on Poverty	3
CAR model results, Coronary Heart Disease Stratified on RPL_THEME1	8
CAR model results, Coronary Heart Disease Stratified on RPL_THEME2	11
CAR model results, Coronary Heart Disease Stratified on RPL_THEME3	14
CAR model results, Coronary Heart Disease Stratified on RPL_THEME4	18
CAR model results, Coronary Heart Disease Stratified on RPL_THEMES	21
BPHIGH Stratified Analysis	24
Stratified on Poverty	24
Stratified on RPL_THEME1	28
Stratified on RPL_THEME2	31
Stratified on RPL_THEME3	34
Stratified on RPL_THEME4	38
Stratified on RPL_THEMES	41
CASTHMA Stratified Analysis	44
Stratified on Poverty	44
Stratified on RPL_THEME1	47
Stratified on RPL_THEME2	50
Stratified on RPL_THEME3	53
Stratified on RPL_THEME4	57
Stratified on RPL_THEMES	60
MHLTH Stratified Analysis	63
Stratified on Poverty	63
Stratified on RPL_THEME1	67
Stratified on RPL_THEME2	70
Stratified on RPL_THEME3	73
Stratified on RPL_THEME4	77
Stratified on RPL_THEMES	80

```

library(here)

## Warning in readLines(f, n): line 1 appears to contain an embedded nul
## Warning in readLines(f, n): incomplete final line found on '/Volumes/
## ALVINDRIVE2/flood-risk-health-effects/._flood-risk-health-effects.Rproj'
## here() starts at /Volumes/ALVINDRIVE2/flood-risk-health-effects

library(coda)
library(CARBayes)

## Loading required package: MASS
## Loading required package: Rcpp
## Registered S3 method overwritten by 'GGally':
##   method from
##   +.gg      ggplot2

library(ggplot2)
library(tidyverse)

## -- Attaching packages ----- tidyverse 1.3.1 --
## v tibble  3.1.6      v dplyr    1.0.7
## v tidyr   1.1.4      v stringr 1.4.0
## v readr   2.1.1      v forcats 0.5.1
## v purrr   0.3.4

## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()     masks stats::lag()
## x dplyr::select() masks MASS::select()

fhs_model_df <- readRDS(here("intermediary_data/fhs_model_df_all_census_tract_pc.rds"))

```

Effect Size Analysis

Recall that regression coefficient estimates $\hat{\beta}$ can be standardized in the following manner:

$$\hat{\beta}^* = \frac{SD(X)}{SD(Y)} \hat{\beta},$$

where $SD(X)$ is the standard deviation of the covariate that $\hat{\beta}$ corresponds to, and $SD(Y)$ is the standard deviation of the response variable, i.e., one of the health outcomes.

In the present analysis, the covariates have been scaled by their standard deviations, but the response variable has not been scaled. Denote the regression coefficient estimates of this analysis as \hat{b} , such that

$$\hat{\beta}^* = \frac{\hat{b}}{SD(Y)}$$

Acock (2014, p. 272) suggests the following effect size heuristic for standardized beta coefficients $\hat{\beta}^*$:

1. Weak: $|\hat{\beta}^*| < 0.2$
2. Moderate: $0.2 < |\hat{\beta}^*| < 0.5$

3. Strong: $|\hat{\beta}^*| > 0.5$

Citation: Acok, A. C. (2014). A Gentle Introduction to Stata (4th ed.). Texas: Stata Press.

Translating the heuristic for our estimates \hat{b} , we have that

1. Weak: $|\hat{b}| < 0.2 \times SD(Y)$
2. Moderate: $0.2 \times SD(Y) < |\hat{b}| < 0.5 \times SD(Y)$
3. Strong: $|\hat{b}| > 0.5 \times SD(Y)$

In the following ggplots, I include the positive/negative cut-off for the “Weak” effect size as dashed red lines.

standard deviations for the health outcome variables

```
(sd_CHD <- sd(fhs_model_df$Data_Value_CHD, na.rm = T))
```

```
## [1] 2.207308
```

```
(sd_BPHIGH <- sd(fhs_model_df$Data_Value_BPHIGH, na.rm = T))
```

```
## [1] 7.295828
```

```
(sd_CASTHMA <- sd(fhs_model_df$Data_Value_CASTHMA, na.rm = T))
```

```
## [1] 1.575484
```

```
(sd_MHLTH <- sd(fhs_model_df$Data_Value_MHLTH, na.rm = T))
```

```
## [1] 3.408159
```

CHD Stratified Analysis

CAR model results, Coronary Heart Disease Stratified on Poverty

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_poverty.RData"))
```

Beta samples

```
beta_samples <- mcmc.list(chain1$samples$beta, chain2$samples$beta,
                          chain3$samples$beta)
```

```
effectiveSize(beta_samples)
```

```
##      var1      var2      var3      var4      var5      var6      var7
## 65429.0835 38808.2958 36838.7351 55615.8623 68010.0728 79380.7020 85690.0250
##      var8      var9      var10     var11     var12     var13     var14
## 38422.4957 56790.5100 48521.0116 57172.4866 71649.6517 90378.5322 33566.3329
##      var15     var16     var17     var18     var19     var20     var21
## 59941.1962 63540.4625 61766.2861 68924.5434 31249.8247 89080.7241 56814.5853
##      var22     var23     var24     var25     var26     var27     var28
## 1666.7037  809.2370 1158.5110  432.0176  840.6966 22708.0255 83137.1246
##      var29     var30     var31     var32     var33     var34     var35
## 38701.6957 31747.5154 52808.4253 62504.0552 68801.5477 75216.2641 51680.7873
```

```
##      var36      var37      var38      var39      var40      var41      var42
## 46837.7945 50661.4531 58252.2681 62613.8433 83153.6616 25019.5055 41325.4137
##      var43      var44      var45      var46      var47      var48      var49
## 53834.6943 29893.0462 56588.1742 35028.7966 82020.6016 47433.0680 1527.7481
##      var50      var51      var52      var53      var54
##   818.3535 1100.0814  430.6309  819.9192 23805.3281
```

Examining sigma2, nu2, rho

```
sigma2_samples <- mcmc.list(chain1$samples$sigma2, chain2$samples$sigma2,
                           chain3$samples$sigma2)
```

```
nu2_samples <- mcmc.list(chain1$samples$nu2, chain2$samples$nu2,
                        chain3$samples$nu2)
```

```
effectiveSize(sigma2_samples)
```

```
##      var1
## 6935.705
```

```
effectiveSize(nu2_samples)
```

```
##      var1
## 10114.91
```

Examining a sample of the 3108 phi parameters

```
phi_samples <- mcmc.list(chain1$samples$phi, chain2$samples$phi, chain3$samples$phi)
```

```
set.seed(1157, kind = "Mersenne-Twister", normal.kind = "Inversion", sample.kind = "Rejection")
```

```
phi_subset_idx <- sample(1:ncol(phi_samples[[1]]), size = 10)
```

```
phi_samples_subset <- phi_samples[, phi_subset_idx]
```

```
effectiveSize(phi_samples_subset)
```

```
##      var1      var2      var3      var4      var5      var6      var7      var8
## 60957.98 34908.31 21751.41 100284.40 133869.48 110234.38 74924.91 105243.51
##      var9      var10
## 121474.38 53785.83
```

Inference

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)
```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975)))),5))
```

```
##              50%      2.5%      97.5%
## strat0          6.43010 6.41640 6.44379
## strat0:flood_risk_pc1 -0.00680 -0.01786 0.00432
```

## strat0:flood_risk_pc2	0.00355	-0.00925	0.01614
## strat0:flood_risk_pc3	0.00105	-0.00859	0.01077
## strat0:flood_risk_pc4	0.00568	-0.00353	0.01494
## strat0:flood_risk_pc5	0.00115	-0.00776	0.00999
## strat0:EP_UNEMP	0.04812	0.03291	0.06324
## strat0:EP_PCI	-0.05152	-0.06545	-0.03766
## strat0:EP_NOHSDP	0.23764	0.20996	0.26522
## strat0:EP_AGE65	1.23299	1.21964	1.24641
## strat0:EP_AGE17	0.16314	0.14778	0.17842
## strat0:EP_DISABL	0.22687	0.21009	0.24353
## strat0:EP_SNGPNT	0.01697	0.00128	0.03264
## strat0:EP_MINRTY	-0.17920	-0.20132	-0.15682
## strat0:EP_LIMENG	-0.03425	-0.05955	-0.00882
## strat0:EP_MUNIT	-0.06208	-0.07486	-0.04929
## strat0:EP_MOBILE	0.07204	0.05893	0.08514
## strat0:EP_CROWD	0.00484	-0.01543	0.02519
## strat0:EP_NOVEH	0.09257	0.07053	0.11469
## strat0:EP_GROUPQ	-0.09493	-0.10792	-0.08195
## strat0:EP_UNINSUR	0.14060	0.12355	0.15778
## strat0:pollute_conc_pc1	0.16590	0.13417	0.19758
## strat0:pollute_conc_pc2	-0.24543	-0.28850	-0.20453
## strat0:pollute_conc_pc3	-0.05768	-0.09674	-0.01945
## strat0:tmx	0.06542	0.00379	0.12124
## strat0:rmax	0.04805	0.00562	0.09015
## strat0:Data_Value_CSMOKING	0.71237	0.68380	0.74064
## strat1	6.75132	6.73947	6.76317
## strat1:flood_risk_pc1	-0.01448	-0.02490	-0.00414
## strat1:flood_risk_pc2	0.00329	-0.00840	0.01492
## strat1:flood_risk_pc3	0.00767	-0.00164	0.01700
## strat1:flood_risk_pc4	-0.00226	-0.01067	0.00618
## strat1:flood_risk_pc5	0.00016	-0.00826	0.00860
## strat1:EP_UNEMP	0.05603	0.04714	0.06493
## strat1:EP_PCI	-0.08942	-0.11397	-0.06477
## strat1:EP_NOHSDP	0.14826	0.13120	0.16541
## strat1:EP_AGE65	1.63386	1.61963	1.64819
## strat1:EP_AGE17	0.29860	0.28469	0.31259
## strat1:EP_DISABL	0.22826	0.21639	0.24015
## strat1:EP_SNGPNT	-0.05535	-0.06662	-0.04410
## strat1:EP_MINRTY	0.01103	-0.00652	0.02841
## strat1:EP_LIMENG	-0.04532	-0.06046	-0.03003
## strat1:EP_MUNIT	-0.01531	-0.02657	-0.00425
## strat1:EP_MOBILE	0.04573	0.03613	0.05532
## strat1:EP_CROWD	-0.01750	-0.02913	-0.00576
## strat1:EP_NOVEH	0.19602	0.18136	0.21057
## strat1:EP_GROUPQ	-0.05703	-0.06560	-0.04848
## strat1:EP_UNINSUR	0.08446	0.07253	0.09631
## strat1:pollute_conc_pc1	0.14795	0.11551	0.18012
## strat1:pollute_conc_pc2	-0.18741	-0.22979	-0.14736
## strat1:pollute_conc_pc3	-0.00173	-0.04046	0.03635
## strat1:tmx	0.13259	0.07074	0.18857
## strat1:rmax	0.03637	-0.00610	0.07836
## strat1:Data_Value_CSMOKING	1.02693	1.00636	1.04740

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CHD_poverty"))
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:EP_UNEMP"
## [3] "strat0:EP_PCI"         "strat0:EP_NOHSDP"
## [5] "strat0:EP_AGE65"       "strat0:EP_AGE17"
## [7] "strat0:EP_DISABL"      "strat0:EP_SNGPNT"
## [9] "strat0:EP_MINRTY"      "strat0:EP_LIMENG"
## [11] "strat0:EP_MUNIT"       "strat0:EP_MOBILE"
## [13] "strat0:EP_NOVEH"       "strat0:EP_GROUPQ"
## [15] "strat0:EP_UNINSUR"     "strat0:pollute_conc_pc1"
## [17] "strat0:pollute_conc_pc2" "strat0:pollute_conc_pc3"
## [19] "strat0:tmmx"           "strat0:rmax"
## [21] "strat0:Data_Value_CSMOKING" "strat1"
## [23] "strat1:flood_risk_pc1"  "strat1:EP_UNEMP"
## [25] "strat1:EP_PCI"         "strat1:EP_NOHSDP"
## [27] "strat1:EP_AGE65"       "strat1:EP_AGE17"
## [29] "strat1:EP_DISABL"      "strat1:EP_SNGPNT"
## [31] "strat1:EP_LIMENG"      "strat1:EP_MUNIT"
## [33] "strat1:EP_MOBILE"      "strat1:EP_CROWD"
## [35] "strat1:EP_NOVEH"       "strat1:EP_GROUPQ"
## [37] "strat1:EP_UNINSUR"     "strat1:pollute_conc_pc1"
## [39] "strat1:pollute_conc_pc2" "strat1:tmmx"
## [41] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand

beta_inference_df <- as.data.frame(beta_inference)

beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))

beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)

beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))

beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata


```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 20.5, 23.5, 25.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 13, y = 1.5, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Unemployed", "Per Capita Income", "No High School",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent", "Minority", "Poor English",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, St
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)
```

p



```
ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_poverty.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

CAR model results, Coronary Heart Disease Stratified on RPL_THEME1

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl1.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

	50%	2.5%	97.5%
## strat0	6.45107	6.43585	6.46636
## strat0:flood_risk_pc1	-0.00370	-0.01486	0.00746
## strat0:flood_risk_pc2	0.01383	0.00094	0.02668
## strat0:flood_risk_pc3	0.00033	-0.00927	0.00992
## strat0:flood_risk_pc4	0.00879	-0.00047	0.01812
## strat0:flood_risk_pc5	-0.00104	-0.00996	0.00796
## strat0:EP_AGE65	1.25726	1.24427	1.27027
## strat0:EP_AGE17	0.19548	0.18050	0.21032
## strat0:EP_DISABL	0.23277	0.21669	0.24888
## strat0:EP_SNGPNT	0.00721	-0.00891	0.02319
## strat0:EP_MINRTY	-0.13538	-0.15813	-0.11283


```
## strat0:EP_LIMENG      0.05216  0.02545  0.07863
## strat0:EP_MUNIT      -0.05507 -0.06730 -0.04294
## strat0:EP_MOBILE      0.07707  0.06239  0.09183
## strat0:EP_CROWD       0.02912  0.00532  0.05255
## strat0:EP_NOVEH       0.11194  0.09068  0.13339
## strat0:EP_GROUPQ     -0.05762 -0.06826 -0.04687
## strat0:EP_UNINSUR     0.16446  0.14645  0.18240
## strat0:pollute_conc_pc1 0.19946  0.16788  0.23074
## strat0:pollute_conc_pc2 -0.25460 -0.29538 -0.21269
## strat0:pollute_conc_pc3 -0.07668 -0.11613 -0.03738
## strat0:tmx           0.07480  0.01403  0.13362
## strat0:rmax           0.06097  0.01956  0.10172
## strat0:Data_Value_CSMOKING 0.89948  0.87546  0.92330
## strat1                6.69059  6.67925  6.70201
## strat1:flood_risk_pc1 -0.02053 -0.03134 -0.00985
## strat1:flood_risk_pc2 -0.00324 -0.01504  0.00859
## strat1:flood_risk_pc3  0.00446 -0.00545  0.01433
## strat1:flood_risk_pc4 -0.00075 -0.00933  0.00790
## strat1:flood_risk_pc5 -0.00188 -0.01044  0.00666
## strat1:EP_AGE65       1.70608  1.69114  1.72106
## strat1:EP_AGE17       0.28763  0.27334  0.30189
## strat1:EP_DISABL      0.24922  0.23717  0.26122
## strat1:EP_SNGPNT     -0.02326 -0.03436 -0.01215
## strat1:EP_MINRTY      0.06527  0.04824  0.08217
## strat1:EP_LIMENG      0.02033  0.00735  0.03335
## strat1:EP_MUNIT      -0.02342 -0.03511 -0.01164
## strat1:EP_MOBILE      0.04984  0.04049  0.05914
## strat1:EP_CROWD       0.00928 -0.00209  0.02060
## strat1:EP_NOVEH       0.20889  0.19396  0.22389
## strat1:EP_GROUPQ     -0.03229 -0.04109 -0.02344
## strat1:EP_UNINSUR     0.10901  0.09734  0.12069
## strat1:pollute_conc_pc1 0.20177  0.16985  0.23422
## strat1:pollute_conc_pc2 -0.19690 -0.23678 -0.15607
## strat1:pollute_conc_pc3 -0.00289 -0.04183  0.03615
## strat1:tmx            0.13448  0.07360  0.19400
## strat1:rmax            0.05955  0.01773  0.10021
## strat1:Data_Value_CSMOKING 1.19114  1.17330  1.20896
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CHD_rpl1.RDS"))
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:flood_risk_pc2"
## [3] "strat0:EP_AGE65"       "strat0:EP_AGE17"
## [5] "strat0:EP_DISABL"      "strat0:EP_MINRTY"
## [7] "strat0:EP_LIMENG"      "strat0:EP_MUNIT"
## [9] "strat0:EP_MOBILE"      "strat0:EP_CROWD"
## [11] "strat0:EP_NOVEH"       "strat0:EP_GROUPQ"
## [13] "strat0:EP_UNINSUR"     "strat0:pollute_conc_pc1"
## [15] "strat0:pollute_conc_pc2" "strat0:pollute_conc_pc3"
## [17] "strat0:tmx"            "strat0:rmax"
## [19] "strat0:Data_Value_CSMOKING" "strat1"
## [21] "strat1:flood_risk_pc1"  "strat1:EP_AGE65"
```

```
## [23] "strat1:EP_AGE17"          "strat1:EP_DISABL"
## [25] "strat1:EP_SNGPNT"        "strat1:EP_MINRTY"
## [27] "strat1:EP_LIMENG"        "strat1:EP_MUNIT"
## [29] "strat1:EP_MOBILE"        "strat1:EP_NOVEH"
## [31] "strat1:EP_GROUPQ"        "strat1:EP_UNINSUR"
## [33] "strat1:pollute_conc_pc1"  "strat1:pollute_conc_pc2"
## [35] "strat1:tmx"              "strat1:rmax"
## [37] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata


```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 20.5, 22.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 1.5, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent", "Minority", "Poor English",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, St. Louis")
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
```

```
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5),
scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)
```

p



```
ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_rpl1.pdf"),
        plot = p, device = "pdf",
        width = 8, height = 6, units = "in")
```

CAR model results, Coronary Heart Disease Stratified on RPL_THEME2

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl2.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

	50%	2.5%	97.5%
## strat0	6.30307	6.28867	6.31746
## strat0:flood_risk_pc1	-0.05602	-0.07286	-0.03926
## strat0:flood_risk_pc2	0.02413	0.00521	0.04299
## strat0:flood_risk_pc3	-0.02612	-0.04039	-0.01179
## strat0:flood_risk_pc4	0.01361	0.00038	0.02690

```
## strat0:flood_risk_pc5      -0.02029 -0.03316 -0.00729
## strat0:EP_POV              0.18796  0.16360  0.21232
## strat0:EP_UNEMP            0.14430  0.12540  0.16329
## strat0:EP_PCI              0.05660  0.03664  0.07675
## strat0:EP_NOHSDP           0.85897  0.82627  0.89170
## strat0:EP_MINRTY           -0.68636 -0.71690 -0.65597
## strat0:EP_LIMENG           -0.03350 -0.06121 -0.00588
## strat0:EP_MUNIT            -0.08355 -0.09921 -0.06789
## strat0:EP_MOBILE           0.26571  0.24578  0.28552
## strat0:EP_CROWD            -0.25086 -0.27183 -0.23001
## strat0:EP_NOVEH            0.50373  0.47747  0.52987
## strat0:EP_GROUPQ           -0.29597 -0.30639 -0.28556
## strat0:EP_UNINSUR          -0.06351 -0.08491 -0.04219
## strat0:pollute_conc_pc1     -0.22885 -0.28167 -0.17712
## strat0:pollute_conc_pc2     -0.33306 -0.40223 -0.26130
## strat0:pollute_conc_pc3     -0.07685 -0.14430 -0.00934
## strat0:tmx                 -0.08191 -0.19096  0.02474
## strat0:rmax                 -0.00529 -0.08237  0.06906
## strat0:Data_Value_CSMOKING -0.08162 -0.11858 -0.04482
## strat1                      7.03005  7.01522  7.04496
## strat1:flood_risk_pc1       -0.04647 -0.06386 -0.02919
## strat1:flood_risk_pc2       -0.00650 -0.02555  0.01254
## strat1:flood_risk_pc3       -0.00348 -0.01940  0.01245
## strat1:flood_risk_pc4        0.01027 -0.00390  0.02458
## strat1:flood_risk_pc5       -0.01424 -0.02835 -0.00019
## strat1:EP_POV               0.65703  0.63081  0.68307
## strat1:EP_UNEMP             0.06985  0.05496  0.08488
## strat1:EP_PCI               -0.05805 -0.09547 -0.02031
## strat1:EP_NOHSDP            0.60973  0.58074  0.63864
## strat1:EP_MINRTY            -0.55992 -0.58819 -0.53178
## strat1:EP_LIMENG            -0.18031 -0.20763 -0.15284
## strat1:EP_MUNIT             0.06258  0.04065  0.08476
## strat1:EP_MOBILE            0.19208  0.17755  0.20666
## strat1:EP_CROWD             -0.24340 -0.26371 -0.22296
## strat1:EP_NOVEH             0.53862  0.51233  0.56513
## strat1:EP_GROUPQ            0.12629  0.09797  0.15470
## strat1:EP_UNINSUR           -0.04780 -0.06757 -0.02778
## strat1:pollute_conc_pc1     -0.28616 -0.33946 -0.23266
## strat1:pollute_conc_pc2     -0.41318 -0.48241 -0.34136
## strat1:pollute_conc_pc3      0.01951 -0.04769  0.08741
## strat1:tmx                  -0.06457 -0.17314  0.04299
## strat1:rmax                  0.08756  0.00986  0.16197
## strat1:Data_Value_CSMOKING -0.20925 -0.24529 -0.17327
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CHD_rp12.R"))
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                  "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2"   "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc4"   "strat0:flood_risk_pc5"
## [7] "strat0:EP_POV"           "strat0:EP_UNEMP"
## [9] "strat0:EP_PCI"           "strat0:EP_NOHSDP"
```

```
## [11] "strat0:EP_MINRTY"      "strat0:EP_LIMENG"
## [13] "strat0:EP_MUNIT"       "strat0:EP_MOBILE"
## [15] "strat0:EP_CROWD"       "strat0:EP_NOVEH"
## [17] "strat0:EP_GROUPQ"      "strat0:EP_UNINSUR"
## [19] "strat0:pollute_conc_pc1" "strat0:pollute_conc_pc2"
## [21] "strat0:pollute_conc_pc3" "strat0:Data_Value_CSMOKING"
## [23] "strat1"                "strat1:flood_risk_pc1"
## [25] "strat1:flood_risk_pc5" "strat1:EP_POV"
## [27] "strat1:EP_UNEMP"       "strat1:EP_PCI"
## [29] "strat1:EP_NOHSDP"     "strat1:EP_MINRTY"
## [31] "strat1:EP_LIMENG"     "strat1:EP_MUNIT"
## [33] "strat1:EP_MOBILE"     "strat1:EP_CROWD"
## [35] "strat1:EP_NOVEH"      "strat1:EP_GROUPQ"
## [37] "strat1:EP_UNINSUR"    "strat1:pollute_conc_pc1"
## [39] "strat1:pollute_conc_pc2" "strat1:rmax"
## [41] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.


```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 20.5, 22.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 1.5, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
```

```

    "Poverty", "Unemployed", "Per Capita Income", "No High School",
    "Minority", "Poor English",
    "Multi-Unit", "Mobile", "Crowded",
    "No Vehicle", "Group Quarters", "Uninsured",
    "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
    "Maximum Temperature", "Maximum Humidity",
    "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, St.
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0
scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)

```

p



```

ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_rpl2.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")

```

CAR model results, Coronary Heart Disease Stratified on RPL_THEME3

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```

load(here("modeling_files/stratified_analysis/model_stratif_rpl3.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))

##              50%      2.5%      97.5%
## strat0              6.77196  6.75475  6.78918
## strat0:flood_risk_pc1 -0.01166 -0.02305 -0.00018
## strat0:flood_risk_pc2  0.01228 -0.00112  0.02561
## strat0:flood_risk_pc3  0.01277  0.00242  0.02309
## strat0:flood_risk_pc4  0.01523  0.00462  0.02582
## strat0:flood_risk_pc5  0.00251 -0.00773  0.01275
## strat0:EP_POV          0.31341  0.29582  0.33100
## strat0:EP_UNEMP        0.03596  0.02400  0.04801
## strat0:EP_PCI         -0.03267 -0.04673 -0.01861
## strat0:EP_NOHSDP       0.27267  0.24623  0.29923
## strat0:EP_AGE65        1.30488  1.29226  1.31750
## strat0:EP_AGE17        0.29822  0.28352  0.31289
## strat0:EP_DISABL       0.26950  0.25542  0.28347
## strat0:EP_SNGPNT      -0.01396 -0.02844  0.00054
## strat0:EP_MUNIT       -0.06211 -0.07784 -0.04660
## strat0:EP_MOBILE       0.05922  0.04799  0.07041
## strat0:EP_CROWD       -0.00984 -0.03387  0.01436
## strat0:EP_NOVEH        0.13616  0.11528  0.15705
## strat0:EP_GROUPQ      -0.12993 -0.13999 -0.11979
## strat0:EP_UNINSUR       0.10877  0.09223  0.12534
## strat0:pollute_conc_pc1  0.10444  0.07092  0.13764
## strat0:pollute_conc_pc2 -0.20251 -0.24574 -0.16031
## strat0:pollute_conc_pc3 -0.02332 -0.06361  0.01692
## strat0:tmx             0.03275 -0.02921  0.09580
## strat0:rmax            0.06782  0.02565  0.11094
## strat0:Data_Value_CSMOKING 0.69100  0.66387  0.71834
## strat1              6.70954  6.69888  6.72024
## strat1:flood_risk_pc1 -0.02022 -0.03138 -0.00895
## strat1:flood_risk_pc2  0.00776 -0.00421  0.01972
## strat1:flood_risk_pc3 -0.00491 -0.01469  0.00479
## strat1:flood_risk_pc4 -0.00088 -0.00898  0.00706
## strat1:flood_risk_pc5  0.00126 -0.00647  0.00906
## strat1:EP_POV          0.33257  0.31738  0.34779
## strat1:EP_UNEMP        0.03135  0.02148  0.04117
## strat1:EP_PCI         -0.03679 -0.05372 -0.01983
## strat1:EP_NOHSDP       0.13294  0.11797  0.14788
## strat1:EP_AGE65        1.55364  1.53891  1.56835
## strat1:EP_AGE17        0.24118  0.22727  0.25511
## strat1:EP_DISABL       0.24880  0.23559  0.26212
## strat1:EP_SNGPNT      -0.06264 -0.07386 -0.05137
## strat1:EP_MUNIT       -0.06843 -0.07871 -0.05813
## strat1:EP_MOBILE       0.08830  0.07775  0.09882
## strat1:EP_CROWD       -0.02634 -0.03779 -0.01492
## strat1:EP_NOVEH        0.08900  0.07347  0.10453
## strat1:EP_GROUPQ      -0.07002 -0.07957 -0.06054

```



```
## strat1:EP_UNINSUR      0.08822  0.07601  0.10035
## strat1:pollute_conc_pc1 0.12899  0.09517  0.16314
## strat1:pollute_conc_pc2 -0.21128 -0.25355 -0.17028
## strat1:pollute_conc_pc3 -0.01485 -0.05584  0.02598
## strat1:tmmx            0.07226  0.00887  0.13646
## strat1:rmax            0.03170 -0.01039  0.07502
## strat1:Data_Value_CSMOKING 0.83942  0.81628  0.86257
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CHD_rpl3.RDS"))
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc3" "strat0:flood_risk_pc4"
## [5] "strat0:EP_POV"         "strat0:EP_UNEMP"
## [7] "strat0:EP_PCI"         "strat0:EP_NOHSDP"
## [9] "strat0:EP_AGE65"       "strat0:EP_AGE17"
## [11] "strat0:EP_DISABL"      "strat0:EP_MUNIT"
## [13] "strat0:EP_MOBILE"      "strat0:EP_NOVEH"
## [15] "strat0:EP_GROUPQ"      "strat0:EP_UNINSUR"
## [17] "strat0:pollute_conc_pc1" "strat0:pollute_conc_pc2"
## [19] "strat0:rmax"           "strat0:Data_Value_CSMOKING"
## [21] "strat1"                "strat1:flood_risk_pc1"
## [23] "strat1:EP_POV"         "strat1:EP_UNEMP"
## [25] "strat1:EP_PCI"         "strat1:EP_NOHSDP"
## [27] "strat1:EP_AGE65"       "strat1:EP_AGE17"
## [29] "strat1:EP_DISABL"      "strat1:EP_SNGPNT"
## [31] "strat1:EP_MUNIT"       "strat1:EP_MOBILE"
## [33] "strat1:EP_CROWD"       "strat1:EP_NOVEH"
## [35] "strat1:EP_GROUPQ"      "strat1:EP_UNINSUR"
## [37] "strat1:pollute_conc_pc1" "strat1:pollute_conc_pc2"
## [39] "strat1:tmmx"           "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
```


```
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```


Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 19.5, 22.5, 24.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 12.5, y = 1.5, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Poverty", "Unemployed", "Per Capita Income", "No High School",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, St
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0
  scale_color_manual(name = "Strata",
                     values = c("#F8766D", "#00BFC4"),
                     drop = FALSE)
```

p

95% Credible Intervals, Coronary Heart Disease, Stratified on RPL Theme



```
ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_rpl3.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

CAR model results, Coronary Heart Disease Stratified on RPL_THEME4

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl4.RData"))
```

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)
```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

	50%	2.5%	97.5%
## strat0	6.63923	6.63061	6.64787
## strat0:flood_risk_pc1	0.00327	-0.00754	0.01409
## strat0:flood_risk_pc2	0.01695	0.00474	0.02929
## strat0:flood_risk_pc3	0.00422	-0.00530	0.01379
## strat0:flood_risk_pc4	0.00741	-0.00190	0.01677
## strat0:flood_risk_pc5	-0.00022	-0.00923	0.00877
## strat0:EP_POV	0.35715	0.33887	0.37550
## strat0:EP_UNEMP	0.02842	0.01677	0.04012

```
## strat0:EP_PCI 0.00167 -0.01210 0.01545
## strat0:EP_NOHSDP 0.25840 0.23608 0.28046
## strat0:EP_AGE65 1.31673 1.30459 1.32888
## strat0:EP_AGE17 0.28601 0.27368 0.29843
## strat0:EP_DISABL 0.24806 0.23395 0.26219
## strat0:EP_SNGPNT -0.05232 -0.06583 -0.03880
## strat0:EP_MINRTY -0.11621 -0.13497 -0.09734
## strat0:EP_LIMENG -0.11527 -0.13797 -0.09263
## strat0:EP_UNINSUR 0.15446 0.13927 0.16977
## strat0:pollute_conc_pc1 0.09933 0.06938 0.12987
## strat0:pollute_conc_pc2 -0.22802 -0.27144 -0.18765
## strat0:pollute_conc_pc3 -0.04671 -0.08497 -0.00777
## strat0:tmx 0.09026 0.02976 0.14818
## strat0:rmax 0.04709 0.00495 0.08858
## strat0:Data_Value_CSMOKING 0.76100 0.73547 0.78653
## strat1 6.69455 6.68625 6.70285
## strat1:flood_risk_pc1 -0.01417 -0.02458 -0.00372
## strat1:flood_risk_pc2 -0.00399 -0.01569 0.00765
## strat1:flood_risk_pc3 0.00371 -0.00575 0.01317
## strat1:flood_risk_pc4 0.00366 -0.00476 0.01208
## strat1:flood_risk_pc5 0.00109 -0.00733 0.00945
## strat1:EP_POV 0.27590 0.26231 0.28945
## strat1:EP_UNEMP 0.03096 0.02086 0.04115
## strat1:EP_PCI -0.02554 -0.04274 -0.00816
## strat1:EP_NOHSDP 0.13387 0.11632 0.15148
## strat1:EP_AGE65 1.58392 1.57074 1.59719
## strat1:EP_AGE17 0.37415 0.36217 0.38615
## strat1:EP_DISABL 0.29467 0.28214 0.30720
## strat1:EP_SNGPNT -0.08409 -0.09612 -0.07207
## strat1:EP_MINRTY -0.00822 -0.02626 0.00981
## strat1:EP_LIMENG -0.04253 -0.05770 -0.02747
## strat1:EP_UNINSUR 0.10773 0.09568 0.11981
## strat1:pollute_conc_pc1 0.10181 0.07129 0.13237
## strat1:pollute_conc_pc2 -0.20202 -0.24450 -0.16227
## strat1:pollute_conc_pc3 -0.02911 -0.06707 0.00981
## strat1:tmx 0.12997 0.06934 0.18798
## strat1:rmax 0.03855 -0.00344 0.08015
## strat1:Data_Value_CSMOKING 0.91684 0.89451 0.93915
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CHD_rpl4.RDS"))
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc2"
## [3] "strat0:EP_POV" "strat0:EP_UNEMP"
## [5] "strat0:EP_NOHSDP" "strat0:EP_AGE65"
## [7] "strat0:EP_AGE17" "strat0:EP_DISABL"
## [9] "strat0:EP_SNGPNT" "strat0:EP_MINRTY"
## [11] "strat0:EP_LIMENG" "strat0:EP_UNINSUR"
## [13] "strat0:pollute_conc_pc1" "strat0:pollute_conc_pc2"
## [15] "strat0:pollute_conc_pc3" "strat0:tmx"
## [17] "strat0:rmax" "strat0:Data_Value_CSMOKING"
## [19] "strat1" "strat1:flood_risk_pc1"
```

```
## [21] "strat1:EP_POV"           "strat1:EP_UNEMP"
## [23] "strat1:EP_PCI"           "strat1:EP_NOHSDP"
## [25] "strat1:EP_AGE65"         "strat1:EP_AGE17"
## [27] "strat1:EP_DISABL"        "strat1:EP_SNGPNT"
## [29] "strat1:EP_LIMENG"         "strat1:EP_UNINSUR"
## [31] "strat1:pollute_conc_pc1"  "strat1:pollute_conc_pc2"
## [33] "strat1:tmmx"             "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata


```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 16.5, 19.5, 21.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11, y = 1.5, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Poverty", "Unemployed", "Per Capita Income", "No High School",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent",
                              "Minority", "Poor English",
                              "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, St. Louis")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
```

```
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5),
scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)
```

p



```
ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_rpl4.pdf"),
        plot = p, device = "pdf",
        width = 8, height = 6, units = "in")
```

CAR model results, Coronary Heart Disease Stratified on RPL_THEMES

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpls.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))

##              50%      2.5%      97.5%
## strat0      6.23209  6.21246  6.25169
```

```
## strat0:flood_risk_pc1      -0.08373 -0.10382 -0.06363
## strat0:flood_risk_pc2       0.02302  0.00020  0.04609
## strat0:flood_risk_pc3     -0.02606 -0.04329 -0.00885
## strat0:flood_risk_pc4       0.01393 -0.00306  0.03104
## strat0:flood_risk_pc5     -0.03263 -0.04893 -0.01630
## strat0:EP_UNINSUR         -0.00984 -0.03837  0.01849
## strat0:pollute_conc_pc1    -0.44324 -0.50010 -0.38607
## strat0:pollute_conc_pc2    -0.50848 -0.58991 -0.42453
## strat0:pollute_conc_pc3    -0.20743 -0.28364 -0.13087
## strat0:tmmx                0.00821 -0.11455  0.13520
## strat0:rmax                0.14028  0.05142  0.22966
## strat0:Data_Value_CSMOKING 0.38038  0.34925  0.41177
## strat1                    6.86974  6.85292  6.88645
## strat1:flood_risk_pc1     -0.06223 -0.08172 -0.04274
## strat1:flood_risk_pc2       0.01665 -0.00449  0.03779
## strat1:flood_risk_pc3     -0.01807 -0.03562 -0.00050
## strat1:flood_risk_pc4       0.00878 -0.00624  0.02391
## strat1:flood_risk_pc5     -0.00501 -0.02017  0.00997
## strat1:EP_UNINSUR         -0.13923 -0.15805 -0.12057
## strat1:pollute_conc_pc1    -0.28152 -0.33976 -0.22370
## strat1:pollute_conc_pc2    -0.40708 -0.48736 -0.32470
## strat1:pollute_conc_pc3    -0.27500 -0.35173 -0.19806
## strat1:tmmx                0.09771 -0.02552  0.22613
## strat1:rmax                0.13815  0.04949  0.22860
## strat1:Data_Value_CSMOKING 0.85708  0.83347  0.88046
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CHD_rpls.RDS"))
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc5" "strat0:pollute_conc_pc1"
## [7] "strat0:pollute_conc_pc2" "strat0:pollute_conc_pc3"
## [9] "strat0:rmax"           "strat0:Data_Value_CSMOKING"
## [11] "strat1"                "strat1:flood_risk_pc1"
## [13] "strat1:flood_risk_pc3" "strat1:EP_UNINSUR"
## [15] "strat1:pollute_conc_pc1" "strat1:pollute_conc_pc2"
## [17] "strat1:pollute_conc_pc3" "strat1:rmax"
## [19] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
```

```

                                levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                rep("Upper", (nrow(beta_inference_df)/2))))

```

Splitting up the beta coefficients for each strata

```

beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]

```

Note: The intercept for both strata is not included.


```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 6.5, 9.5, 11.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, St
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)

```

p

95% Credible Intervals, Coronary Heart Disease, Stratified on All RPL The



```
ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_rpls.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

BPHIGH Stratified Analysis

Repeating the stratified analysis in the last section, this time just doing the plots

Stratified on Poverty

```
load(here("modeling_files/stratified_analysis/model_stratif_poverty_BPHIGH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975)))),5))

##           50%    2.5%    97.5%
## strat0      31.81790 31.77551 31.86041
## strat0:flood_risk_pc1    0.01660 -0.01932 0.05241
## strat0:flood_risk_pc2    0.04277 0.00191 0.08293
## strat0:flood_risk_pc3    0.01649 -0.01430 0.04751
## strat0:flood_risk_pc4    0.04045 0.01100 0.06983
## strat0:flood_risk_pc5    0.01035 -0.01781 0.03844
```



```

## strat0:EP_UNEMP      0.09509  0.04787  0.14219
## strat0:EP_PCI        0.09678  0.05212  0.14111
## strat0:EP_NOHSDP     0.26048  0.17373  0.34722
## strat0:EP_AGE65      3.70448  3.66217  3.74724
## strat0:EP_AGE17      0.29060  0.24208  0.33872
## strat0:EP_DISABL     0.65070  0.59868  0.70272
## strat0:EP_SNGPNT     0.05788  0.00883  0.10673
## strat0:EP_MINRTY     1.75704  1.68543  1.82907
## strat0:EP_LIMENG     -0.85565 -0.93502 -0.77597
## strat0:EP_MUNIT      -0.71282 -0.75313 -0.67236
## strat0:EP_MOBILE      0.17448  0.13322  0.21559
## strat0:EP_CROWD      -0.02745 -0.09083  0.03566
## strat0:EP_NOVEH       0.26950  0.19959  0.33929
## strat0:EP_GROUPQ     -0.71692 -0.75788 -0.67586
## strat0:EP_UNINSUR     0.39621  0.34277  0.45005
## strat0:pollute_conc_pc1 -0.20677 -0.31520 -0.09840
## strat0:pollute_conc_pc2 -0.97509 -1.12468 -0.83324
## strat0:pollute_conc_pc3  0.16752  0.03045  0.30085
## strat0:tmmx           0.08841 -0.13291  0.28861
## strat0:rmax           0.07520 -0.07742  0.22940
## strat0:Data_Value_CSMOKING 1.86717  1.77639  1.95736
## strat1               32.32870 32.29225 32.36506
## strat1:flood_risk_pc1 -0.03464 -0.06824 -0.00124
## strat1:flood_risk_pc2  0.07594  0.03835  0.11328
## strat1:flood_risk_pc3  0.07494  0.04522  0.10472
## strat1:flood_risk_pc4  0.03087  0.00416  0.05776
## strat1:flood_risk_pc5  0.00563 -0.02118  0.03235
## strat1:EP_UNEMP       0.10187  0.07382  0.12987
## strat1:EP_PCI         0.42663  0.34905  0.50438
## strat1:EP_NOHSDP     -0.11878 -0.17310 -0.06415
## strat1:EP_AGE65       4.42485  4.37970  4.47022
## strat1:EP_AGE17       0.71193  0.66806  0.75617
## strat1:EP_DISABL      0.76743  0.72989  0.80518
## strat1:EP_SNGPNT     -0.10096 -0.13645 -0.06564
## strat1:EP_MINRTY      3.09847  3.04095  3.15567
## strat1:EP_LIMENG     -0.88797 -0.93662 -0.83900
## strat1:EP_MUNIT      -0.53003 -0.56569 -0.49503
## strat1:EP_MOBILE      0.09708  0.06669  0.12740
## strat1:EP_CROWD      -0.13556 -0.17239 -0.09835
## strat1:EP_NOVEH       0.56556  0.51888  0.61193
## strat1:EP_GROUPQ     -0.50608 -0.53302 -0.47917
## strat1:EP_UNINSUR     0.18211  0.14426  0.21961
## strat1:pollute_conc_pc1 -0.19376 -0.30494 -0.08396
## strat1:pollute_conc_pc2 -0.89321 -1.04125 -0.75365
## strat1:pollute_conc_pc3  0.31365  0.17716  0.44729
## strat1:tmmx           0.27306  0.05128  0.47414
## strat1:rmax           0.18930  0.03588  0.34271
## strat1:Data_Value_CSMOKING 2.72016  2.65427  2.78611

```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_pov
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc2"
## [3] "strat0:flood_risk_pc4" "strat0:EP_UNEMP"
## [5] "strat0:EP_PCI" "strat0:EP_NOHSDP"
## [7] "strat0:EP_AGE65" "strat0:EP_AGE17"
## [9] "strat0:EP_DISABL" "strat0:EP_SNGPNT"
## [11] "strat0:EP_MINRTY" "strat0:EP_LIMENG"
## [13] "strat0:EP_MUNIT" "strat0:EP_MOBILE"
## [15] "strat0:EP_NOVEH" "strat0:EP_GROUPQ"
## [17] "strat0:EP_UNINSUR" "strat0:pollute_conc_pc1"
## [19] "strat0:pollute_conc_pc2" "strat0:pollute_conc_pc3"
## [21] "strat0:Data_Value_CSMOKING" "strat1"
## [23] "strat1:flood_risk_pc1" "strat1:flood_risk_pc2"
## [25] "strat1:flood_risk_pc3" "strat1:flood_risk_pc4"
## [27] "strat1:EP_UNEMP" "strat1:EP_PCI"
## [29] "strat1:EP_NOHSDP" "strat1:EP_AGE65"
## [31] "strat1:EP_AGE17" "strat1:EP_DISABL"
## [33] "strat1:EP_SNGPNT" "strat1:EP_MINRTY"
## [35] "strat1:EP_LIMENG" "strat1:EP_MUNIT"
## [37] "strat1:EP_MOBILE" "strat1:EP_CROWD"
## [39] "strat1:EP_NOVEH" "strat1:EP_GROUPQ"
## [41] "strat1:EP_UNINSUR" "strat1:pollute_conc_pc1"
## [43] "strat1:pollute_conc_pc2" "strat1:pollute_conc_pc3"
## [45] "strat1:tmmx" "strat1:rmax"
## [47] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis...
```


```

axis.text=element_text(size=12),
plot.margin = margin(5.5, 5.5, 5.5, 25)) +
geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
geom_vline(xintercept = c(5.5, 20.5, 23.5, 25.5), col = "blue") +
geom_hline(yintercept = 0, col = "red") +
annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
col = "blue", size = 4.5) +
annotate(geom = "text", x = 13, y = 4, label = "Social Vulnerability Index",
col = "blue", size = 4.5) +
scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
"Unemployed", "Per Capita Income", "No High School",
"65 or Over", "17 or Under", "Disability",
"Single-Parent", "Minority", "Poor English",
"Multi-Unit", "Mobile", "Crowded",
"No Vehicle", "Group Quarters", "Uninsured",
"Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
"Maximum Temperature", "Maximum Humidity",
"Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Stratified on Poverty")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
scale_color_manual(name = "Strata",
values = c("#F8766D", "#00BFC4"),
drop = FALSE)

```

p

95% Credible Intervals, High Blood Pressure, Stratified on Poverty



```
ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_poverty.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME1

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl1_BPHIGH.RData"))
```

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)
```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	31.75792	31.71069	31.80524
## strat0:flood_risk_pc1	0.01101	-0.02499	0.04688
## strat0:flood_risk_pc2	0.08485	0.04380	0.12553
## strat0:flood_risk_pc3	0.01912	-0.01141	0.04965
## strat0:flood_risk_pc4	0.04155	0.01221	0.07105
## strat0:flood_risk_pc5	0.01405	-0.01398	0.04240
## strat0:EP_AGE65	3.78870	3.74755	3.82975
## strat0:EP_AGE17	0.49036	0.44315	0.53680
## strat0:EP_DISABL	0.63806	0.58833	0.68802
## strat0:EP_SNGPNT	-0.06796	-0.11799	-0.01849
## strat0:EP_MINRTY	1.64908	1.57650	1.72132
## strat0:EP_LIMENG	-0.68387	-0.76673	-0.60185
## strat0:EP_MUNIT	-0.66407	-0.70241	-0.62584
## strat0:EP_MOBILE	0.18562	0.14006	0.23141
## strat0:EP_CROWD	-0.08274	-0.15613	-0.01003
## strat0:EP_NOVEH	0.23990	0.17283	0.30758
## strat0:EP_GROUPQ	-0.59203	-0.62573	-0.55815
## strat0:EP_UNINSUR	0.42929	0.37331	0.48515
## strat0:pollute_conc_pc1	-0.20898	-0.31521	-0.10409
## strat0:pollute_conc_pc2	-0.90680	-1.04677	-0.76274
## strat0:pollute_conc_pc3	0.12407	-0.01062	0.26013
## strat0:tmxmx	0.14946	-0.06410	0.35857
## strat0:rmax	0.01273	-0.13720	0.15845
## strat0:Data_Value_CSMOKING	2.07134	1.99468	2.14694
## strat1	32.05713	32.02224	32.09224
## strat1:flood_risk_pc1	-0.04930	-0.08379	-0.01509
## strat1:flood_risk_pc2	0.04508	0.00739	0.08263
## strat1:flood_risk_pc3	0.06664	0.03528	0.09764
## strat1:flood_risk_pc4	0.03725	0.00999	0.06457
## strat1:flood_risk_pc5	-0.00546	-0.03254	0.02141
## strat1:EP_AGE65	4.49189	4.44485	4.53939
## strat1:EP_AGE17	0.55476	0.50991	0.59944
## strat1:EP_DISABL	0.78206	0.74426	0.81970
## strat1:EP_SNGPNT	-0.00654	-0.04113	0.02820
## strat1:EP_MINRTY	3.07072	3.01504	3.12579
## strat1:EP_LIMENG	-1.00739	-1.04910	-0.96543
## strat1:EP_MUNIT	-0.44551	-0.48224	-0.40826
## strat1:EP_MOBILE	0.10281	0.07352	0.13207

```
## strat1:EP_CROWD -0.11050 -0.14629 -0.07471
## strat1:EP_NOVEH 0.53631 0.48928 0.58341
## strat1:EP_GROUPQ -0.58113 -0.60854 -0.55365
## strat1:EP_UNINSUR 0.20105 0.16443 0.23797
## strat1:pollute_conc_pc1 -0.22450 -0.33130 -0.11540
## strat1:pollute_conc_pc2 -0.94997 -1.08754 -0.80849
## strat1:pollute_conc_pc3 0.26086 0.12743 0.39677
## strat1:tmmx 0.33784 0.12380 0.55009
## strat1:rmax 0.19312 0.04196 0.33875
## strat1:Data_Value_CSMOKING 2.67983 2.62304 2.73670
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_rpl
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc2"
## [3] "strat0:flood_risk_pc4" "strat0:EP_AGE65"
## [5] "strat0:EP_AGE17" "strat0:EP_DISABL"
## [7] "strat0:EP_SNGPNT" "strat0:EP_MINRTY"
## [9] "strat0:EP_LIMENG" "strat0:EP_MUNIT"
## [11] "strat0:EP_MOBILE" "strat0:EP_CROWD"
## [13] "strat0:EP_NOVEH" "strat0:EP_GROUPQ"
## [15] "strat0:EP_UNINSUR" "strat0:pollute_conc_pc1"
## [17] "strat0:pollute_conc_pc2" "strat0:Data_Value_CSMOKING"
## [19] "strat1" "strat1:flood_risk_pc1"
## [21] "strat1:flood_risk_pc2" "strat1:flood_risk_pc3"
## [23] "strat1:flood_risk_pc4" "strat1:EP_AGE65"
## [25] "strat1:EP_AGE17" "strat1:EP_DISABL"
## [27] "strat1:EP_MINRTY" "strat1:EP_LIMENG"
## [29] "strat1:EP_MUNIT" "strat1:EP_MOBILE"
## [31] "strat1:EP_CROWD" "strat1:EP_NOVEH"
## [33] "strat1:EP_GROUPQ" "strat1:EP_UNINSUR"
## [35] "strat1:pollute_conc_pc1" "strat1:pollute_conc_pc2"
## [37] "strat1:pollute_conc_pc3" "strat1:tmmx"
## [39] "strat1:rmax" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
```


```
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_blank(),
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 20.5, 22.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 4, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                             "65 or Over", "17 or Under", "Disability",
                             "Single-Parent", "Minority", "Poor English",
                             "Multi-Unit", "Mobile", "Crowded",
                             "No Vehicle", "Group Quarters", "Uninsured",
                             "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                             "Maximum Temperature", "Maximum Humidity",
                             "Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Strat")
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)
```

p

95% Credible Intervals, High Blood Pressure, Stratified on RPL Theme 1



```
ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_rpl1.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME2

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl2_BPHIGH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

	50%	2.5%	97.5%
## strat0	31.45564	31.41291	31.49820
## strat0:flood_risk_pc1	-0.13830	-0.18958	-0.08701
## strat0:flood_risk_pc2	0.07560	0.01823	0.13280
## strat0:flood_risk_pc3	-0.04974	-0.09310	-0.00618
## strat0:flood_risk_pc4	0.05663	0.01650	0.09706
## strat0:flood_risk_pc5	-0.06340	-0.10237	-0.02412
## strat0:EP_POV	-0.28609	-0.36005	-0.21184
## strat0:EP_UNEMP	0.48956	0.43264	0.54667
## strat0:EP_PCI	0.60149	0.54100	0.66284
## strat0:EP_NOHSDP	2.18645	2.08787	2.28497
## strat0:EP_MINRTY	0.20002	0.10723	0.29272

```
## strat0:EP_LIMENG -0.76632 -0.85046 -0.68283
## strat0:EP_MUNIT -0.59815 -0.64558 -0.55082
## strat0:EP_MOBILE 0.68581 0.62596 0.74561
## strat0:EP_CROWD -0.74270 -0.80592 -0.67926
## strat0:EP_NOVEH 1.68435 1.60459 1.76354
## strat0:EP_GROUPQ -1.14509 -1.17659 -1.11364
## strat0:EP_UNINSUR -0.19285 -0.25752 -0.12851
## strat0:pollute_conc_pc1 -1.37903 -1.54266 -1.22056
## strat0:pollute_conc_pc2 -1.12977 -1.34421 -0.90560
## strat0:pollute_conc_pc3 -0.06523 -0.27660 0.14424
## strat0:tmxmx -0.38174 -0.72316 -0.04731
## strat0:rmax -0.10388 -0.34934 0.12988
## strat0:Data_Value_CSMOKING 0.23082 0.11838 0.34249
## strat1 33.47368 33.42956 33.51793
## strat1:flood_risk_pc1 -0.15161 -0.20451 -0.09911
## strat1:flood_risk_pc2 0.04127 -0.01659 0.09918
## strat1:flood_risk_pc3 0.04401 -0.00432 0.09233
## strat1:flood_risk_pc4 0.06830 0.02516 0.11153
## strat1:flood_risk_pc5 -0.02301 -0.06568 0.01938
## strat1:EP_POV 1.11022 1.03088 1.18868
## strat1:EP_UNEMP 0.23427 0.18943 0.27964
## strat1:EP_PCI 0.12942 0.01629 0.24335
## strat1:EP_NOHSDP 1.09431 1.00634 1.18144
## strat1:EP_MINRTY 1.38320 1.29691 1.46943
## strat1:EP_LIMENG -1.27361 -1.35631 -1.19017
## strat1:EP_MUNIT -0.25505 -0.32133 -0.18792
## strat1:EP_MOBILE 0.47719 0.43323 0.52126
## strat1:EP_CROWD -0.78294 -0.84413 -0.72112
## strat1:EP_NOVEH 1.75563 1.67626 1.83598
## strat1:EP_GROUPQ 0.04404 -0.04099 0.12952
## strat1:EP_UNINSUR -0.23994 -0.29966 -0.17945
## strat1:pollute_conc_pc1 -1.43015 -1.59564 -1.26524
## strat1:pollute_conc_pc2 -1.51219 -1.72574 -1.28689
## strat1:pollute_conc_pc3 0.21400 0.00352 0.42420
## strat1:tmxmx -0.37256 -0.71390 -0.03477
## strat1:rmax 0.32049 0.07268 0.55536
## strat1:Data_Value_CSMOKING -0.68245 -0.79176 -0.57287
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_rpl1"))
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc4" "strat0:flood_risk_pc5"
## [7] "strat0:EP_POV" "strat0:EP_UNEMP"
## [9] "strat0:EP_PCI" "strat0:EP_NOHSDP"
## [11] "strat0:EP_MINRTY" "strat0:EP_LIMENG"
## [13] "strat0:EP_MUNIT" "strat0:EP_MOBILE"
## [15] "strat0:EP_CROWD" "strat0:EP_NOVEH"
## [17] "strat0:EP_GROUPQ" "strat0:EP_UNINSUR"
## [19] "strat0:pollute_conc_pc1" "strat0:pollute_conc_pc2"
## [21] "strat0:tmxmx" "strat0:Data_Value_CSMOKING"
```



```
## [23] "strat1" "strat1:flood_risk_pc1"
## [25] "strat1:flood_risk_pc4" "strat1:EP_POV"
## [27] "strat1:EP_UNEMP" "strat1:EP_PCI"
## [29] "strat1:EP_NOHSDP" "strat1:EP_MINRTY"
## [31] "strat1:EP_LIMENG" "strat1:EP_MUNIT"
## [33] "strat1:EP_MOBILE" "strat1:EP_CROWD"
## [35] "strat1:EP_NOVEH" "strat1:EP_UNINSUR"
## [37] "strat1:pollute_conc_pc1" "strat1:pollute_conc_pc2"
## [39] "strat1:pollute_conc_pc3" "strat1:tmmx"
## [41] "strat1:rmax" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.


```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 20.5, 22.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 4, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Poverty", "Unemployed", "Per Capita Income", "No High School",
                              "Minority", "Poor English",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
```

```

    "Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Stratified on RPL Theme 2")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5))
scale_color_manual(name = "Strata",
  values = c("#F8766D", "#00BFC4"),
  drop = FALSE)

```

p



```

ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_rpl2.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")

```

Stratified on RPL_THEME3

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```

load(here("modeling_files/stratified_analysis/model_stratif_rpl3_BPHIGH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))

```

##	50%	2.5%	97.5%
## strat0	32.31661	32.25914	32.37413
## strat0:flood_risk_pc1	0.02803	-0.01149	0.06834
## strat0:flood_risk_pc2	0.06497	0.01828	0.11132
## strat0:flood_risk_pc3	0.05842	0.02276	0.09407
## strat0:flood_risk_pc4	0.08040	0.04411	0.11659
## strat0:flood_risk_pc5	-0.00036	-0.03516	0.03460
## strat0:EP_POV	0.19443	0.13402	0.25459
## strat0:EP_UNEMP	0.27564	0.23565	0.31597
## strat0:EP_PCI	-0.00016	-0.04836	0.04787
## strat0:EP_NOHSDP	0.37158	0.28242	0.46110
## strat0:EP_AGE65	3.75818	3.71523	3.80117
## strat0:EP_AGE17	0.74326	0.69371	0.79267
## strat0:EP_DISABL	0.63065	0.58347	0.67793
## strat0:EP_SNGPNT	0.23595	0.18728	0.28473
## strat0:EP_MUNIT	-0.62516	-0.67832	-0.57249
## strat0:EP_MOBILE	-0.05986	-0.09808	-0.02215
## strat0:EP_CROWD	-0.09953	-0.18015	-0.01886
## strat0:EP_NOVEH	0.87271	0.80220	0.94330
## strat0:EP_GROUPQ	-0.76143	-0.79519	-0.72742
## strat0:EP_UNINSUR	0.22983	0.17430	0.28562
## strat0:pollute_conc_pc1	-0.23826	-0.36180	-0.11612
## strat0:pollute_conc_pc2	-0.85698	-1.02565	-0.69480
## strat0:pollute_conc_pc3	0.33214	0.17870	0.48794
## strat0:tmx	0.14379	-0.09913	0.39765
## strat0:rmax	-0.07107	-0.24527	0.10513
## strat0:Data_Value_CSMOKING	2.24449	2.15053	2.33930
## strat1	32.55389	32.51898	32.58899
## strat1:flood_risk_pc1	0.00759	-0.03149	0.04702
## strat1:flood_risk_pc2	-0.00645	-0.04766	0.03463
## strat1:flood_risk_pc3	0.01091	-0.02274	0.04431
## strat1:flood_risk_pc4	-0.01533	-0.04302	0.01186
## strat1:flood_risk_pc5	-0.01372	-0.04025	0.01280
## strat1:EP_POV	0.08247	0.03144	0.13393
## strat1:EP_UNEMP	0.33271	0.29968	0.36569
## strat1:EP_PCI	-0.18677	-0.24433	-0.12887
## strat1:EP_NOHSDP	-0.12603	-0.17775	-0.07452
## strat1:EP_AGE65	4.03476	3.98498	4.08417
## strat1:EP_AGE17	0.53606	0.48911	0.58277
## strat1:EP_DISABL	0.87848	0.83387	0.92296
## strat1:EP_SNGPNT	0.25100	0.21351	0.28892
## strat1:EP_MUNIT	-0.56543	-0.60052	-0.53039
## strat1:EP_MOBILE	0.05314	0.01761	0.08860
## strat1:EP_CROWD	-0.12383	-0.16242	-0.08516
## strat1:EP_NOVEH	0.64708	0.59389	0.70020
## strat1:EP_GROUPQ	-0.43710	-0.46915	-0.40526
## strat1:EP_UNINSUR	0.24110	0.19968	0.28218
## strat1:pollute_conc_pc1	0.11185	-0.01243	0.23689
## strat1:pollute_conc_pc2	-1.11784	-1.28239	-0.95984
## strat1:pollute_conc_pc3	0.08041	-0.07419	0.23948
## strat1:tmx	0.50820	0.26101	0.76697
## strat1:rmax	-0.07675	-0.25180	0.09979
## strat1:Data_Value_CSMOKING	2.62888	2.54878	2.70937

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_rpl
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc2"
## [3] "strat0:flood_risk_pc3" "strat0:flood_risk_pc4"
## [5] "strat0:EP_POV" "strat0:EP_UNEMP"
## [7] "strat0:EP_NOHSDP" "strat0:EP_AGE65"
## [9] "strat0:EP_AGE17" "strat0:EP_DISABL"
## [11] "strat0:EP_SNGPNT" "strat0:EP_MUNIT"
## [13] "strat0:EP_MOBILE" "strat0:EP_CROWD"
## [15] "strat0:EP_NOVEH" "strat0:EP_GROUPQ"
## [17] "strat0:EP_UNINSUR" "strat0:pollute_conc_pc1"
## [19] "strat0:pollute_conc_pc2" "strat0:pollute_conc_pc3"
## [21] "strat0:Data_Value_CSMOKING" "strat1"
## [23] "strat1:EP_POV" "strat1:EP_UNEMP"
## [25] "strat1:EP_PCI" "strat1:EP_NOHSDP"
## [27] "strat1:EP_AGE65" "strat1:EP_AGE17"
## [29] "strat1:EP_DISABL" "strat1:EP_SNGPNT"
## [31] "strat1:EP_MUNIT" "strat1:EP_MOBILE"
## [33] "strat1:EP_CROWD" "strat1:EP_NOVEH"
## [35] "strat1:EP_GROUPQ" "strat1:EP_UNINSUR"
## [37] "strat1:pollute_conc_pc2" "strat1:tmmx"
## [39] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
```

```
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis
        axis.text=element_text(size=12),
```


```

    plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 19.5, 22.5, 24.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
    col = "blue", size = 4.5) +
  annotate(geom = "text", x = 12.5, y = 4, label = "Social Vulnerability Index",
    col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
    "Poverty", "Unemployed", "Per Capita Income", "No High School",
    "65 or Over", "17 or Under", "Disability",
    "Single-Parent",
    "Multi-Unit", "Mobile", "Crowded",
    "No Vehicle", "Group Quarters", "Uninsured",
    "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
    "Maximum Temperature", "Maximum Humidity",
    "Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Stratified on RPL Theme 3")
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  scale_color_manual(name = "Strata",
    values = c("#F8766D", "#00BFC4"),
    drop = FALSE)

```

p

95% Credible Intervals, High Blood Pressure, Stratified on RPL Theme 3



```

ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_rp13.pdf"),
  plot = p, device = "pdf",

```

```
width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME4

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl4_BPHIGH.RData"))
```

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)
```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	32.34696	32.32013	32.37382
## strat0:flood_risk_pc1	0.07069	0.03460	0.10665
## strat0:flood_risk_pc2	0.03747	-0.00286	0.07812
## strat0:flood_risk_pc3	0.03962	0.00822	0.07110
## strat0:flood_risk_pc4	0.03773	0.00715	0.06844
## strat0:flood_risk_pc5	0.00854	-0.02103	0.03805
## strat0:EP_POV	0.03023	-0.02953	0.09002
## strat0:EP_UNEMP	0.13077	0.09300	0.16866
## strat0:EP_PCI	0.41456	0.36916	0.46014
## strat0:EP_NOHSDP	0.20922	0.13646	0.28105
## strat0:EP_AGE65	4.17674	4.13673	4.21679
## strat0:EP_AGE17	0.96408	0.92383	1.00455
## strat0:EP_DISABL	0.70891	0.66326	0.75470
## strat0:EP_SNGPNT	-0.08438	-0.12817	-0.04082
## strat0:EP_MINRTY	2.39285	2.32988	2.45627
## strat0:EP_LIMENG	-1.24367	-1.31751	-1.16986
## strat0:EP_UNINSUR	0.47073	0.42160	0.52042
## strat0:pollute_conc_pc1	-0.20243	-0.30795	-0.09608
## strat0:pollute_conc_pc2	-1.25034	-1.40629	-1.10695
## strat0:pollute_conc_pc3	0.22099	0.08402	0.36066
## strat0:tmxmx	0.00936	-0.21540	0.22418
## strat0:rmax	0.09064	-0.06529	0.24719
## strat0:Data_Value_CSMOKING	2.56027	2.47576	2.64441
## strat1	32.21081	32.18513	32.23640
## strat1:flood_risk_pc1	-0.01614	-0.05097	0.01867
## strat1:flood_risk_pc2	0.03437	-0.00425	0.07281
## strat1:flood_risk_pc3	0.04137	0.01029	0.07248
## strat1:flood_risk_pc4	0.02137	-0.00635	0.04898
## strat1:flood_risk_pc5	0.00998	-0.01765	0.03738
## strat1:EP_POV	-0.20395	-0.24875	-0.15916
## strat1:EP_UNEMP	0.11688	0.08426	0.14969
## strat1:EP_PCI	0.35825	0.30170	0.41585
## strat1:EP_NOHSDP	-0.21037	-0.26832	-0.15237
## strat1:EP_AGE65	4.58475	4.54174	4.62792
## strat1:EP_AGE17	1.18867	1.14977	1.22780
## strat1:EP_DISABL	0.92714	0.88646	0.96782
## strat1:EP_SNGPNT	-0.11986	-0.15882	-0.08086

```
## strat1:EP_MINRTY          2.80533  2.74451  2.86615
## strat1:EP_LIMENG          -0.78160 -0.83206 -0.73183
## strat1:EP_UNINSUR         0.28173  0.24236  0.32131
## strat1:pollute_conc_pc1   -0.12978 -0.23697 -0.02326
## strat1:pollute_conc_pc2   -1.17359 -1.32704 -1.03240
## strat1:pollute_conc_pc3    0.22292  0.08597  0.36249
## strat1:tmmx               0.19626 -0.02951  0.41156
## strat1:rmax               0.14166 -0.01339  0.29819
## strat1:Data_Value_CSMOKING 2.98525  2.91071  3.05926
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_rpl
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc3" "strat0:flood_risk_pc4"
## [5] "strat0:EP_UNEMP"       "strat0:EP_PCI"
## [7] "strat0:EP_NOHSDP"      "strat0:EP_AGE65"
## [9] "strat0:EP_AGE17"       "strat0:EP_DISABL"
## [11] "strat0:EP_SNGPNT"      "strat0:EP_MINRTY"
## [13] "strat0:EP_LIMENG"      "strat0:EP_UNINSUR"
## [15] "strat0:pollute_conc_pc1" "strat0:pollute_conc_pc2"
## [17] "strat0:pollute_conc_pc3" "strat0:Data_Value_CSMOKING"
## [19] "strat1"                "strat1:flood_risk_pc3"
## [21] "strat1:EP_POV"         "strat1:EP_UNEMP"
## [23] "strat1:EP_PCI"         "strat1:EP_NOHSDP"
## [25] "strat1:EP_AGE65"       "strat1:EP_AGE17"
## [27] "strat1:EP_DISABL"      "strat1:EP_SNGPNT"
## [29] "strat1:EP_MINRTY"      "strat1:EP_LIMENG"
## [31] "strat1:EP_UNINSUR"     "strat1:pollute_conc_pc1"
## [33] "strat1:pollute_conc_pc2" "strat1:pollute_conc_pc3"
## [35] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
```


```
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 16.5, 19.5, 21.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11, y = 4, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Poverty", "Unemployed", "Per Capita Income", "No High School",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent",
                              "Minority", "Poor English",
                              "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Strat.
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0
scale_color_manual(name = "Strata",
                  values = c("#F8766D", "#00BFC4"),
                  drop = FALSE)
```

p

95% Credible Intervals, High Blood Pressure, Stratified on RPL Theme 4



```
ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_rpl4.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

Stratified on RPL_THEMES

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpls_BPHIGH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

	50%	2.5%	97.5%
## strat0	31.04700	30.98875	31.10449
## strat0:flood_risk_pc1	-0.16790	-0.22916	-0.10693
## strat0:flood_risk_pc2	0.10969	0.04052	0.17977
## strat0:flood_risk_pc3	-0.07504	-0.12722	-0.02306
## strat0:flood_risk_pc4	0.05497	0.00369	0.10667
## strat0:flood_risk_pc5	-0.09495	-0.14416	-0.04563
## strat0:EP_UNINSUR	-0.09869	-0.18426	-0.01377
## strat0:pollute_conc_pc1	-1.67389	-1.85077	-1.49747

```
## strat0:pollute_conc_pc2      -2.35971 -2.61167 -2.09921
## strat0:pollute_conc_pc3       0.36048  0.12169  0.60249
## strat0:tmmx                 -0.01164 -0.40453  0.39202
## strat0:rmax                  0.19804 -0.08899  0.48539
## strat0:Data_Value_CSMOKING   0.72754  0.63244  0.82301
## strat1                       32.84366 32.79438 32.89289
## strat1:flood_risk_pc1        -0.00372 -0.06277  0.05570
## strat1:flood_risk_pc2        -0.10805 -0.17186 -0.04422
## strat1:flood_risk_pc3        -0.03974 -0.09254  0.01341
## strat1:flood_risk_pc4        -0.03983 -0.08485  0.00586
## strat1:flood_risk_pc5        -0.04918 -0.09481 -0.00378
## strat1:EP_UNINSUR            -0.47505 -0.53168 -0.41855
## strat1:pollute_conc_pc1       -0.80553 -0.98656 -0.62823
## strat1:pollute_conc_pc2       -2.23481 -2.48389 -1.97741
## strat1:pollute_conc_pc3       -0.19752 -0.43830  0.04540
## strat1:tmmx                  0.51460  0.12023  0.91955
## strat1:rmax                  0.28146 -0.00526  0.57001
## strat1:Data_Value_CSMOKING    2.12775  2.05577  2.19907
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_rpl
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc4" "strat0:flood_risk_pc5"
## [7] "strat0:EP_UNINSUR"     "strat0:pollute_conc_pc1"
## [9] "strat0:pollute_conc_pc2" "strat0:pollute_conc_pc3"
## [11] "strat0:Data_Value_CSMOKING" "strat1"
## [13] "strat1:flood_risk_pc2" "strat1:flood_risk_pc5"
## [15] "strat1:EP_UNINSUR"     "strat1:pollute_conc_pc1"
## [17] "strat1:pollute_conc_pc2" "strat1:tmmx"
## [19] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata


```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
```

```
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 6.5, 9.5, 11.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
         col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                             "Uninsured",
                             "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                             "Maximum Temperature", "Maximum Humidity",
                             "Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Stratified on All RPL Theme")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
scale_color_manual(name = "Strata",
                  values = c("#F8766D", "#00BFC4"),
                  drop = FALSE)
```

p



```
ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_rpls.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

CASTHMA Stratified Analysis

Repeating the stratified analysis in the last section, this time just doing the plots

Stratified on Poverty

```
load(here("modeling_files/stratified_analysis/model_stratif_poverty_CASTHMA.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	9.77647	9.76918	9.78376
## strat0:flood_risk_pc1	0.01189	0.00549	0.01826
## strat0:flood_risk_pc2	-0.00633	-0.01350	0.00074
## strat0:flood_risk_pc3	-0.00285	-0.00826	0.00265
## strat0:flood_risk_pc4	-0.00938	-0.01456	-0.00422
## strat0:flood_risk_pc5	0.00205	-0.00289	0.00694
## strat0:EP_UNEMP	0.06173	0.05362	0.06983
## strat0:EP_PCI	-0.02738	-0.03527	-0.01957
## strat0:EP_NOHSDP	0.07823	0.06318	0.09333
## strat0:EP_AGE65	0.07309	0.06574	0.08049
## strat0:EP_AGE17	-0.00707	-0.01551	0.00129
## strat0:EP_DISABL	-0.00554	-0.01449	0.00341
## strat0:EP_SNGPNT	0.04596	0.03750	0.05435
## strat0:EP_MINRTY	0.18438	0.17171	0.19711
## strat0:EP_LIMENG	-0.15554	-0.16924	-0.14169
## strat0:EP_MUNIT	-0.02756	-0.03460	-0.02050
## strat0:EP_MOBILE	-0.01626	-0.02340	-0.00915
## strat0:EP_CROWD	-0.02583	-0.03676	-0.01489
## strat0:EP_NOVEH	0.12222	0.10998	0.13445
## strat0:EP_GROUPQ	-0.05026	-0.05737	-0.04310
## strat0:EP_UNINSUR	0.01767	0.00838	0.02700
## strat0:pollute_conc_pc1	0.00989	-0.01041	0.02974
## strat0:pollute_conc_pc2	-0.15967	-0.18793	-0.13361
## strat0:pollute_conc_pc3	-0.01975	-0.04545	0.00511
## strat0:tmx	0.03188	-0.01056	0.07003
## strat0:rmax	-0.05396	-0.08291	-0.02377
## strat0:Data_Value_CSMOKING	0.97349	0.95759	0.98925
## strat1	9.87473	9.86853	9.88089
## strat1:flood_risk_pc1	-0.00575	-0.01172	0.00019
## strat1:flood_risk_pc2	0.00626	-0.00040	0.01286
## strat1:flood_risk_pc3	-0.00065	-0.00587	0.00459
## strat1:flood_risk_pc4	-0.00544	-0.01014	-0.00072

```
## strat1:flood_risk_pc5      -0.00166 -0.00636  0.00303
## strat1:EP_UNEMP           0.09417  0.08931  0.09905
## strat1:EP_PCI             -0.28007 -0.29364 -0.26650
## strat1:EP_NOHSDP          0.03404  0.02444  0.04363
## strat1:EP_AGE65           0.12031  0.11253  0.12815
## strat1:EP_AGE17           -0.00564 -0.01329  0.00207
## strat1:EP_DISABL          -0.08835 -0.09489 -0.08174
## strat1:EP_SNGPNT          0.05768  0.05153  0.06384
## strat1:EP_MINRTY          0.38866  0.37842  0.39890
## strat1:EP_LIMENG          -0.27077 -0.27935 -0.26211
## strat1:EP_MUNIT           0.03461  0.02837  0.04075
## strat1:EP_MOBILE          -0.02763 -0.03292 -0.02229
## strat1:EP_CROWD           -0.00495 -0.01139  0.00155
## strat1:EP_NOVEH           0.19769  0.18950  0.20587
## strat1:EP_GROUPQ          -0.04526 -0.04994 -0.04058
## strat1:EP_UNINSUR         -0.05410 -0.06072 -0.04753
## strat1:pollute_conc_pc1    -0.06185 -0.08263 -0.04192
## strat1:pollute_conc_pc2    -0.17661 -0.20451 -0.15091
## strat1:pollute_conc_pc3     0.02556 -0.00002  0.05040
## strat1:tmmx               0.02028 -0.02251  0.05856
## strat1:rmax               -0.04762 -0.07669 -0.01760
## strat1:Data_Value_CSMOKING 0.99779  0.98621  1.00942
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_po
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc4" "strat0:EP_UNEMP"
## [5] "strat0:EP_PCI" "strat0:EP_NOHSDP"
## [7] "strat0:EP_AGE65" "strat0:EP_SNGPNT"
## [9] "strat0:EP_MINRTY" "strat0:EP_LIMENG"
## [11] "strat0:EP_MUNIT" "strat0:EP_MOBILE"
## [13] "strat0:EP_CROWD" "strat0:EP_NOVEH"
## [15] "strat0:EP_GROUPQ" "strat0:EP_UNINSUR"
## [17] "strat0:pollute_conc_pc2" "strat0:rmax"
## [19] "strat0:Data_Value_CSMOKING" "strat1"
## [21] "strat1:flood_risk_pc4" "strat1:EP_UNEMP"
## [23] "strat1:EP_PCI" "strat1:EP_NOHSDP"
## [25] "strat1:EP_AGE65" "strat1:EP_DISABL"
## [27] "strat1:EP_SNGPNT" "strat1:EP_MINRTY"
## [29] "strat1:EP_LIMENG" "strat1:EP_MUNIT"
## [31] "strat1:EP_MOBILE" "strat1:EP_NOVEH"
## [33] "strat1:EP_GROUPQ" "strat1:EP_UNINSUR"
## [35] "strat1:pollute_conc_pc1" "strat1:pollute_conc_pc2"
## [37] "strat1:rmax" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
```

```

beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))

```

Splitting up the beta coefficients for each strata

```

beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

```

```

beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]

```


Note: The intercept for both strata is not included.

```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 1.5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 20.5, 23.5, 25.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 13, y = 1, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Unemployed", "Per Capita Income", "No High School",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent", "Minority", "Poor English",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on Poverty")
p <- p +
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)

```

p



```
ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_poverty.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME1

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl1_CASTHMA.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

	50%	2.5%	97.5%
## strat0	9.75389	9.74556	9.76223
## strat0:flood_risk_pc1	0.01133	0.00476	0.01787
## strat0:flood_risk_pc2	-0.00247	-0.00986	0.00488
## strat0:flood_risk_pc3	-0.00388	-0.00941	0.00163
## strat0:flood_risk_pc4	-0.01520	-0.02049	-0.00991
## strat0:flood_risk_pc5	0.00068	-0.00434	0.00577
## strat0:EP_AGE65	0.06946	0.06216	0.07677
## strat0:EP_AGE17	-0.01313	-0.02153	-0.00486
## strat0:EP_DISABL	-0.00966	-0.01846	-0.00078
## strat0:EP_SNGPNT	0.05372	0.04490	0.06241
## strat0:EP_MINRTY	0.17224	0.15920	0.18525

```
## strat0:EP_LIMENG      -0.12310 -0.13769 -0.10862
## strat0:EP_MUNIT      -0.02797 -0.03483 -0.02113
## strat0:EP_MOBILE     -0.00705 -0.01510  0.00109
## strat0:EP_CROWD      -0.01448 -0.02747 -0.00163
## strat0:EP_NOVEH       0.13885  0.12678  0.15090
## strat0:EP_GROUPQ     -0.03532 -0.04137 -0.02927
## strat0:EP_UNINSUR     0.02366  0.01375  0.03355
## strat0:pollute_conc_pc1 0.04281  0.02294  0.06222
## strat0:pollute_conc_pc2 -0.16909 -0.19552 -0.14155
## strat0:pollute_conc_pc3 -0.02541 -0.05106  0.00021
## strat0:tmx           0.03577 -0.00558  0.07616
## strat0:rmax          -0.05025 -0.08016 -0.02197
## strat0:Data_Value_CSMOKING 1.02275  1.00900  1.03626
## strat1               9.92901  9.92293  9.93513
## strat1:flood_risk_pc1 -0.00441 -0.01064  0.00179
## strat1:flood_risk_pc2 -0.00023 -0.00702  0.00655
## strat1:flood_risk_pc3  0.00061 -0.00501  0.00620
## strat1:flood_risk_pc4 -0.00320 -0.00808  0.00172
## strat1:flood_risk_pc5  0.00168 -0.00317  0.00651
## strat1:EP_AGE65       0.13110  0.12281  0.13946
## strat1:EP_AGE17       0.00134 -0.00671  0.00932
## strat1:EP_DISABL      -0.07440 -0.08117 -0.06768
## strat1:EP_SNGPNT       0.06883  0.06269  0.07502
## strat1:EP_MINRTY      0.46161  0.45144  0.47168
## strat1:EP_LIMENG      -0.26317 -0.27076 -0.25551
## strat1:EP_MUNIT       0.03653  0.02996  0.04321
## strat1:EP_MOBILE     -0.02052 -0.02574 -0.01524
## strat1:EP_CROWD       0.00585 -0.00056  0.01228
## strat1:EP_NOVEH       0.22046  0.21203  0.22894
## strat1:EP_GROUPQ     -0.00516 -0.01003 -0.00026
## strat1:EP_UNINSUR     -0.04310 -0.04966 -0.03646
## strat1:pollute_conc_pc1 -0.03045 -0.05048 -0.01016
## strat1:pollute_conc_pc2 -0.18036 -0.20616 -0.15329
## strat1:pollute_conc_pc3  0.02874  0.00319  0.05438
## strat1:tmx            0.01822 -0.02329  0.05933
## strat1:rmax          -0.04389 -0.07395 -0.01533
## strat1:Data_Value_CSMOKING 1.14033  1.13020  1.15058
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_rp"))
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc4" "strat0:EP_AGE65"
## [5] "strat0:EP_AGE17" "strat0:EP_DISABL"
## [7] "strat0:EP_SNGPNT" "strat0:EP_MINRTY"
## [9] "strat0:EP_LIMENG" "strat0:EP_MUNIT"
## [11] "strat0:EP_CROWD" "strat0:EP_NOVEH"
## [13] "strat0:EP_GROUPQ" "strat0:EP_UNINSUR"
## [15] "strat0:pollute_conc_pc1" "strat0:pollute_conc_pc2"
## [17] "strat0:rmax" "strat0:Data_Value_CSMOKING"
## [19] "strat1" "strat1:EP_AGE65"
## [21] "strat1:EP_DISABL" "strat1:EP_SNGPNT"
```



```
## [23] "strat1:EP_MINRTY"      "strat1:EP_LIMENG"
## [25] "strat1:EP_MUNIT"       "strat1:EP_MOBILE"
## [27] "strat1:EP_NOVEH"       "strat1:EP_GROUPQ"
## [29] "strat1:EP_UNINSUR"     "strat1:pollute_conc_pc1"
## [31] "strat1:pollute_conc_pc2" "strat1:pollute_conc_pc3"
## [33] "strat1:rmax"           "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```


Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 1.5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 20.5, 22.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 1, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent", "Minority", "Poor English",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on RPL")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4)) +
scale_color_manual(name = "Strata",
```

```

values = c("#F8766D", "#00BFC4"),
drop = FALSE)
p

```



```

ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_rpl1.pdf"),
plot = p, device = "pdf",
width = 8, height = 6, units = "in")

```

Stratified on RPL_THEME2

```

load(here("modeling_files/stratified_analysis/model_stratif_rpl2_CASTHMA.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))

```

```

##              50%    2.5%    97.5%
## strat0      9.83196  9.82712  9.83679
## strat0:flood_risk_pc1  0.01412  0.00832  0.01994
## strat0:flood_risk_pc2 -0.00662 -0.01311 -0.00014
## strat0:flood_risk_pc3 -0.00695 -0.01186 -0.00202
## strat0:flood_risk_pc4 -0.01460 -0.01914 -0.01003
## strat0:flood_risk_pc5 -0.00080 -0.00522  0.00365
## strat0:EP_POV    0.35381  0.34544  0.36222

```

```
## strat0:EP_UNEMP      0.09316  0.08670  0.09963
## strat0:EP_PCI       -0.08362 -0.09048 -0.07668
## strat0:EP_NOHSDP    0.10164  0.09047  0.11279
## strat0:EP_MINRTY    0.13472  0.12422  0.14523
## strat0:EP_LIMENG    -0.19147 -0.20104 -0.18196
## strat0:EP_MUNIT     -0.03202 -0.03740 -0.02666
## strat0:EP_MOBILE    -0.02528 -0.03208 -0.01851
## strat0:EP_CROWD     -0.02252 -0.02970 -0.01533
## strat0:EP_NOVEH     0.10880  0.09977  0.11778
## strat0:EP_GROUPQ    -0.03395 -0.03752 -0.03039
## strat0:EP_UNINSUR   -0.00122 -0.00855  0.00605
## strat0:pollute_conc_pc1 -0.03681 -0.05530 -0.01888
## strat0:pollute_conc_pc2 -0.20970 -0.23394 -0.18439
## strat0:pollute_conc_pc3  0.03894  0.01509  0.06261
## strat0:tmx         0.04225  0.00368  0.07999
## strat0:rmax        -0.03243 -0.06012 -0.00604
## strat0:Data_Value_CSMOKING 0.66445  0.65170  0.67709
## strat1             9.89699  9.89198  9.90200
## strat1:flood_risk_pc1 -0.00569 -0.01168  0.00026
## strat1:flood_risk_pc2  0.01105  0.00450  0.01760
## strat1:flood_risk_pc3  0.00596  0.00049  0.01144
## strat1:flood_risk_pc4  0.00143 -0.00346  0.00633
## strat1:flood_risk_pc5 -0.00005 -0.00488  0.00477
## strat1:EP_POV        0.20301  0.19402  0.21191
## strat1:EP_UNEMP      0.05064  0.04556  0.05579
## strat1:EP_PCI        0.00226 -0.01055  0.01518
## strat1:EP_NOHSDP     0.09036  0.08038  0.10025
## strat1:EP_MINRTY     0.45621  0.44643  0.46599
## strat1:EP_LIMENG    -0.28128 -0.29069 -0.27182
## strat1:EP_MUNIT      0.00770  0.00019  0.01531
## strat1:EP_MOBILE    -0.01484 -0.01983 -0.00985
## strat1:EP_CROWD     -0.02192 -0.02886 -0.01493
## strat1:EP_NOVEH     0.17002  0.16103  0.17912
## strat1:EP_GROUPQ    -0.18246 -0.19210 -0.17275
## strat1:EP_UNINSUR   -0.04608 -0.05286 -0.03923
## strat1:pollute_conc_pc1 -0.08258 -0.10128 -0.06393
## strat1:pollute_conc_pc2 -0.17790 -0.20201 -0.15246
## strat1:pollute_conc_pc3  0.07882  0.05504  0.10259
## strat1:tmx          0.00927 -0.02927  0.04738
## strat1:rmax        -0.04174 -0.06970 -0.01523
## strat1:Data_Value_CSMOKING 0.91702  0.90463  0.92943
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_rp"))
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc4" "strat0:EP_POV"
## [7] "strat0:EP_UNEMP" "strat0:EP_PCI"
## [9] "strat0:EP_NOHSDP" "strat0:EP_MINRTY"
## [11] "strat0:EP_LIMENG" "strat0:EP_MUNIT"
## [13] "strat0:EP_MOBILE" "strat0:EP_CROWD"
```

```
## [15] "strat0:EP_NOVEH"          "strat0:EP_GROUPQ"
## [17] "strat0:pollute_conc_pc1"  "strat0:pollute_conc_pc2"
## [19] "strat0:pollute_conc_pc3"  "strat0:tmmx"
## [21] "strat0:rmax"              "strat0:Data_Value_CSMOKING"
## [23] "strat1"                  "strat1:flood_risk_pc2"
## [25] "strat1:flood_risk_pc3"    "strat1:EP_POV"
## [27] "strat1:EP_UNEMP"          "strat1:EP_NOHSDP"
## [29] "strat1:EP_MINRTY"         "strat1:EP_LIMENG"
## [31] "strat1:EP_MUNIT"          "strat1:EP_MOBILE"
## [33] "strat1:EP_CROWD"          "strat1:EP_NOVEH"
## [35] "strat1:EP_GROUPQ"         "strat1:EP_UNINSUR"
## [37] "strat1:pollute_conc_pc1"  "strat1:pollute_conc_pc2"
## [39] "strat1:pollute_conc_pc3"  "strat1:rmax"
## [41] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.


```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 1.5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 20.5, 22.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 1, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Poverty", "Unemployed", "Per Capita Income", "No High School",
                              "Minority", "Poor English",
```

```

      "Multi-Unit", "Mobile", "Crowded",
      "No Vehicle", "Group Quarters", "Uninsured",
      "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
      "Maximum Temperature", "Maximum Humidity",
      "Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on RPL Theme 2")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5))
scale_color_manual(name = "Strata",
  values = c("#F8766D", "#00BFC4"),
  drop = FALSE)

```

p



```

ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_rpl2.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")

```

Stratified on RPL_THEME3

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl3_CASTHMA.RData"))
```

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)
```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	10.00466	9.99522	10.01417
## strat0:flood_risk_pc1	0.01059	0.00399	0.01731
## strat0:flood_risk_pc2	-0.00841	-0.01617	-0.00067
## strat0:flood_risk_pc3	-0.00997	-0.01592	-0.00406
## strat0:flood_risk_pc4	-0.00590	-0.01192	0.00011
## strat0:flood_risk_pc5	-0.00364	-0.00941	0.00213
## strat0:EP_POV	0.34496	0.33493	0.35494
## strat0:EP_UNEMP	0.07895	0.07236	0.08560
## strat0:EP_PCI	-0.09270	-0.10067	-0.08476
## strat0:EP_NOHSDP	0.14644	0.13177	0.16126
## strat0:EP_AGE65	0.04762	0.04050	0.05468
## strat0:EP_AGE17	0.01006	0.00187	0.01819
## strat0:EP_DISABL	-0.04545	-0.05327	-0.03763
## strat0:EP_SNGPNT	0.06474	0.05669	0.07280
## strat0:EP_MUNIT	-0.03513	-0.04394	-0.02639
## strat0:EP_MOBILE	-0.03155	-0.03790	-0.02531
## strat0:EP_CROWD	0.01328	-0.00002	0.02662
## strat0:EP_NOVEH	0.13631	0.12466	0.14805
## strat0:EP_GROUPQ	0.00886	0.00328	0.01449
## strat0:EP_UNINSUR	-0.01731	-0.02645	-0.00808
## strat0:pollute_conc_pc1	-0.04458	-0.06540	-0.02397
## strat0:pollute_conc_pc2	-0.18868	-0.21791	-0.16086
## strat0:pollute_conc_pc3	0.06890	0.04303	0.09566
## strat0:tmmx	0.05163	0.01013	0.09636
## strat0:rmax	-0.04820	-0.07855	-0.01805
## strat0:Data_Value_CSMOKING	0.74603	0.73038	0.76178
## strat1	9.93021	9.92450	9.93593
## strat1:flood_risk_pc1	0.00662	0.00010	0.01317
## strat1:flood_risk_pc2	0.00684	-0.00001	0.01364
## strat1:flood_risk_pc3	0.00339	-0.00222	0.00893
## strat1:flood_risk_pc4	-0.00858	-0.01317	-0.00404
## strat1:flood_risk_pc5	-0.00021	-0.00462	0.00419
## strat1:EP_POV	0.22353	0.21511	0.23202
## strat1:EP_UNEMP	0.10657	0.10113	0.11202
## strat1:EP_PCI	-0.11692	-0.12645	-0.10736
## strat1:EP_NOHSDP	-0.03325	-0.04183	-0.02467
## strat1:EP_AGE65	0.09391	0.08573	0.10199
## strat1:EP_AGE17	0.00440	-0.00337	0.01211
## strat1:EP_DISABL	-0.04016	-0.04749	-0.03280
## strat1:EP_SNGPNT	0.08254	0.07637	0.08881
## strat1:EP_MUNIT	-0.01441	-0.02020	-0.00858
## strat1:EP_MOBILE	-0.03188	-0.03772	-0.02603
## strat1:EP_CROWD	-0.04878	-0.05513	-0.04236
## strat1:EP_NOVEH	0.16370	0.15489	0.17251
## strat1:EP_GROUPQ	-0.09402	-0.09931	-0.08875
## strat1:EP_UNINSUR	-0.06179	-0.06866	-0.05499
## strat1:pollute_conc_pc1	-0.04263	-0.06329	-0.02139
## strat1:pollute_conc_pc2	-0.20034	-0.22894	-0.17313
## strat1:pollute_conc_pc3	0.07429	0.04831	0.10164

```
## strat1:tmx           0.08636  0.04421  0.13175
## strat1:rmax          -0.05516 -0.08566 -0.02476
## strat1:Data_Value_CSMOKING  1.00277  0.98955  1.01606

saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_rp"))
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:EP_POV"         "strat0:EP_UNEMP"
## [7] "strat0:EP_PCI"         "strat0:EP_NOHSDP"
## [9] "strat0:EP_AGE65"       "strat0:EP_AGE17"
## [11] "strat0:EP_DISABL"      "strat0:EP_SNGPNT"
## [13] "strat0:EP_MUNIT"       "strat0:EP_MOBILE"
## [15] "strat0:EP_NOVEH"       "strat0:EP_GROUPQ"
## [17] "strat0:EP_UNINSUR"     "strat0:pollute_conc_pc1"
## [19] "strat0:pollute_conc_pc2" "strat0:pollute_conc_pc3"
## [21] "strat0:tmx"            "strat0:rmax"
## [23] "strat0:Data_Value_CSMOKING" "strat1"
## [25] "strat1:flood_risk_pc1"  "strat1:flood_risk_pc4"
## [27] "strat1:EP_POV"         "strat1:EP_UNEMP"
## [29] "strat1:EP_PCI"         "strat1:EP_NOHSDP"
## [31] "strat1:EP_AGE65"       "strat1:EP_DISABL"
## [33] "strat1:EP_SNGPNT"      "strat1:EP_MUNIT"
## [35] "strat1:EP_MOBILE"      "strat1:EP_CROWD"
## [37] "strat1:EP_NOVEH"       "strat1:EP_GROUPQ"
## [39] "strat1:EP_UNINSUR"     "strat1:pollute_conc_pc1"
## [41] "strat1:pollute_conc_pc2" "strat1:pollute_conc_pc3"
## [43] "strat1:tmx"            "strat1:rmax"
## [45] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata


```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 1.5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 19.5, 22.5, 24.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 12.5, y = 1, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Poverty", "Unemployed", "Per Capita Income", "No High School",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on RPL")
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4),
  scale_color_manual(name = "Strata",
                     values = c("#F8766D", "#00BFC4"),
                     drop = FALSE)
```

p



```
ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_rpl3.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME4

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl4_CASTHMA.RData"))
```

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)
```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	9.88655	9.88224	9.89089
## strat0:flood_risk_pc1	0.01241	0.00630	0.01845
## strat0:flood_risk_pc2	-0.00787	-0.01465	-0.00103
## strat0:flood_risk_pc3	-0.00305	-0.00833	0.00221
## strat0:flood_risk_pc4	-0.01435	-0.01946	-0.00921
## strat0:flood_risk_pc5	0.00353	-0.00141	0.00847
## strat0:EP_POV	0.25718	0.24723	0.26715
## strat0:EP_UNEMP	0.06548	0.05917	0.07176

```
## strat0:EP_PCI -0.02584 -0.03349 -0.01821
## strat0:EP_NOHSDP 0.07287 0.06075 0.08483
## strat0:EP_AGE65 0.11713 0.11050 0.12381
## strat0:EP_AGE17 0.04107 0.03438 0.04782
## strat0:EP_DISABL -0.01902 -0.02660 -0.01143
## strat0:EP_SNGPNT 0.02959 0.02239 0.03685
## strat0:EP_MINRTY 0.33222 0.32156 0.34288
## strat0:EP_LIMENG -0.24843 -0.26080 -0.23614
## strat0:EP_UNINSUR -0.01137 -0.01952 -0.00312
## strat0:pollute_conc_pc1 -0.00428 -0.02270 0.01418
## strat0:pollute_conc_pc2 -0.17214 -0.19961 -0.14738
## strat0:pollute_conc_pc3 -0.00965 -0.03375 0.01444
## strat0:tmx -0.01067 -0.02945 0.04925
## strat0:rmax -0.05458 -0.08234 -0.02645
## strat0:Data_Value_CSMOKING 0.88956 0.87542 0.90366
## strat1 9.88411 9.88001 9.88820
## strat1:flood_risk_pc1 0.00227 -0.00363 0.00817
## strat1:flood_risk_pc2 0.00643 -0.00008 0.01290
## strat1:flood_risk_pc3 -0.00100 -0.00621 0.00419
## strat1:flood_risk_pc4 -0.00518 -0.00985 -0.00055
## strat1:flood_risk_pc5 0.00084 -0.00378 0.00544
## strat1:EP_POV 0.31752 0.31003 0.32498
## strat1:EP_UNEMP 0.07577 0.07037 0.08122
## strat1:EP_PCI -0.08964 -0.09917 -0.08001
## strat1:EP_NOHSDP 0.05195 0.04224 0.06165
## strat1:EP_AGE65 0.13959 0.13245 0.14673
## strat1:EP_AGE17 0.04139 0.03492 0.04793
## strat1:EP_DISABL -0.04376 -0.05055 -0.03699
## strat1:EP_SNGPNT 0.04489 0.03838 0.05135
## strat1:EP_MINRTY 0.35590 0.34561 0.36615
## strat1:EP_LIMENG -0.25960 -0.26811 -0.25125
## strat1:EP_UNINSUR -0.02626 -0.03283 -0.01963
## strat1:pollute_conc_pc1 -0.00222 -0.02093 0.01629
## strat1:pollute_conc_pc2 -0.16981 -0.19680 -0.14543
## strat1:pollute_conc_pc3 -0.00297 -0.02707 0.02109
## strat1:tmx 0.00691 -0.03339 0.04541
## strat1:rmax -0.05981 -0.08755 -0.03154
## strat1:Data_Value_CSMOKING 0.85512 0.84247 0.86756
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_rp"))
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc4"
## [5] "strat0:EP_POV" "strat0:EP_UNEMP"
## [7] "strat0:EP_PCI" "strat0:EP_NOHSDP"
## [9] "strat0:EP_AGE65" "strat0:EP_AGE17"
## [11] "strat0:EP_DISABL" "strat0:EP_SNGPNT"
## [13] "strat0:EP_MINRTY" "strat0:EP_LIMENG"
## [15] "strat0:EP_UNINSUR" "strat0:pollute_conc_pc2"
## [17] "strat0:rmax" "strat0:Data_Value_CSMOKING"
## [19] "strat1" "strat1:flood_risk_pc4"
```

```
## [21] "strat1:EP_POV"           "strat1:EP_UNEMP"
## [23] "strat1:EP_PCI"           "strat1:EP_NOHSDP"
## [25] "strat1:EP_AGE65"         "strat1:EP_AGE17"
## [27] "strat1:EP_DISABL"        "strat1:EP_SNGPNT"
## [29] "strat1:EP_MINRTY"        "strat1:EP_LIMENG"
## [31] "strat1:EP_UNINSUR"       "strat1:pollute_conc_pc2"
## [33] "strat1:rmax"             "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata


```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 1.5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 16.5, 19.5, 21.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11, y = 1, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Poverty", "Unemployed", "Per Capita Income", "No High School",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent",
                              "Minority", "Poor English",
                              "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on RPL")
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
```

```
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5),
scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)
```

p



```
ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_rpl4.pdf"),
        plot = p, device = "pdf",
        width = 8, height = 6, units = "in")
```

Stratified on RPL_THEMES

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpls_CASTHMA.RData"))
```

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)
```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

```
##              50%      2.5%      97.5%
## strat0      9.76076  9.75395  9.76748
```

```
## strat0:flood_risk_pc1      0.00458 -0.00267  0.01180
## strat0:flood_risk_pc2      0.00997  0.00176  0.01829
## strat0:flood_risk_pc3     -0.00056 -0.00675  0.00559
## strat0:flood_risk_pc4     -0.01479 -0.02086 -0.00867
## strat0:flood_risk_pc5     -0.00079 -0.00661  0.00504
## strat0:EP_UNINSUR         -0.02870 -0.03883 -0.01866
## strat0:pollute_conc_pc1    0.11316  0.09205  0.13405
## strat0:pollute_conc_pc2   -0.17287 -0.20289 -0.14199
## strat0:pollute_conc_pc3   -0.05384 -0.08222 -0.02497
## strat0:tmmx               -0.00261 -0.04994  0.04632
## strat0:rmax               -0.08513 -0.12024 -0.05037
## strat0:Data_Value_CSMOKING 1.12452  1.11321  1.13587
## strat1                    9.94430  9.93853  9.95009
## strat1:flood_risk_pc1      0.01460  0.00758  0.02168
## strat1:flood_risk_pc2     -0.02661 -0.03415 -0.01900
## strat1:flood_risk_pc3     -0.00789 -0.01417 -0.00162
## strat1:flood_risk_pc4     -0.01651 -0.02184 -0.01107
## strat1:flood_risk_pc5     -0.00403 -0.00940  0.00136
## strat1:EP_UNINSUR         -0.08542 -0.09212 -0.07873
## strat1:pollute_conc_pc1    0.17748  0.15583  0.19842
## strat1:pollute_conc_pc2   -0.16727 -0.19680 -0.13662
## strat1:pollute_conc_pc3   -0.10765 -0.13644 -0.07859
## strat1:tmmx               0.04356 -0.00410  0.09269
## strat1:rmax               -0.12048 -0.15574 -0.08583
## strat1:Data_Value_CSMOKING 1.31076  1.30223  1.31926
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_rp"))
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc2"
## [3] "strat0:flood_risk_pc4" "strat0:EP_UNINSUR"
## [5] "strat0:pollute_conc_pc1" "strat0:pollute_conc_pc2"
## [7] "strat0:pollute_conc_pc3" "strat0:rmax"
## [9] "strat0:Data_Value_CSMOKING" "strat1"
## [11] "strat1:flood_risk_pc1" "strat1:flood_risk_pc2"
## [13] "strat1:flood_risk_pc3" "strat1:flood_risk_pc4"
## [15] "strat1:EP_UNINSUR" "strat1:pollute_conc_pc1"
## [17] "strat1:pollute_conc_pc2" "strat1:pollute_conc_pc3"
## [19] "strat1:rmax" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
```

```

      levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
      rep("Upper", (nrow(beta_inference_df)/2))))

```

Splitting up the beta coefficients for each strata

```

beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]

```


Note: The intercept for both strata is not included.

```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 1.5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 6.5, 9.5, 11.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on All 1
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0
scale_color_manual(name = "Strata",
                  values = c("#F8766D", "#00BFC4"),
                  drop = FALSE)

```

p



```
ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_rpls.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

MHLTH Stratified Analysis

Repeating the stratified analysis in the last section, this time just doing the plots

Stratified on Poverty

```
load(here("modeling_files/stratified_analysis/model_stratif_poverty_MHLTH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975)))),5))

##              50%      2.5%      97.5%
## strat0        14.06217 14.04944 14.07489
## strat0:flood_risk_pc1    0.00429 -0.00682 0.01535
## strat0:flood_risk_pc2    0.01084 -0.00166 0.02315
## strat0:flood_risk_pc3    0.00782 -0.00160 0.01738
## strat0:flood_risk_pc4   -0.00784 -0.01685 0.00115
## strat0:flood_risk_pc5    0.00452 -0.00406 0.01306
```

```

## strat0:EP_UNEMP      0.08714  0.07296  0.10128
## strat0:EP_PCI       -0.17008 -0.18375 -0.15652
## strat0:EP_NOHSDP    0.11438  0.08809  0.14066
## strat0:EP_AGE65     -0.22405 -0.23689 -0.21117
## strat0:EP_AGE17     -0.03074 -0.04546 -0.01617
## strat0:EP_DISABL    -0.03882 -0.05444 -0.02320
## strat0:EP_SNGPNT    0.07467  0.05994  0.08929
## strat0:EP_MINRTY    -0.07641 -0.09848 -0.05435
## strat0:EP_LIMENG    0.05842  0.03456  0.08251
## strat0:EP_MUNIT     0.08370  0.07145  0.09600
## strat0:EP_MOBILE    -0.02687 -0.03929 -0.01446
## strat0:EP_CROWD     0.07066  0.05162  0.08973
## strat0:EP_NOVEH     0.12727  0.10595  0.14856
## strat0:EP_GROUPQ    0.17683  0.16444  0.18929
## strat0:EP_UNINSUR   0.04290  0.02671  0.05914
## strat0:pollute_conc_pc1 0.29352  0.25850  0.32787
## strat0:pollute_conc_pc2 -0.02574 -0.07444  0.01946
## strat0:pollute_conc_pc3 -0.19268 -0.23711 -0.14970
## strat0:tmmx         0.05219 -0.02076  0.11785
## strat0:rmax        -0.04001 -0.09002  0.01161
## strat0:Data_Value_CSMOKING 2.75133  2.72356  2.77878
## strat1             14.22208 14.21127 14.23286
## strat1:flood_risk_pc1 -0.00852 -0.01887  0.00182
## strat1:flood_risk_pc2 -0.01112 -0.02267  0.00035
## strat1:flood_risk_pc3 -0.01463 -0.02372 -0.00550
## strat1:flood_risk_pc4 -0.00975 -0.01793 -0.00154
## strat1:flood_risk_pc5 -0.00698 -0.01517  0.00120
## strat1:EP_UNEMP      0.14155  0.13307  0.15006
## strat1:EP_PCI       -0.98576 -1.00948 -0.96200
## strat1:EP_NOHSDP    0.18857  0.17191  0.20529
## strat1:EP_AGE65     -0.40990 -0.42351 -0.39623
## strat1:EP_AGE17     -0.18166 -0.19503 -0.16818
## strat1:EP_DISABL    -0.24325 -0.25465 -0.23172
## strat1:EP_SNGPNT    0.14703  0.13630  0.15777
## strat1:EP_MINRTY    -0.23426 -0.25200 -0.21658
## strat1:EP_LIMENG    -0.03395 -0.04885 -0.01893
## strat1:EP_MUNIT     0.21539  0.20456  0.22607
## strat1:EP_MOBILE    -0.04588 -0.05511 -0.03659
## strat1:EP_CROWD     0.07784  0.06665  0.08917
## strat1:EP_NOVEH     0.24721  0.23299  0.26144
## strat1:EP_GROUPQ    0.14882  0.14067  0.15698
## strat1:EP_UNINSUR   -0.09249 -0.10400 -0.08105
## strat1:pollute_conc_pc1 0.17616  0.14019  0.21075
## strat1:pollute_conc_pc2 -0.09646 -0.14441 -0.05197
## strat1:pollute_conc_pc3 -0.13906 -0.18317 -0.09607
## strat1:tmmx         0.16430  0.09100  0.23030
## strat1:rmax        -0.00674 -0.05709  0.04459
## strat1:Data_Value_CSMOKING 2.50770  2.48747  2.52796

```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_pove
```

List of significant beta coefficients:


```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:EP_UNEMP"
## [3] "strat0:EP_PCI" "strat0:EP_NOHSDP"
## [5] "strat0:EP_AGE65" "strat0:EP_AGE17"
## [7] "strat0:EP_DISABL" "strat0:EP_SNGPNT"
## [9] "strat0:EP_MINRTY" "strat0:EP_LIMENG"
## [11] "strat0:EP_MUNIT" "strat0:EP_MOBILE"
## [13] "strat0:EP_CROWD" "strat0:EP_NOVEH"
## [15] "strat0:EP_GROUPQ" "strat0:EP_UNINSUR"
## [17] "strat0:pollute_conc_pc1" "strat0:pollute_conc_pc3"
## [19] "strat0:Data_Value_CSMOKING" "strat1"
## [21] "strat1:flood_risk_pc3" "strat1:flood_risk_pc4"
## [23] "strat1:EP_UNEMP" "strat1:EP_PCI"
## [25] "strat1:EP_NOHSDP" "strat1:EP_AGE65"
## [27] "strat1:EP_AGE17" "strat1:EP_DISABL"
## [29] "strat1:EP_SNGPNT" "strat1:EP_MINRTY"
## [31] "strat1:EP_LIMENG" "strat1:EP_MUNIT"
## [33] "strat1:EP_MOBILE" "strat1:EP_CROWD"
## [35] "strat1:EP_NOVEH" "strat1:EP_GROUPQ"
## [37] "strat1:EP_UNINSUR" "strat1:pollute_conc_pc1"
## [39] "strat1:pollute_conc_pc2" "strat1:pollute_conc_pc3"
## [41] "strat1:tmxmx" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
```

```
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.


```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1.5, 4)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
```

```

geom_vline(xintercept = c(5.5, 20.5, 23.5, 25.5), col = "blue") +
geom_hline(yintercept = 0, col = "red") +
annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 13, y = 3.8, label = "Social Vulnerability Index",
  col = "blue", size = 4.5) +
scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
  "Unemployed", "Per Capita Income", "No High School",
  "65 or Over", "17 or Under", "Disability",
  "Single-Parent", "Minority", "Poor English",
  "Multi-Unit", "Mobile", "Crowded",
  "No Vehicle", "Group Quarters", "Uninsured",
  "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
  "Maximum Temperature", "Maximum Humidity",
  "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Stratified on Poverty")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5)) +
scale_color_manual(name = "Strata",
  values = c("#F8766D", "#00BFC4"),
  drop = FALSE)

```

p



```

ggsave(here("figures/final_figures/stratified_analysis/MHLTH_CI_poverty.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")

```

Stratified on RPL_THEME1

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl1_MHLTH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	14.08162	14.06663	14.09659
## strat0:flood_risk_pc1	0.00878	-0.00302	0.02056
## strat0:flood_risk_pc2	0.00482	-0.00846	0.01807
## strat0:flood_risk_pc3	0.00436	-0.00558	0.01427
## strat0:flood_risk_pc4	-0.01552	-0.02502	-0.00601
## strat0:flood_risk_pc5	0.00103	-0.00800	0.01017
## strat0:EP_AGE65	-0.25433	-0.26747	-0.24121
## strat0:EP_AGE17	-0.09515	-0.11024	-0.08031
## strat0:EP_DISABL	-0.04008	-0.05587	-0.02414
## strat0:EP_SNGPNT	0.10743	0.09159	0.12304
## strat0:EP_MINRTY	-0.02978	-0.05324	-0.00640
## strat0:EP_LIMENG	0.05500	0.02883	0.08087
## strat0:EP_MUNIT	0.08569	0.07336	0.09797
## strat0:EP_MOBILE	-0.00899	-0.02343	0.00562
## strat0:EP_CROWD	0.09012	0.06678	0.11325
## strat0:EP_NOVEH	0.20112	0.17940	0.22279
## strat0:EP_GROUPQ	0.21125	0.20039	0.22209
## strat0:EP_UNINSUR	0.05737	0.03957	0.07515
## strat0:pollute_conc_pc1	0.39538	0.35960	0.43028
## strat0:pollute_conc_pc2	-0.05067	-0.09828	-0.00118
## strat0:pollute_conc_pc3	-0.20008	-0.24639	-0.15404
## strat0:tmnx	0.05722	-0.01730	0.13012
## strat0:rmax	-0.00336	-0.05739	0.04768
## strat0:Data_Value_CSMOKING	2.90931	2.88455	2.93362
## strat1	14.46021	14.44931	14.47118
## strat1:flood_risk_pc1	-0.00048	-0.01169	0.01067
## strat1:flood_risk_pc2	-0.02080	-0.03302	-0.00862
## strat1:flood_risk_pc3	-0.01041	-0.02052	-0.00037
## strat1:flood_risk_pc4	-0.01161	-0.02039	-0.00278
## strat1:flood_risk_pc5	0.00448	-0.00424	0.01316
## strat1:EP_AGE65	-0.41474	-0.42973	-0.39967
## strat1:EP_AGE17	-0.11917	-0.13366	-0.10483
## strat1:EP_DISABL	-0.20464	-0.21679	-0.19257
## strat1:EP_SNGPNT	0.15792	0.14687	0.16902
## strat1:EP_MINRTY	-0.04756	-0.06577	-0.02955
## strat1:EP_LIMENG	0.06671	0.05314	0.08036
## strat1:EP_MUNIT	0.18454	0.17273	0.19653
## strat1:EP_MOBILE	-0.02409	-0.03349	-0.01464
## strat1:EP_CROWD	0.11818	0.10664	0.12972
## strat1:EP_NOVEH	0.31251	0.29737	0.32775
## strat1:EP_GROUPQ	0.27326	0.26451	0.28207
## strat1:EP_UNINSUR	-0.06687	-0.07865	-0.05494
## strat1:pollute_conc_pc1	0.29667	0.26054	0.33317

```
## strat1:pollute_conc_pc2      -0.08521 -0.13163 -0.03647
## strat1:pollute_conc_pc3      -0.11945 -0.16560 -0.07329
## strat1:tmmx                  0.18268  0.10774  0.25692
## strat1:rmax                  0.02175 -0.03262  0.07330
## strat1:Data_Value_CSMOKING   2.92027  2.90204  2.93868
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_rpl1
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                  "strat0:flood_risk_pc4"
## [3] "strat0:EP_AGE65"         "strat0:EP_AGE17"
## [5] "strat0:EP_DISABL"        "strat0:EP_SNGPNT"
## [7] "strat0:EP_MINRTY"        "strat0:EP_LIMENG"
## [9] "strat0:EP_MUNIT"         "strat0:EP_CROWD"
## [11] "strat0:EP_NOVEH"         "strat0:EP_GROUPQ"
## [13] "strat0:EP_UNINSUR"       "strat0:pollute_conc_pc1"
## [15] "strat0:pollute_conc_pc2" "strat0:pollute_conc_pc3"
## [17] "strat0:Data_Value_CSMOKING" "strat1"
## [19] "strat1:flood_risk_pc2"   "strat1:flood_risk_pc3"
## [21] "strat1:flood_risk_pc4"   "strat1:EP_AGE65"
## [23] "strat1:EP_AGE17"         "strat1:EP_DISABL"
## [25] "strat1:EP_SNGPNT"        "strat1:EP_MINRTY"
## [27] "strat1:EP_LIMENG"        "strat1:EP_MUNIT"
## [29] "strat1:EP_MOBILE"        "strat1:EP_CROWD"
## [31] "strat1:EP_NOVEH"         "strat1:EP_GROUPQ"
## [33] "strat1:EP_UNINSUR"       "strat1:pollute_conc_pc1"
## [35] "strat1:pollute_conc_pc2" "strat1:pollute_conc_pc3"
## [37] "strat1:tmmx"             "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.


```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1.5, 4)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 20.5, 22.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 3.8, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent", "Minority", "Poor English",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Stratification")
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)

```

p

95% Credible Intervals, Poor Mental Health, Stratified on RPL Theme 1



```
ggsave(here("figures/final_figures/stratified_analysis/MHLTH_CI_rpl1.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME2

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl2_MHLTH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

	50%	2.5%	97.5%
## strat0	14.30482	14.29631	14.31332
## strat0:flood_risk_pc1	0.02504	0.01500	0.03505
## strat0:flood_risk_pc2	-0.00071	-0.01195	0.01051
## strat0:flood_risk_pc3	0.00031	-0.00819	0.00884
## strat0:flood_risk_pc4	-0.01848	-0.02635	-0.01056
## strat0:flood_risk_pc5	0.00555	-0.00210	0.01330
## strat0:EP_POV	1.06589	1.05115	1.08071
## strat0:EP_UNEMP	0.08284	0.07159	0.09414
## strat0:EP_PCI	-0.35998	-0.37185	-0.34799
## strat0:EP_NOHSDP	-0.00560	-0.02503	0.01379
## strat0:EP_MINRTY	-0.09563	-0.11380	-0.07746

```
## strat0:EP_LIMENG      0.01453 -0.00204  0.03100
## strat0:EP_MUNIT      0.05108  0.04177  0.06039
## strat0:EP_MOBILE     -0.09267 -0.10448 -0.08089
## strat0:EP_CROWD      0.12767  0.11520  0.14011
## strat0:EP_NOVEH     -0.09486 -0.11051 -0.07929
## strat0:EP_GROUPQ     0.25072  0.24452  0.25691
## strat0:EP_UNINSUR    0.05576  0.04304  0.06843
## strat0:pollute_conc_pc1 0.30159  0.27001  0.33246
## strat0:pollute_conc_pc2 -0.11248 -0.15375 -0.06952
## strat0:pollute_conc_pc3 -0.03976 -0.08024  0.00063
## strat0:tmx          0.17544  0.11002  0.23937
## strat0:rmax         0.04238 -0.00420  0.08703
## strat0:Data_Value_CSMOKING 2.14944  2.12730  2.17147
## strat1              14.12044 14.11166 14.12928
## strat1:flood_risk_pc1  0.01066  0.00029  0.02097
## strat1:flood_risk_pc2  0.00122 -0.01013  0.01255
## strat1:flood_risk_pc3  0.00388 -0.00559  0.01335
## strat1:flood_risk_pc4 -0.00603 -0.01447  0.00249
## strat1:flood_risk_pc5  0.00246 -0.00593  0.01084
## strat1:EP_POV         0.45543  0.43982  0.47092
## strat1:EP_UNEMP       0.02857  0.01972  0.03751
## strat1:EP_PCI        -0.29762 -0.31989 -0.27515
## strat1:EP_NOHSDP      0.18349  0.16620  0.20069
## strat1:EP_MINRTY      0.11819  0.10139  0.13499
## strat1:EP_LIMENG      0.00182 -0.01445  0.01815
## strat1:EP_MUNIT      0.09978  0.08675  0.11296
## strat1:EP_MOBILE     -0.05881 -0.06747 -0.05014
## strat1:EP_CROWD      0.10625  0.09416  0.11840
## strat1:EP_NOVEH     -0.00227 -0.01790  0.01355
## strat1:EP_GROUPQ     -0.11703 -0.13382 -0.10012
## strat1:EP_UNINSUR    0.00877 -0.00298  0.02068
## strat1:pollute_conc_pc1 0.26755  0.23571  0.29956
## strat1:pollute_conc_pc2 -0.02691 -0.06818  0.01613
## strat1:pollute_conc_pc3 -0.01976 -0.06005  0.02089
## strat1:tmx          0.19469  0.12942  0.25934
## strat1:rmax        -0.01001 -0.05697  0.03462
## strat1:Data_Value_CSMOKING 2.62606  2.60452  2.64754
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_rpl2
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc4" "strat0:EP_POV"
## [5] "strat0:EP_UNEMP" "strat0:EP_PCI"
## [7] "strat0:EP_MINRTY" "strat0:EP_MUNIT"
## [9] "strat0:EP_MOBILE" "strat0:EP_CROWD"
## [11] "strat0:EP_NOVEH" "strat0:EP_GROUPQ"
## [13] "strat0:EP_UNINSUR" "strat0:pollute_conc_pc1"
## [15] "strat0:pollute_conc_pc2" "strat0:tmx"
## [17] "strat0:Data_Value_CSMOKING" "strat1"
## [19] "strat1:flood_risk_pc1" "strat1:EP_POV"
## [21] "strat1:EP_UNEMP" "strat1:EP_PCI"
```

```
## [23] "strat1:EP_NOHSDP"          "strat1:EP_MINRTY"
## [25] "strat1:EP_MUNIT"          "strat1:EP_MOBILE"
## [27] "strat1:EP_CROWD"          "strat1:EP_GROUPQ"
## [29] "strat1:pollute_conc_pc1"    "strat1:tmmx"
## [31] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot


```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1.5, 4)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 20.5, 22.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 3.8, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                              "Poverty", "Unemployed", "Per Capita Income", "No High School",
                              "Minority", "Poor English",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                              "Maximum Temperature", "Maximum Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Stratification")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
scale_color_manual(name = "Strata",
                   values = c("#F8766D", "#00BFC4"),
```

Stratified on RPL_THEME3

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rp13_MHLTH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	14.29523	14.28040	14.31011
## strat0:flood_risk_pc1	0.00549	-0.00466	0.01585
## strat0:flood_risk_pc2	-0.00242	-0.01440	0.00950
## strat0:flood_risk_pc3	-0.01520	-0.02436	-0.00602

```

## strat0:flood_risk_pc4      -0.01323 -0.02258 -0.00389
## strat0:flood_risk_pc5      -0.00591 -0.01488  0.00311
## strat0:EP_POV              0.88772  0.87203  0.90340
## strat0:EP_UNEMP            0.04882  0.03848  0.05922
## strat0:EP_PCI              -0.27798 -0.29040 -0.26561
## strat0:EP_NOHSDP           0.17502  0.15205  0.19816
## strat0:EP_AGE65            -0.33748 -0.34855 -0.32648
## strat0:EP_AGE17            -0.14238 -0.15518 -0.12962
## strat0:EP_DISABL           -0.14382 -0.15602 -0.13166
## strat0:EP_SNGPNT           0.02300  0.01043  0.03559
## strat0:EP_MUNIT            0.08349  0.06979  0.09705
## strat0:EP_MOBILE           0.00864 -0.00121  0.01836
## strat0:EP_CROWD            0.06886  0.04803  0.08974
## strat0:EP_NOVEH            0.02610  0.00793  0.04431
## strat0:EP_GROUPQ           0.29721  0.28847  0.30601
## strat0:EP_UNINSUR          -0.03765 -0.05199 -0.02324
## strat0:pollute_conc_pc1     0.13113  0.09958  0.16228
## strat0:pollute_conc_pc2    -0.12841 -0.17093 -0.08732
## strat0:pollute_conc_pc3    -0.00837 -0.04743  0.03110
## strat0:tmx                 0.15256  0.09103  0.21656
## strat0:rmax                 0.03428 -0.00948  0.07867
## strat0:Data_Value_CSMOKING  2.15424  2.12994  2.17866
## strat1                      14.20849 14.19942 14.21761
## strat1:flood_risk_pc1       0.00823 -0.00181  0.01835
## strat1:flood_risk_pc2       0.00844 -0.00216  0.01902
## strat1:flood_risk_pc3       0.00808 -0.00058  0.01667
## strat1:flood_risk_pc4      -0.00382 -0.01094  0.00318
## strat1:flood_risk_pc5       0.00383 -0.00302  0.01065
## strat1:EP_POV               0.72100  0.70772  0.73437
## strat1:EP_UNEMP              0.06816  0.05964  0.07667
## strat1:EP_PCI               -0.36201 -0.37683 -0.34708
## strat1:EP_NOHSDP            0.21776  0.20448  0.23104
## strat1:EP_AGE65             -0.32935 -0.34211 -0.31665
## strat1:EP_AGE17             -0.09312 -0.10525 -0.08103
## strat1:EP_DISABL            -0.17014 -0.18167 -0.15864
## strat1:EP_SNGPNT            0.07705  0.06738  0.08684
## strat1:EP_MUNIT             0.08242  0.07339  0.09143
## strat1:EP_MOBILE            -0.02244 -0.03160 -0.01329
## strat1:EP_CROWD             0.02813  0.01816  0.03812
## strat1:EP_NOVEH             0.07952  0.06581  0.09319
## strat1:EP_GROUPQ            0.04812  0.03982  0.05633
## strat1:EP_UNINSUR           -0.03471 -0.04540 -0.02413
## strat1:pollute_conc_pc1      0.12439  0.09261  0.15642
## strat1:pollute_conc_pc2     -0.09735 -0.13885 -0.05723
## strat1:pollute_conc_pc3     -0.00242 -0.04183  0.03778
## strat1:tmx                  0.17092  0.10804  0.23599
## strat1:rmax                  0.02964 -0.01425  0.07424
## strat1:Data_Value_CSMOKING  2.23095  2.21032  2.25165

```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_rpl3
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc3"
## [3] "strat0:flood_risk_pc4" "strat0:EP_POV"
## [5] "strat0:EP_UNEMP" "strat0:EP_PCI"
## [7] "strat0:EP_NOHSDP" "strat0:EP_AGE65"
## [9] "strat0:EP_AGE17" "strat0:EP_DISABL"
## [11] "strat0:EP_SNGPNT" "strat0:EP_MUNIT"
## [13] "strat0:EP_CROWD" "strat0:EP_NOVEH"
## [15] "strat0:EP_GROUPQ" "strat0:EP_UNINSUR"
## [17] "strat0:pollute_conc_pc1" "strat0:pollute_conc_pc2"
## [19] "strat0:tmmx" "strat0:Data_Value_CSMOKING"
## [21] "strat1" "strat1:EP_POV"
## [23] "strat1:EP_UNEMP" "strat1:EP_PCI"
## [25] "strat1:EP_NOHSDP" "strat1:EP_AGE65"
## [27] "strat1:EP_AGE17" "strat1:EP_DISABL"
## [29] "strat1:EP_SNGPNT" "strat1:EP_MUNIT"
## [31] "strat1:EP_MOBILE" "strat1:EP_CROWD"
## [33] "strat1:EP_NOVEH" "strat1:EP_GROUPQ"
## [35] "strat1:EP_UNINSUR" "strat1:pollute_conc_pc1"
## [37] "strat1:pollute_conc_pc2" "strat1:tmmx"
## [39] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
```

```
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.


```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1.5, 4)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 19.5, 22.5, 24.5), col = "blue") +
```

```

geom_hline(yintercept = 0, col = "red") +
annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
         col = "blue", size = 4.5) +
annotate(geom = "text", x = 12.5, y = 3.8, label = "Social Vulnerability Index",
         col = "blue", size = 4.5) +
scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                           "Poverty", "Unemployed", "Per Capita Income", "No High School",
                           "65 or Over", "17 or Under", "Disability",
                           "Single-Parent",
                           "Multi-Unit", "Mobile", "Crowded",
                           "No Vehicle", "Group Quarters", "Uninsured",
                           "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                           "Maximum Temperature", "Maximum Humidity",
                           "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Stratified on RPL Theme 3")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5))
scale_color_manual(name = "Strata",
                  values = c("#F8766D", "#00BFC4"),
                  drop = FALSE)

```

p



```

ggsave(here("figures/final_figures/stratified_analysis/MHLTH_CI_rpl3.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")

```

Stratified on RPL_THEME4

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl4_MHLTH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	14.21812	14.21087	14.22538
## strat0:flood_risk_pc1	-0.00835	-0.01833	0.00156
## strat0:flood_risk_pc2	0.01598	0.00488	0.02720
## strat0:flood_risk_pc3	0.00681	-0.00184	0.01546
## strat0:flood_risk_pc4	-0.01376	-0.02216	-0.00533
## strat0:flood_risk_pc5	0.00804	-0.00007	0.01617
## strat0:EP_POV	0.74626	0.72979	0.76277
## strat0:EP_UNEMP	0.07751	0.06713	0.08790
## strat0:EP_PCI	-0.28026	-0.29280	-0.26776
## strat0:EP_NOHSDP	0.23577	0.21584	0.25551
## strat0:EP_AGE65	-0.36352	-0.37442	-0.35254
## strat0:EP_AGE17	-0.19172	-0.20275	-0.18064
## strat0:EP_DISABL	-0.11452	-0.12702	-0.10198
## strat0:EP_SNGPNT	0.06424	0.05229	0.07619
## strat0:EP_MINRTY	-0.07604	-0.09343	-0.05860
## strat0:EP_LIMENG	0.03265	0.01242	0.05288
## strat0:EP_UNINSUR	-0.04487	-0.05831	-0.03129
## strat0:pollute_conc_pc1	0.16932	0.13985	0.19900
## strat0:pollute_conc_pc2	0.01598	-0.02755	0.05587
## strat0:pollute_conc_pc3	-0.08409	-0.12263	-0.04507
## strat0:tmnx	0.10913	0.04537	0.16996
## strat0:rmax	-0.02866	-0.07276	0.01572
## strat0:Data_Value_CSMOKING	2.26987	2.24649	2.29319
## strat1	14.28519	14.27826	14.29210
## strat1:flood_risk_pc1	0.00178	-0.00782	0.01139
## strat1:flood_risk_pc2	0.00005	-0.01058	0.01067
## strat1:flood_risk_pc3	-0.00527	-0.01383	0.00328
## strat1:flood_risk_pc4	-0.00478	-0.01241	0.00282
## strat1:flood_risk_pc5	-0.00413	-0.01175	0.00342
## strat1:EP_POV	0.94011	0.92760	0.95255
## strat1:EP_UNEMP	0.08282	0.07389	0.09180
## strat1:EP_PCI	-0.54116	-0.55677	-0.52536
## strat1:EP_NOHSDP	0.31817	0.30221	0.33411
## strat1:EP_AGE65	-0.42890	-0.44065	-0.41710
## strat1:EP_AGE17	-0.23560	-0.24628	-0.22487
## strat1:EP_DISABL	-0.21436	-0.22553	-0.20321
## strat1:EP_SNGPNT	0.10173	0.09103	0.11242
## strat1:EP_MINRTY	-0.22847	-0.24518	-0.21177
## strat1:EP_LIMENG	-0.07000	-0.08392	-0.05635
## strat1:EP_UNINSUR	-0.06184	-0.07265	-0.05094

```
## strat1:pollute_conc_pc1      0.16040  0.13036  0.19016
## strat1:pollute_conc_pc2     -0.03502 -0.07790  0.00445
## strat1:pollute_conc_pc3     -0.09369 -0.13228 -0.05486
## strat1:tmmx                 0.13625  0.07209  0.19731
## strat1:rmax                 -0.01915 -0.06298  0.02535
## strat1:Data_Value_CSMOKING  1.98071  1.95994  2.00127
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_rpl4
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:flood_risk_pc2"
## [3] "strat0:flood_risk_pc4" "strat0:EP_POV"
## [5] "strat0:EP_UNEMP"       "strat0:EP_PCI"
## [7] "strat0:EP_NOHSDP"      "strat0:EP_AGE65"
## [9] "strat0:EP_AGE17"       "strat0:EP_DISABL"
## [11] "strat0:EP_SNGPNT"      "strat0:EP_MINRTY"
## [13] "strat0:EP_LIMENG"      "strat0:EP_UNINSUR"
## [15] "strat0:pollute_conc_pc1" "strat0:pollute_conc_pc3"
## [17] "strat0:tmmx"           "strat0:Data_Value_CSMOKING"
## [19] "strat1"                "strat1:EP_POV"
## [21] "strat1:EP_UNEMP"       "strat1:EP_PCI"
## [23] "strat1:EP_NOHSDP"      "strat1:EP_AGE65"
## [25] "strat1:EP_AGE17"       "strat1:EP_DISABL"
## [27] "strat1:EP_SNGPNT"      "strat1:EP_MINRTY"
## [29] "strat1:EP_LIMENG"      "strat1:EP_UNINSUR"
## [31] "strat1:pollute_conc_pc1" "strat1:pollute_conc_pc3"
## [33] "strat1:tmmx"           "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
```


```

ylim(c(-1.5, 4)) +
theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.
      axis.text=element_text(size=12),
      plot.margin = margin(5.5, 5.5, 5.5, 25)) +
geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
geom_vline(xintercept = c(5.5, 16.5, 19.5, 21.5), col = "blue") +
geom_hline(yintercept = 0, col = "red") +
annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
         col = "blue", size = 4.5) +
annotate(geom = "text", x = 11, y = 3.8, label = "Social Vulnerability Index",
         col = "blue", size = 4.5) +
scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                           "Poverty", "Unemployed", "Per Capita Income", "No High School",
                           "65 or Over", "17 or Under", "Disability",
                           "Single-Parent",
                           "Minority", "Poor English",
                           "Uninsured",
                           "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                           "Maximum Temperature", "Maximum Humidity",
                           "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Strati
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0
scale_color_manual(name = "Strata",
                  values = c("#F8766D", "#00BFC4"),
                  drop = FALSE)

```

p

95% Credible Intervals, Poor Mental Health, Stratified on RPL Theme 4



```
ggsave(here("figures/final_figures/stratified_analysis/MHLTH_CI_rpl4.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEMES

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpls_MHLTH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

```
##              50%    2.5%    97.5%
## strat0      14.15610 14.14334 14.16861
## strat0:flood_risk_pc1 -0.00043 -0.01402 0.01316
## strat0:flood_risk_pc2  0.02607  0.01062  0.04171
## strat0:flood_risk_pc3  0.02572  0.01408  0.03725
## strat0:flood_risk_pc4 -0.01763 -0.02904 -0.00616
## strat0:flood_risk_pc5  0.01276  0.00185  0.02372
## strat0:EP_UNINSUR    0.01688 -0.00219  0.03563
## strat0:pollute_conc_pc1 0.65005  0.61009  0.68925
```



```
## strat0:pollute_conc_pc2      0.37531  0.31891  0.43291
## strat0:pollute_conc_pc3     -0.50855 -0.56206 -0.45460
## strat0:tmmx                 0.04079 -0.04975  0.13415
## strat0:rmax                 -0.08806 -0.15546 -0.02204
## strat0:Data_Value_CSMOKING  3.32359  3.30239  3.34501
## strat1                      14.34803 14.33728 14.35881
## strat1:flood_risk_pc1       -0.00513 -0.01833  0.00824
## strat1:flood_risk_pc2       -0.01272 -0.02687  0.00154
## strat1:flood_risk_pc3        0.00459 -0.00721  0.01639
## strat1:flood_risk_pc4       -0.00453 -0.01456  0.00564
## strat1:flood_risk_pc5        0.00468 -0.00542  0.01481
## strat1:EP_UNINSUR           0.04674  0.03420  0.05931
## strat1:pollute_conc_pc1      0.68795  0.64660  0.72707
## strat1:pollute_conc_pc2      0.38455  0.32901  0.44190
## strat1:pollute_conc_pc3     -0.48826 -0.54269 -0.43393
## strat1:tmmx                 0.08937 -0.00171  0.18311
## strat1:rmax                 -0.09632 -0.16389 -0.03068
## strat1:Data_Value_CSMOKING  3.28623  3.27023  3.30226
```

```
saveRDS(beta_inference, file = here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_rpls
```

List of significant beta coefficients:

```
row.names(beta_inference)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:flood_risk_pc2"
## [3] "strat0:flood_risk_pc3" "strat0:flood_risk_pc4"
## [5] "strat0:flood_risk_pc5" "strat0:pollute_conc_pc1"
## [7] "strat0:pollute_conc_pc2" "strat0:pollute_conc_pc3"
## [9] "strat0:rmax"           "strat0:Data_Value_CSMOKING"
## [11] "strat1"                "strat1:EP_UNINSUR"
## [13] "strat1:pollute_conc_pc1" "strat1:pollute_conc_pc2"
## [15] "strat1:pollute_conc_pc3" "strat1:rmax"
## [17] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]


beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1.5, 4)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 6.5, 9.5, 11.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
         col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("Flood PC 1", "Flood PC 2", "Flood PC 3", "Flood PC 4", "Flood PC 5",
                             "Uninsured",
                             "Pollution PC 1", "Pollution PC 2", "Pollution PC 3",
                             "Maximum Temperature", "Maximum Humidity",
                             "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Stratified on All RPL Themes")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
scale_color_manual(name = "Strata",
                  values = c("#F8766D", "#00BFC4"),
                  drop = FALSE)
```

p

95% Credible Intervals, Poor Mental Health, Stratified on All RPL Themes



```
ggsave(here("figures/final_figures/stratified_analysis/MHLTH_CI_rpls.pdf"),
       plot = p, device = "pdf",
```

```
width = 8, height = 6, units = "in")
```