L2-MATHMF





# Te Pāngarau me te Tauanga, Kaupae 2, 2016

9.30 i te ata Rāpare 24 Whiringa-ā-rangi 2016

PUKA TIKANGA TĀTAI mō 91261M, 91262M, 91267M

Tirohia tēnei pukapuka hei whakatutuki i ngā tūmahi o ō Pukapuka Tūmahi, Tuhinga hoki.

Tirohia mēnā e tika ana te raupapatanga o ngā whārangi 2–3 kei roto i tēnei pukapuka, ka mutu, kāore tētahi o aua whārangi i te takoto kau.

KA TĀEA TĒNEI PUKAPUKA TE PUPURI HEI TE MUTUNGA O TE WHAKAMĀTAUTAU...

### Whārite pūrua

Mēnā 
$$ax^2 + bx + c = 0$$
  
kāti  $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$   
ā  $\Delta = b^2 - 4ac$ 

#### Taupū kōaro

Mēnā 
$$y = b^x$$
 kāti  $x = \log_b y$   
 $\log_b (x^n) = n \log_b x$   
Mēnā  $y = e^x$  kāti  $x = \log_e y (= \ln y)$ 

#### Tuanaki


$$\frac{\mathrm{d}}{\mathrm{d}x}\Big(x^n\Big) = nx^{n-1}$$

Mēnā 
$$f'(x) = x^n$$
, kāti  $f(x) = \frac{x^{n+1}}{n+1} + c$ 

#### Tūponotanga

$$z = \frac{x - \mu}{\sigma}$$

Te Tuaritanga Hangarite Aro Whānui



2

$$\left(z = \frac{x - \mu}{\sigma}\right)$$

Ko ia tau e whakaatu ana i te tūponotanga ka noho mai te taurangi matap $\bar{o}$ kere hangarite aro wh $\bar{a}$ nui o te Z ki waenganui i te 0 me te z.

					wachganui i te o me te z.							Huatango							
z	0	1	2	3	4	5	6	7	8	9	1	2	3	4	5	6	7	8	9
0.0	0000	0040	0080	.0120	0160	0199	0239	0279	0319	0359	4	8	12	16	20	24	28	32	36
0.1				.0517							4	-	12		20				36
	1			.0910							4		12		19				35
0.2				.1293							4		11		19				34
0.3	1			.1664							4		11		18			29	
											+			14	10	22	23	29	32
0.5	1			.2019							3		10		17			27	-
0.6				.2357							3		10		16	-		26	-
0.7	1			.2673							3	6	9		15			24	
0.8				.2967							3	6	8		14		-	22	
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389	3	5	8	10	13	15	18	20	23
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621	2	5	7	9	12	14	16	18	21
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830	2	4	6	8	10	12	14	16	19
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015	2	4	5	7	9	11	13	15	16
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177	2	3	5	6	8	10	11	13	14
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319	1	3	4	6	7		10	11	13
1.5	1332	1315	1357	.4370	1382	1391	1106	1/118	1120	4441	1	2	4	5	6	7	Q	10	11
1.6	1			.4484							1	2	3	4	5	6	7	8	9
1.0				.4582							1	2	3	3	4	5	6	7	
1.8	1			.4664							1	1	2	3	4	4	5	6	
1.9	1			.4732							1	1	2	2	3	4	4	5	
											1	•	_	_			-		
2.0				.4788							0	1	1	2	2	3	3	4	
2.1				.4834							0	1	1	2	2	2	3	3	4
2.2	1			.4871							0	1	1	1	2	2	2	3	3
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916	0	0	1	1	1	2	2	2	2
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936	0	0	1	1	1	1	1	2	2
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952	0	0	0	1	1	1	1	1	1
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964	0	0	0	0	1	1	1	1	1
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974	0	0	0	0	0	1	1	1	1
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981	0	0	0	0	0	0	0	0	1
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986	0	0	0	0	0	0	0	0	1
3.0	1987	1087	1027	.4988	1088	1080	1080	1080	1990	1990	0	0	0	0	0	0	0	0	0
3.1				.4991							0	0	0	0	0	0	0	0	
3.2				.4994		–					0	0	0	0	0	0	0	0	
3.3				.4996							0	0	0	0	0	0	0	0	
3.4				.4997							0	0	0	0	0	0	0	0	
											ľ								
3.5				.4998							0	0	0	0	0	0	0	0	
3.6				.4999							0	0	0	0	0	0	0	0	
3.7				.4999							0	0	0	0	0	0	0	0	
3.8				.4999							0	0	0	0	0	0	0	0	-
3.9	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	0	0	0	0	0	0	0	0	0

#### Quadratics

If 
$$ax^2 + bx + c = 0$$
  
then  $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$   
and  $\Delta = b^2 - 4ac$ 

#### Logarithms

If 
$$y = b^x$$
 then  $x = \log_b y$   

$$\log_b (x^n) = n \log_b x$$
If  $y = e^x$  then  $x = \log_e y (= \ln y)$ 

#### **Calculus**


$$\frac{\mathrm{d}}{\mathrm{d}x}\Big(x^n\Big) = nx^{n-1}$$

If 
$$f'(x) = x^n$$
, then  $f(x) = \frac{x^{n+1}}{n+1} + c$ 

#### **Probability**

$$z = \frac{x - \mu}{\sigma}$$

### \_ Standard Normal Distribution



3

$$\left(z = \frac{x - \mu}{\sigma}\right)$$

Each entry gives the probability that the standardised normal random variable Z lies between 0 and z.

#### Differences

											Differences								
z	0	1	2	3	4	5	6	7	8	9	1	2	3	4	5	6	7	8	9
0.0	0000	0040	0080	.0120	0160	0199	0239	0279	0319	0359	4	8	12	16	20	24	28	32	36
0.1	1			.0517							4	-	12	l	20		l	32	
0.2	1			.0910							4		12		19			31	
0.3				.1293							4		11	l	19		l	30	
0.4	1			.1664							4		11	_	18			29	
0.5	.1915	1950	.1985	.2019	2054	.2088	.2123	.2157	.2190	.2224	3	7	10	14	17	21	24	27	31
0.6	1			.2357							3	6	10	13	16	19	23	26	29
0.7	.2580	.2612	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852	3	6	9	12	15	18	21	24	27
0.8	.2881	.2910	.2939	.2967	.2996	.3023	.3051	.3078	.3106	.3133	3	6	8	11	14	17	19	22	25
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389	3	5	8	10	13	15	18	20	23
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621	2	5	7	9	12	14	16	18	21
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830	2	4	6	8	10	12	14	16	19
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015	2	4	5	7	9	11	13	15	16
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177	2	3	5	6	8	10	11	13	14
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319	1	3	4	6	7	8	10	11	13
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441	1	2	4	5	6	7	8	10	11
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545	1	2	3	4	5	6	7	8	9
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633	1	2	3	3	4	5	6	7	8
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706	1	1	2	3	4	4	5	6	6
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767	1	1	2	2	3	4	4	5	5
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817	0	1	1	2	2	3	3	4	4
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857	0	1	1	2	2	2	3	3	4
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890	0	1	1	1	2	2	2	3	3
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916	0	0	1	1	1	2	2	2	2
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936	0	0	1	1	1	1	1	2	2
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952	0	0	0	1	1	1	1	1	1
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964	0	0	0	0	1	1	1	1	1
2.7	1			.4968							0	0	0	0	0	1	1	1	1
2.8				.4977							0	0	0	0	0	0	0	0	
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986	0	0	0	0	0	0	0	0	1
3.0	1			.4988							0	0	0	0	0	0	0	0	0
3.1				.4991							0	0	0	0	0	0	0	0	0
3.2				.4994							0	0	0	0	0	0	0	0	
3.3				.4996							0	0	0	0	0	0	0	0	
3.4	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4998	.4998	0	0	0	0	0	0	0	0	0
3.5	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	0	0	0	0	0	0	0	0	0
3.6				.4999							0	0	0	0	0	0	0	0	
3.7				.4999							0	0	0	0	0	0	0	0	
3.8				.4999							0	0	0	0	0	0	0	0	
3.9	L5000	5000	5000	5000	5000	5000	5000	5000	5000	5000	1 0	0	0	0	0	0	0	0	0

#### L2-MATHMF

## English translation of the wording on the front cover

## **Level 2 Mathematics and Statistics, 2016**

9.30 a.m. Tuesday 24 November 2016

FORMULAE BOOKLET for 91261, 91262, 91267

Refer to this booklet to answer the questions in your Question and Answer booklets.

Check that this booklet has pages 2–3 in the correct order and that neither of these pages is blank.

YOU MAY KEEP THIS SHEET AT THE END OF THE EXAMINATION.