Z-TRANSFORMS PROPERTIES

http://www.tutorialspoint.com/signals and systems/z transforms properties.htm

Copyright © tutorialspoint.com

Z-Transform has following properties:

Linearity Property

If
$$x(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} X(Z)$$

and
$$y(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} Y(Z)$$

Then linearity property states that

$$a\,x(n) + b\,y(n) \stackrel{\mathrm{Z.T}}{\longleftrightarrow} a\,X(Z) + b\,Y(Z)$$

Time Shifting Property

If
$$x(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} X(Z)$$

Then Time shifting property states that

$$x(n-m) \overset{\mathrm{Z.T}}{\longleftrightarrow} z^{-m} X(Z)$$

Multiplication by Exponential Sequence Property

If
$$x(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} X(Z)$$

Then multiplication by an exponential sequence property states that

$$a^n \cdot x(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} X(Z/a)$$

Time Reversal Property

If
$$x(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} X(Z)$$

Then time reversal property states that

$$x(-n) \stackrel{\mathrm{Z.T}}{\longleftrightarrow} X(1/Z)$$

Differentiation in Z-Domain OR Multiplication by n Property

If
$$x(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} X(Z)$$

Then multiplication by n or differentiation in z-domain property states that

$$n^k x(n) \overset{ ext{Z.T}}{\longleftrightarrow} [-1]^k z^k rac{d^k X(Z)}{dZ^K}$$

Convolution Property

If
$$x(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} X(Z)$$

and
$$y(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} Y(Z)$$

Then convolution property states that

$$x(n) * y(n) \stackrel{\mathrm{Z.T}}{\longleftrightarrow} X(Z). Y(Z)$$

Correlation Property

If
$$x(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} X(Z)$$

and
$$y(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} Y(Z)$$

Then correlation property states that

$$x(n) \otimes y(n) \overset{\mathrm{Z.T}}{\longleftrightarrow} X(Z). Y(Z^{-1})$$

Initial Value and Final Value Theorems

Initial value and final value theorems of z-transform are defined for causal signal.

Initial Value Theorem

For a causal signal xn, the initial value theorem states that

$$x(0) = \lim_{z o \infty} X(z)$$

This is used to find the initial value of the signal without taking inverse z-transform

Final Value Theorem

For a causal signal xn, the final value theorem states that

$$x(\infty) = \lim_{z \to 1} [z - 1] X(z)$$

This is used to find the final value of the signal without taking inverse z-transform.

Region of Convergence ROC of Z-Transform

The range of variation of z for which z-transform converges is called region of convergence of z-transform.

Properties of ROC of Z-Transforms

- ROC of z-transform is indicated with circle in z-plane.
- ROC does not contain any poles.
- If xn is a finite duration causal sequence or right sided sequence, then the ROC is entire z-plane except at z=0.
- If xn is a finite duration anti-causal sequence or left sided sequence, then the ROC is entire z-plane except at $z = \infty$.
- If xn is a infinite duration causal sequence, ROC is exterior of the circle with radius a. i.e. |z| > a.
- If xn is a infinite duration anti-causal sequence, ROC is interior of the circle with radius a. i.e. |z| < a.
- If xn is a finite duration two sided sequence, then the ROC is entire z-plane except at z=0 & $z=\infty$.


The concept of ROC can be explained by the following example:

Example 1: Find z-transform and ROC of $a^nu[n] + a^-nu[-n-1]$


$$Z.\,T[a^nu[n]] + Z.\,T[a^{-n}u[-n-1]] = rac{Z}{Z-a} + rac{Z}{Zrac{-1}{a}}$$

$$ROC: |z| > a \qquad ROC: |z| < rac{1}{a}$$

The plot of ROC has two conditions as a > 1 and a < 1, as you do not know a.



In this case, there is no combination ROC.



Here, the combination of ROC is from $a<|z|<rac{1}{a}$

Hence for this problem, z-transform is possible when a < 1.

Causality and Stability

Causality condition for discrete time LTI systems is as follows:

A discrete time LTI system is causal when

- ROC is outside the outermost pole.
- In The transfer function H[Z], the order of numerator cannot be grater than the order of denominator

Stability Condition for Discrete Time LTI Systems

A discrete time LTI system is stable when

- its system function H[Z] include unit circle |z|=1.
- all poles of the transfer function lay inside the unit circle |z|=1.

Z-Transform of Basic Signals

$\mathbf{x}t$	X[Z]
δ	1
u(n)	
$u(-n\\-1)$	$-\frac{Z}{Z-1}$
$\delta(n-m)$	z^{-m}
$a^n u[n]$ $a^n u[-n]$	$\frac{Z}{Z-a}$
-1]	
$na^nu[n]$	$rac{aZ}{ Z{-}a ^2}$
$egin{aligned} n a^n u[n] \ n a^n u[-n] \ -1] \end{aligned}$	$-rac{aZ}{\leftert Z-a vert ^{2}}$
$a^n\cos \ \omega nu[n]$	$rac{Z^2 - aZ\cos\omega}{Z^2 - 2aZ\cos\omega} \ \omega + a^2$
$a^n \sin \ \omega n u[n]$	$rac{aZ\sin\omega}{Z^2-2aZ\cos} \ \omega + a^2$