

Table of contents

1	3
1.1	3
1.2 if -	3
1.3 if-elif-else	3
1.4	4
1.5	4
1.6	5
1.7 for -	6
1.8 range() -	6
1.9 while -	7
1.10	7
1.11	8
1.12 - Python	8
1.13	9
1.14 :	9
1.15 :	9
1.16	10
1.17	10
1.18	10
1.18.1	10
1.19	11

1

1.1

- -
- -
- -
- -

1.2 if -

```
age = 18

if age >= 18:
    print("    ")
    print("    ")
else:
    print("    ")
    print("    ")

print("    ")
```

: Python

1.3 if-elif-else

```
score = 85

if score >= 90:
    grade = "A"
    message = "    "
```

```

elif score >= 80:
    grade = "B"
    message = "      "
elif score >= 70:
    grade = "C"
    message = "      "
elif score >= 60:
    grade = "D"
    message = "      "
else:
    grade = "F"
    message = "      "

print(f" : {score}, : {grade}")

```

1.4

==	x == 5
!=	x != 5
<	x < 10
>	x > 10
<=	x <= 10
>=	x >= 10

```

a, b = 10, 5
print(f"{a} > {b}: {a > b}")      # True
print(f"{a} == {b}: {a == b}")    # False

```

1.5

```

age = 25
has_license = True
has_car = False

# AND - True

```

```

can_drive = age >= 18 and has_license
print(f"    : {can_drive}") # True

# OR - True
can_travel = has_car or age >= 18
print(f"    : {can_travel}") # True

# NOT -
needs_license = not has_license
print(f"    : {needs_license}") # False

#
can_rent_car = age >= 21 and has_license and not has_car

```

1.6

```

fruits = [" ", " ", " "]
my_fruit = " "

#
if my_fruit in fruits:
    print(f"{my_fruit} ")

if " " not in fruits:
    print(" ")

#
list1 = [1, 2, 3]
list2 = [1, 2, 3]
list3 = list1

print(list1 == list2) # True
print(list1 is list2) # False
print(list1 is list3) # True

```

1.7 for -

```
#
fruits = ["apple", "banana", "cherry"]
for fruit in fruits:
    print(fruit)

#
for letter in "Python":
    print(letter)

# enumerate
for index, fruit in enumerate(fruits):
    print(f"{index + 1}. {fruit}")

#
student = {"name": "John", "age": 20, "course": "CS"}
for key, value in student.items():
    print(f"{key}: {value}")
```

1.8 range() -

```
# range - 0 4
for i in range(5):
    print(i) # 0, 1, 2, 3, 4

#
for i in range(1, 6):
    print(i) # 1, 2, 3, 4, 5

#
for i in range(0, 11, 2):
    print(i) # 0, 2, 4, 6, 8, 10

#
for i in range(5, 0, -1):
    print(i) # 5, 4, 3, 2, 1
```

1.9 while -

```
# while
count = 0
while count < 5:
    print(f"    : {count}")
    count += 1

#
password = ""
while password != "secret":
    password = input("        : ")
    if password != "secret":
        print("        ")

print("    ")
```

1.10

```
# break -
for i in range(10):
    if i == 5:
        print("5    ")
        break
    print(i)

print("    ")

# continue -
for i in range(10):
    if i % 2 == 0: #
        continue
    print(f" : {i}")

# else
for i in range(3):
    print(i)
else:
    print("        ")
```

1.11

```
#
print(" :")
for i in range(1, 10):
    for j in range(1, 10):
        result = i * j
        print(f"{result:2d}", end=" ")
    print() #

#
for row in range(5):
    for col in range(row + 1):
        print("*", end=" ")
    print()
```

1.12 - Python

```
#
squares = []
for x in range(10):
    squares.append(x**2)

# Pythonic
squares = [x**2 for x in range(10)]
print(squares) # [0, 1, 4, 9, 16, 25, 36, 49, 64, 81]

#
even_squares = [x**2 for x in range(10) if x % 2 == 0]
print(even_squares) # [0, 4, 16, 36, 64]

#
words = ["hello", "world", "python", "programming"]
upper_words = [word.upper() for word in words if len(word) > 5]
print(upper_words) # ['PYTHON', 'PROGRAMMING']
```


1.13

1.14 :

```
#
students = [
    {" ": " ", " ": [85, 92, 78]},
    {" ": " ", " ": [90, 88, 95]},
    {" ": " ", " ": [76, 81, 69]}
]

for student in students:
    scores = student[" "]
    average = sum(scores) / len(scores)

    if average >= 90:
        grade = "A"
    elif average >= 80:
        grade = "B"
    elif average >= 70:
        grade = "C"
    else:
        grade = "D"

    print(f"{student[' ']}:    {average:.1f},    {grade}")
```

1.15 :

```
import random

# 1 100
secret_number = random.randint(1, 100)
attempts = 0
max_attempts = 7

print("1 100      ")

while attempts < max_attempts:
```

```

try:
    guess = int(input(f" {attempts + 1}/{max_attempts}: "))
    attempts += 1

    if guess == secret_number:
        print(f" {attempts} ")
        break
    elif guess < secret_number:
        print(" ")
    else:
        print(" ")
except ValueError:
    print(" ")

if attempts == max_attempts:
    print(f" {secret_number} ")

```

1.16

1. - Python
2. - and, or, not
3. - for vs while
4. - break continue
5. - Pythonic

1.17

- ()
- ()
- ()
- ()

1.18

1.18.1

: - [Python.org](#) - [Real Python](#) - [Python Tutor](#)

1.19

:

:

|

: