

User's Guide for the Vertical City Weather Generator (VCWG v2.0.0)

Amir A. Aliabadi and Mohsen Moradi
Atmospheric Innovations Research (AIR) Laboratory
School of Engineering, University of Guelph, Guelph, Canada

<http://www.aaa-scientists.com>

aliabadi@uoguelph.ca

This document is typeset using L^AT_EX

August 30, 2023

The Vertical City Weather Generator (VCWG) is a software that predicts the urban microclimate in relation to a nearby rural climate given the urban characteristics. VCWG predicts vertical profiles of temperature, wind speed, humidity, and turbulence kinetic energy as well as the building energy performance metrics in an urban area. More details on the model and forcing datasets can be found at the Atmospheric Innovations Research (AIR) laboratory website at www.aaa-scientists.com and corresponding publications [Moradi et al., 2021, Moradi, 2021, Aliabadi et al., 2021, Moradi et al., 2022, Aliabadi and McLeod, 2023, Aliabadi et al., 2023].

1 License

VCWG v2.0.0 is shared under the GNU General Public License Version 3. The terms and conditions of the license are accessible via: <https://www.gnu.org/licenses/gpl-3.0.en.html>. Please do not distribute VCWG v2.0.0 to third parties. Instead, please refer interested groups to the Atmospheric Innovations Research (AIR) Laboratory to acquire a copy of VCWG v2.0.0. Please consider offering co-authorship to AIR lab members if VCWG v2.0.0 is used significantly toward the completion of a project.

2 Input Dataset

Note: before publishing forcing datasets, permission should be requested from the data owners. For forcing the model few options are available. For top forcing from a spreadsheet, an excel file is needed from the folder e.g. “/resources/TopForcing/Vancouver2008_ERA5_Jul.csv”, which contains latitude, longitude, time difference from UTC, time, air temperature, barometric pressure, incoming longwave, incoming shortwave direct, incoming shortwave diffuse, rain fall, relative hu-

midity, wind direction, and wind speed. This data comes from an ERA5 data product. Inclusion of latent and sensible heat fluxes are not required, but currently they are supplied for July in this dataset for the purpose of evaluating the model. Then VCWG will process this excel file and creates a new EPW formatted file. It learns the format from file “/resources/epw/rawEPW.epw” and creates the new forcing file as “/resources/epw/TopForcing.epw”.

Alternatively the model can be forced near the surface in a rural area. In this case it is required to put the weather file (*.epw) of the region of interest in the directory e.g. “/resources/epw/Basel.epw”, “/resources/epw/ERA5_Basel_Jun.epw”, or “/resources/epw/ERA5_Basel.epw”. This file can be downloaded from EnergyPlus (<https://energyplus.net/>) or prepared using alternative datasets.

In the released version of the software ERA5 datasets are prepared using the ERA5 data product from the European Centre for Medium-Range Weather Forecasts (ECMWF):

(<https://www.ecmwf.int/en/forecasts/datasets/reanalysis-datasets/era5>).

3 Input Parameters

VCWG can take input parameters from the files located in the directory “/resources/parameters/”. These files contain the required parameters of the case study including urban characteristics, vegetation parameters, view factors, simulation parameters, and hydrological parameters. For example, the file “initialize_VANCOUVER_LCZ1.uwg” is associated with running a simulation for 1 month in July. Variable “OPTION_RAY” should be set to 0 to obtain new view factors or otherwise to 1. Variable “Rural_Model_name” should be set to 1 for MOST or 2 for top forcing. Variable “EB_RuralModel_name” should be set to 1 for formulation of Louis or 2 for formulation of Penman Monteith in determination of terms in the surface energy balance model in the rural area. Variable “Tdeep_ctrl” should be set to 1 for using the force restore method or 2 for using climate data in forcing the deep soil temperature in the urban area.

If desired, new view factors can be obtained by changing the variable “OPTION_RAY” value from 1 to 0. This will create a new file for view factors in e.g. “ViewFactor_VANCOUVER_LCZ1.txt”. Otherwise, the view factors are taken from the same location by a previous run.

4 Execution

This version runs VCWG in a single run mode. The single mode only runs the model given one set of input parameters. To run, file “/VCWG/Run_VCWGv2.0.0.py” should be executed located in the main directory, the user is required to change the name of “epwFileName”, “TopForcingFileName”, “VCWGParamFileName”, “ViewFactorFileName”, and “case”. If top forcing is needed, “epwFileName” should be set to “None”. If top forcing is not needed, “TopForcingFileName” should be set to “None”. The code first checks if there is any “epwFileName”, if not, then it checks for “TopForcingFileName”. So an experienced user may still keep the “TopForcingFileName” if they are intending for an “epwFileName” to be used. File “ViewFactorFileName” is generated and over written, if the “OPTION_RAY” value is set to 0 in the initialization file. Otherwise, view factors are taken from “ViewFactorFileName”.

5 Results

The outputs of the simulation are going to be saved under the “Results” directory. The output is hourly. There are many output files pertaining to climate variables and building performance metrics. It is recommended to discard the first 72 hours (3 days) of simulation as spin-up period while considering results after this period. Writing the simulation results requires the creation of a “Results” folder; preferably empty. Otherwise the entire simulation will run and then stop with an error: “Results folder not found.”

6 Python Versions

VCWG is designed to run on Python 3.6.1. This version of Python can be downloaded from the following link “<https://www.python.org/downloads/release/python-361/>”. For example for a 64-bit Windows operating system the installation file will be “python-3.6.1-amd64”. The following packages and versions can be used: pandas 1.1.4, numpy 1.19.5, scipy 1.1.0, matplotlib 3.1.1. Note that other package versions may also work.

References

- [Aliabadi et al., 2023] Aliabadi, A. A., Chen, X., Yang, J., Madadzadeh, A., and Siddiqui, K. (2023). Retrofit optimization of building systems for future climates using an urban physics model. *Building and Environment*, 243:110655.
- [Aliabadi and McLeod, 2023] Aliabadi, A. A. and McLeod, R. M. (2023). The Vatic Weather File Generator (VWFG v1.0.0). *Journal of Building Engineering*, 67:105966.
- [Aliabadi et al., 2021] Aliabadi, A. A., Moradi, M., McLeod, R. M., Calder, D., and Dernovsek, R. (2021). How Much Building Renewable Energy Is Enough? The Vertical City Weather Generator (VCWG v1.4.4). *Atmosphere*, 12(7):882.
- [Moradi, 2021] Moradi, M. (2021). *The Vertical City Weather Generator*. PhD thesis, University of Guelph, Guelph.
- [Moradi et al., 2021] Moradi, M., Dyer, B., Nazem, A., Nambiar, M. K., Nahian, M. R., Bueno, B., Mackey, C., Vasanthakumar, S., Nazarian, N., Kräyenhoff, E. S., Norford, L. K., and Aliabadi, A. A. (2021). The Vertical City Weather Generator (VCWG v1.3.2). *Geosci. Model Dev.*, 14(2):961–984.
- [Moradi et al., 2022] Moradi, M., Kräyenhoff, E. S., and Aliabadi, A. A. (2022). A comprehensive indoor–outdoor urban climate model with hydrology: The Vertical City Weather Generator (VCWG v2.0.0). *Building and Environment*, 207:108406.