





For





# Contents

Scope of Audit	01
Check Vulnerabilities	01
Techniques and Methods	02
Issue Categories	03
Number of security issues per severity.	03
Introduction	04
High Severity Issues	05
Medium Severity Issues	05
Low Severity Issues	05
1. Missing zero address validation	05
2. Missing validation for percentage	05
Informational Issues	05
3. Missing comments and description	05
Functional Tests	06
Automated Tests	07
Closing Summary	08



# Scope of the Audit

The scope of this audit was to analyze and document the Metaverse Token smart contract codebase for quality, security, and correctness.

## Checked Vulnerabilities

We have scanned the smart contract for commonly known and more specific vulnerabilities. Here are some of the commonly known vulnerabilities that we considered:

- Re-entrancy
- Timestamp Dependence
- Gas Limit and Loops
- DoS with Block Gas Limit
- Transaction-Ordering Dependence
- Use of tx.origin
- Exception disorder
- Gasless send
- Balance equality
- Byte array
- Transfer forwards all gas
- ERC20 API violation
- Malicious libraries
- Compiler version not fixed
- Redundant fallback function
- Send instead of transfer
- Style guide violation
- Unchecked external call
- Unchecked math
- Unsafe type inference
- Implicit visibility level



# Techniques and Methods

Throughout the audit of smart contract, care was taken to ensure:

- The overall quality of code.
- Use of best practices.
- Code documentation and comments match logic and expected behaviour.
- Token distribution and calculations are as per the intended behaviour mentioned in the whitepaper.
- Implementation of ERC-20 token standards.
- Efficient use of gas.
- Code is safe from re-entrancy and other vulnerabilities.

The following techniques, methods and tools were used to review all the smart contracts.

#### Structural Analysis

In this step, we have analysed the design patterns and structure of smart contracts. A thorough check was done to ensure the smart contract is structured in a way that will not result in future problems.

#### Static Analysis

Static analysis of smart contracts was done to identify contract vulnerabilities. In this step, a series of automated tools are used to test the security of smart contracts.

## Code Review / Manual Analysis

Manual analysis or review of code was done to identify new vulnerabilities or verify the vulnerabilities found during the static analysis. Contracts were completely manually analysed, their logic was checked and compared with the one described in the whitepaper. Besides, the results of the automated analysis were manually verified.

## Gas Consumption

In this step, we have checked the behaviour of smart contracts in production. Checks were done to know how much gas gets consumed and the possibilities of optimization of code to reduce gas consumption.

#### Tools and Platforms used for Audit

Remix IDE, Truffle, Truffle Team, Solhint, Mythril, Slither, Solidity statistic analysis, Theo.



# Issue Categories

Every issue in this report has been assigned to a severity level. There are four levels of severity, and each of them has been explained below.

Risk-level	Description
High	A high severity issue or vulnerability means that your smart contract can be exploited. Issues on this level are critical to the smart contract's performance or functionality, and we recommend these issues be fixed before moving to a live environment.
Medium	The issues marked as medium severity usually arise because of errors and deficiencies in the smart contract code. Issues on this level could potentially bring problems, and they should still be fixed.
Low	Low-level severity issues can cause minor impact and or are just warnings that can remain unfixed for now. It would be better to fix these issues at some point in the future.
Informational	These are severity issues that indicate an improvement request, a general question, a cosmetic or documentation error, or a request for information. There is low-to-no impact.

# Number of issues per severity

Type	High	Medium	Low	Informational
Open				
Acknowledged			2	1
Closed				



# Introduction

During the period of **January 12, 2021 to January 17, 2021** - QuillAudits Team performed a security audit for Metaverse token smart contracts.

The code for the audit was taken from following the official link: **Codebase:** 0x57E2A2FF2622cacEC775cf8D4C2848Aa9B31528c

V	Date	Contract address	Network
1	Jan 12	0x57E2A2FF2622cacEC775cf8D4C2848Aa9B31528c	Binance





# Issues Found - Code Review / Manual Testing

## High severity issues

No issues were found.

# Medium severity issues

No issues were found.

## Low severity issues

#### 1. Missing zero address validation

Missing zero address check for to address in the following methods:

- changeFeeAddress()
- changeWhiteListSetting()

#### Recommendation

Add a 'require' to check to address!= address(0)

Status: Acknowledged

#### 2. Missing validation for percentage

Missing check for value of percent less than 100.

- changeFeePercentage()

#### Recommendation

Add a 'require' to check to check percent less than 100.

Status: Acknowledged

# Informational issues

## 3. Missing comments and description

Comments and Description of the methods and the variables are missing, it's hard to read and understand the purpose of the variables and the methods in context of the whole picture

#### Recommendation

Consider adding NatSpec format comments for the comments and state variables

Status: Acknowledged



# Functional Tests

Metaverse Token: OxefcDcOfc735a3cBb3a1b9F7D75da65507Af06498

tansferLimitStatus	
<ul> <li>Value is false - No transfer check</li> </ul>	PASS
• Set value to true	PASS
<ul> <li>Not able to Set feeApplyStatus</li> </ul>	PASS
<ul> <li>Set Change Address</li> </ul>	PASS
<ul> <li>Able to set feeApplyStatus</li> </ul>	PASS
Change fee percent	PASS
// transfer	
<ul> <li>Transfer with change fee percent set</li> </ul>	PASS
whiteListAddress	
<ul> <li>set whiteListAddress - changeWhiteListSetting</li> </ul>	PASS
// transfer From	
<ul> <li>No approval for other address</li> </ul>	PASS
<ul> <li>Set approval</li> </ul>	PASS
<ul> <li>transferFrom</li> </ul>	PASS
Burn	
<ul> <li>Amount greater than the user balance</li> </ul>	PASS
<ul> <li>Amount less than user balance</li> </ul>	PASS



### Automated Tests

# Mythril

```
Owned.changeOwnership(address) (metaverse.sol#23-25) should emit an event for:
       - owner = _newOwner (metaverse.sol#24)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#missing-events-access-control
BEP20.setFeeStatusAndAddress(bool,address)._feeApplyAddress (metaverse.sol#219) lacks a zero-check on :
                - feeApplyAddress = _feeApplyAddress (metaverse.sol#223)
BEP20.changeFeeAddress(address,address,address)._burnPerAddress (metaverse.sol#234) lacks a zero-check on :

    burnPerAddress = _burnPerAddress (metaverse.sol#235).

BEP28.changeFeeAddress(address,address,address)._developmentPerAddress (metaverse.sol#234) lacks a zero-check on :

    developmentPerAddress = _developmentPerAddress (metaverse.sol@236).

BEP28.changeFeeAddress(address,address,address)._holderPerAddress (metaverse.sol#234) lacks a zero-check on :
               - holderPerAddress = _holderPerAddress (metaverse.sol#237);
BEP20.changeWhiteListSetting(address,bool)._whitelistAddr (metaverse.sol#246) lacks a zero-check on a
                - whiteListAddr = _whitelistAddr (metaverse.sol#247);
Owned.changeOwnership(address)._newOwner (metaverse.sol#23) lacks a zero-check on :
               - owner = _newOwner (metaverse.sol#24)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#missing-zero-address-validation
BEP20.transfer(address,uint256) (metaverse.sol#61-100) compares to a boolean constant:
       -{whiteListAddrStatus -- false || (whiteListAddrStatus -- true 66 whiteListAddr !- msg.sender)} && applyFeeStatus -- true 66 _to -- feeApplyAddress (m
etaverse.sol#68)
BEF28.transfer(address,uint256) (metaverse.sol#61-100) compares to a boolean constant:
       -[whiteListAddrStatus == false || (whiteListAddrStatus == true && whiteListAddr != msg.sender)) && transferLimitStatus == true && _to == feeApplyAddre
ss (metaverse.sol#65)
BEP20.transferFrom(address,address,uint250) (metaverse.sol#110-154) compares to a boolean constant:
       -(whiteListAddrStatus == false || (whiteListAddrStatus == true && whiteListAddr != _from)) && applyFeeStatus == true && _to == feeApplyAddress (metave
rse.sol#128)
BEP20.transferFrom(address,address,uint256) (metaverse.sol#110-154) compares to a boolean constant:
       -(whiteListAddrStatus == false || (whiteListAddrStatus == true && whiteListAddr != _from)) && transferLimitStatus == true && _to == feeApplyAddress (m.
etaverse.sol#116)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#boolean-equality
BEP20._mint(address,uint256) (metaverse.sel#184-192) is never used and should be removed.
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code
Pragma version^8.8.6 (metaverse.sol#10) necessitates a version too recent to be trusted. Consider deploying with 0.6.12/0.7.6
solc-8.8.9 is not recommended for deployment
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-versions-of-solidity
Parameter Owned.changeOwnership(address)._newOwner (metaverse.sol#23) is not in mixedCase
Parameter BEP28.balanceOf(address)._owner (metaverse.sol#53) is not in mixedCase.
Parameter BEP20.transfer(address,uint256)._to (metaverse.sol@01) is not in mixedCase
Parameter BEP20.transfer(address,uint256)._amount (metaverse.sol#61) is not in mixedCase.
Parameter BEP20.transferFrom(address,address,uint256)._from (metaverse.sol#110) is not in mixedCase
Parameter BEP20.transferFrom(address,address,uint256)._to (metaverse.sol#110) is not in mixedCase |
Parameter BEP20.transferFrom(address,address,uint256)._amount (metaverse.sol#110) is not in mixedCase,
Parameter BEP20.approve(address,uint256)._spender (metaverse.sol#161) is not in mixedCase
Parameter BEP20.approve(address,uint256)._amount (metaverse.sol#161) is not in mixedCase
Parameter BEP20.allowance(address,address)._owner (metaverse.sol#171) is not in mixedCase
Parameter BEP20.allowance(address,address)._spender (metaverse.sol#171) is not in mixedCase.
Parameter BEP20.setFeeStatusAndAddress(bool,address)._feeApplyAddress (metaverse.sol#219) is not in mixedCase
Parameter BEP20.changeFeePercent(uint256,wint256,uint256)._burnPercent (metaverse.sol#227) is not in mixedCase
Parameter BEP28.changeFeePercent(uint256,wint256,wint256)._developmentPercent (metaverse.sol#227) is not in mixedCase
Parameter BEP28.changeFeePercent(uint256,wint256,uint256)._holderPercent (metaverse.sol#227) is not in mixedCase
Parameter BEP20.changeFeeAddress(address,address,address)._burnPerAddress (metaverse.sol#234) is not in mixedCase
Parameter BEF28.changeFeeAddress(address,address,address)._developmentPerAddress (metaverse.sol#234) is not in mixedCase
Parameter BEP28.changeFeeAddress(address,address,address)._holderPerAddress (metaverse.sol#234) is not in mixedCase
Parameter BEP28.changeWhiteListSetting(address,bool)._whitelistAddr (metaverse.sol#246) is not in mixedCase |
Parameter BEP28.changeWhiteListSetting(address,bool)._whiteListAddrStatus (metaverse.sol#246) is not in mixedCase
Contract METAVERSE_LAB (metaverse.sol#254-287) is not in CapWords:
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-solidity-naming-conventions
METAVERSE_LAB.constructor() (metaverse.sol#262-273) uses literals with too many digits:

    totalSupply = 2000000000 * 10 ** 18 (metaverse.sol#266).

Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#too-many-digits
changeOwnership(address) should be declared external:
       Owned.changeOwnership(address) (metaverse.sol#23-25).
balanceOf(address) should be declared external:

    BEP28.balanceOf(address) (metaverse.sol#53).

approve(address, wint256) should be declared external:
        - BEF28.approve(address,uint256) (metaverse.sol@161-166)
allowance(address,address) should be declared external:

    BEF28.allowance(address, address) (metaverse.sol#171-173);

Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#public-function-that-could-be-declared-external
```

## Results

No major issues were found. Some false positive errors were reported by the tool. All the other issues have been categorized above according to their level of severity.

(07)



# Closing Summary

Overall, smart contracts are very well written, documented, and adhere to guidelines. Several issues of Low severity and information issues have been reported which has been Acknowledged by the Auditee.





# Disclaimer

Quillhash audit is not a security warranty, investment advice, or endorsement of the Metaverse platform. This audit does not provide a security or correctness guarantee of the audited smart contracts. The statements made in this document should not be interpreted as investment or legal advice, nor should its authors be held accountable for decisions made based on them. Securing smart contracts is a multistep process. One audit cannot be considered enough. We recommend that the Metaverse Team put in place a bug bounty program to encourage further analysis of the smart contract by other third parties.







# Audit Report January, 2022

For







- Canada, India, Singapore, United Kingdom
- audits.quillhash.com
- audits@quillhash.com