



*BY Developers FOR Developers*

**Storage Developer Conference**  
**September 22-23, 2020**

# **One CSI plugin for All? Experimenting Heterogeneous Storage with Single CSI Plugin for Kubernetes**

**Himanshu Varshney**  
**Mohammad Asif Siddiqui**  
**Sushantha Kumar**


**SODA Foundation**




# Agenda

- Brief on kubernetes and CSI interaction
- Understanding SODA CSI Plugin
- One CSI Plugin for all – 2 design options
- Demo
- Advantages


## Kubernetes and CSI interaction




# SODA Ecosystem and its CSI Plugin




## SODA-CSI Plug-N-Play (Design Option 1)



## Normal volume provisioning flow for csi driver



## Volume provisioning flow with PlugNPlay



## SODA-CSI Plug-N-Play (Design Option 2)

### Goals


Make a single CSI Plug-N-Play mechanism which helps to:

- Provision and manage the Storage of heterogeneous Storage providers.
- Third party CSI drivers should be used directly from Vendors so that SODA/Users need not worry about it's maintenance.
- Use Soda Profile ID to determine which storage vendor drivers need to be used to provision the storage.
- Experience all the features set of SODA.



# Deployment View


SODA-CSI Plug N Play



Side-Car Container

Soda-CSI Containers


Typical CSI Driver Deployment



TP = Vendor Storage Provider (IBM, NetApp...)

# Call Flows

```
apiVersion: storage.k8s.io/v1
kind: StorageClass
metadata:
  name: csi-soda-example--block
provisioner: csi-soda-block
parameters:
  attachMode: rw
  profile: XXXXXXXXXXXXXXXXXXXXXXXXXXXX
```




A typical call flow for SODA CSI Plug-N-Play mechanism will be:

- Once the PVC Object is created by user then soda-csi-provisioner will get a request to provision the Storage.
- soda-csi-provisioner will interact with SODA API's to get the profile details and other parameters to determine if the required driver is same as the current driver in a pod.
- soda-csi-provisioner updates the SODA API server with the volume provisioning request and gather the required intelligence from SODA about the current provisioning.
- soda-csi-provisioner will forward the request to CSI driver in the same pod to do the actual provisioning.

# Demo

**Design option 1:**



# Advantages

- Different third party csi drivers under one management
- All SODA ecosystem features, provisionings can be leveraged for all csi drivers in use

# References

- <https://github.com/sodafoundation/nbp/tree/master/csi>
- <https://github.com/sodafoundation/design-specs/blob/master/specs/elba/CSIPlugNPlayDesign.md>
- <https://github.com/asifdxtreme/soda-csi-plugin/tree/master/doc>



**Thank You**