2CEIT5PE5: MOBILE APPLICATION DEVELOPMENT

Practical: 7



AIM - Create Video player and Youtube player application by following below instructions.

- 1. Create MainActivity and YoutubeActivity with landscape orientation.
- 2. MainActivity should have VideoView and YoutubeActivity should have WebView.
- 3. There should be Floating Button on both Activities according to below image. After pressing that button, it will switch from one activity to another activity by using explicit intent.
- 4. Add Internet Permssion in Manifest file.

Submitted By: 21012021003_AMIT GOSWAMI



Department of Computer
Engineering/Information Technology

activity_main.xml:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout width="match parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <VideoView
    android:id="@+id/videoview"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"></VideoView>
  <com.google.android.material.floatingactionbutton.FloatingActionButton
    android:id="@+id/floatingActionButton"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:clickable="true"
    android:layout_marginEnd="20dp"
    android:layout_marginBottom="20dp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:srcCompat="@drawable/baseline image 24"/>
</androidx.constraintlayout.widget.ConstraintLayout>
activity_youtube.xml:
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout height="match parent"
  tools:context=".YoutubeActivity">
  <com.google.android.material.floatingactionbutton.FloatingActionButton</p>
    android:id="@+id/floatingActionButton2"
    android:layout_width="wrap_content"
    android:layout height="wrap content"
    android:clickable="true"
    app:layout_constraintBottom_toBottomOf="parent"
```

```
app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="1.0"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toTopOf="@+id/webView"
    app:layout_constraintVertical_bias="1.0"
    app:srcCompat="@drawable/baseline image 24"/>
  <WebView
    android:id="@+id/webView"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.0"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.0">
  </WebView>
</androidx.constraintlayout.widget.ConstraintLayout>
MainActivity.kt:
package com.example.mad_practical_7_21012021003
import android.content.Intent
import android.net.Uri
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.widget.MediaController
import android.widget.VideoView
import com.google.android.material.floatingactionbutton.FloatingActionButton
class MainActivity : AppCompatActivity() {
  override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    setContentView(R.layout.activity_main)
    val myVideoview : VideoView = findViewById(R.id.videoview)
    val mediaController = MediaController(this)
    val uri: Uri = Uri.parse("android.resource://" + packageName + "/" +
R.raw.thestoryoflight)
    myVideoview.setMediaController(mediaController)
    mediaController.setAnchorView(myVideoview)
    myVideoview.setVideoURI(uri)
    myVideoview.requestFocus()
    myVideoview.start()
    val button = findViewById<FloatingActionButton>(R.id.floatingActionButton)
    button.setOnClickListener {
```

```
Intent(this, YoutubeActivity::class.java).apply { startActivity(this) }
  }
}
YoutubeActivity.kt:
package com.example.mad_practical_7_21012021003
import android.content.Intent
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.webkit.WebSettings
import android.webkit.WebView
import com.google.android.material.floatingactionbutton.FloatingActionButton
class YoutubeActivity : AppCompatActivity() {
  override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    setContentView(R.layout.activity_youtube)
    val youtubeId = "fJn9B64Znrk"
    val youtubeWebView: WebView = findViewById(R.id.webView)
    val webSettings: WebSettings = youtubeWebView.settings
    webSettings.javaScriptEnabled = true
    webSettings.loadWithOverviewMode = true
    webSettings.useWideViewPort = true
    youtubeWebView.loadUrl("https://www.youtube.com/embed/$youtubeId")
    val changeButton: FloatingActionButton = findViewById(R.id.floatingActionButton2)
    changeButton.setOnClickListener {
       val intent = Intent(this@YoutubeActivity, MainActivity::class.java)
       startActivity(intent)
    }
  }
}
```

Practical: 7



