

Feature			Scei	nario					
Name	Duration	T	P	F	S	T	P	F	S
Validating user login	0.956 s	1	1	0	0	3	3	0	0
ProgramController Module Test with Invalid Data	13.787 s	30	29	1	0	179	178	1	0
ProgramController Module Test with Valid Data	2.381 s	5	4	1	0	30	29	1	0
Batch Module	4.798 s	8	8	0	0	48	48	0	0
Batch Module	12.046 s	30	16	14	0	180	144	14	22
Check Post request of user controller module.	0.789 s	1	1	0	0	6	6	0	0
Validating Get request for User API's	7.602 s	15	13	2	0	90	88	2	0
Validating Invalid data for User API's	7.499 s	17	11	6	0	102	96	6	0
Validating user role program batch map API's	0.927 s	2	2	0	0	12	12	0	0
Validating Delete Request	2.239 s	5	4	1	0	30	29	1	0
Validating user logout	0.437 s	1	1	0	0	6	6	0	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with missing additional field
2	ProgramController Module Test with Valid Data	Check if Admin able to update a program with Valid program Name and request body
3	Batch Module	Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)
4		Check if admin able to create a Batch missing mandatory fields in request body
5		Check if admin able to create a batch with invalid data in request body
6		Check if admin able to create a batch with inactive program ID
7		Check if admin able to create a Batch with valid endpoint and request body without authorization.
8		Check if admin able to retrieve a batch without authorization
9		Check if admin able to retrieve a batch with invalid Program Id
10		Check if admin able to retrieve a batch with invalid endpoint

FAIL & SKIP SCENARIOS -- 4 --

#	Feature Name	Scenario Name							
11	Batch Module	Check if admin able to update a Batch with invalid batchID and mandatory fields in request body							
12		Check if admin able to update a Batch with invalid enpoint							
13		Check if admin able to update a Batch with a valid batchID and deleted programID field							
14		Check if admin able to retrive a batch after the programID is deleted							
15		Check if admin able to retrive a deleted batch using batch name							
16		Check if admin able to update a Batch with a deleted batchID in the endpoint							
17	Validating Get request for User API's	Admin is able to update user roleId							
18		Admin is able to get admin by programId							
19	Validating Invalid data for User API's	Unauthorized admin user create post request with valid request body							
20		Admin is able to update user with invalid roleId							
21		Admin is able to update user with existing roleId							

FAIL & SKIP SCENARIOS -- 5 --


#	Feature Name	Scenario Name
22	Validating Invalid data for User API's	Admin is able to update user with invalid adminroleprogrambatch
23		Admin is able to update user with existing adminroleprogrambatch
24		Admin is able to update user with invalid userloginstatus
25	Validating Delete Request	Admin is able to delete program/batches for valid adminId

TAG		Scei	nario			Fea	ture				
Name	Τ	P	F	S	T	P	F	S			
@login-Valid	1	1	0	0	1	1	0	0			
@login	1	1	0	0	1	1	0	0			
@CreateNewBatch	1	1	0	0	1	1	0	0			
@GetBatchByBatchId	1	1	0	0	1	1	0	0			
@GetBatchbyBatchName	1	1	0	0	1	1	0	0			
@GetBatchByValidPgmId	1	1	0	0	1	1	0	0			
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0			
@GetAllBatches	1	1	0	0	1	1	0	0			
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0			
@UpdateBatchValid	1	1	0	0	1	1	0	0			
@CreateBatchDuplicate	1	0	1	0	1	0	1	0			
@CreateBatchMissingMandatory	1	0	1	0	1	0	1	0			
@CreateBatchInvalidEndpoint	1	1	0	0	1	0	1	0			
@CreateBatchInvalidData	1	0	1	0	1	0	1	0			
@CreateBatchInactiveProgramId	1	0	1	0	1	0	1	0			
@CreateBatchNoAuth	1	0	1	0	1	0	1	0			
@GetInvalidEndpoint	1	1	0	0	1	0	1	0			

TAG		Scenario Featur					ture	re		
Name	Т	P	F	S	T	P	F	S		
@GetAllBatchesNoAuth	1	1	0	0	1	0	1	0		
@GetBatchNoAuth	1	1	0	0	1	0	1	0		
@GetBatchInvalidBatchId	1	1	0	0	1	0	1	0		
@GetBatchInvalidEndpoint	2	2	0	0	1	0	1	0		
@GetBatchNameNoAuth	1	1	0	0	1	0	1	0		
@GetBatchByInvalidBatchname	1	1	0	0	1	0	1	0		
@GetBatchByPgmIdNoAuth	1	0	1	0	1	0	1	0		
@GetBatchByInvalidPgmId	1	0	1	0	1	0	1	0		
@GetBatchByPgmIdInvalidEndpoint	1	0	1	0	1	0	1	0		
@UpdateBatchNoAuth	1	1	0	0	1	0	1	0		
@UpdateBatchInvalid	1	0	1	0	1	0	1	0		
@UpdateMissingMandatory	1	1	0	0	1	0	1	0		
@UpdateInvalidData	1	1	0	0	1	0	1	0		
@UpdateInvalidEndpoint	1	0	1	0	1	0	1	0		
@UpdateBatchwithDeletedProgramId	1	0	1	0	1	0	1	0		
@DeleteBatchwithInvalidEndpoint	1	1	0	0	1	0	1	0		
@DeleteBatchwithInvalidBatchId	1	1	0	0	1	0	1	0		


TAG		Scenario			Feature				
Name	Τ	P	F	S	T	P	F	S	
@DeleteBatchWithNoAuth	1	1	0	0	1	0	1	0	
@GetBatchbyProgramIdAfterDelete	1	0	1	0	1	0	1	0	
@GetBatchAfterDeletById	1	1	0	0	1	0	1	0	
@GetBatchAfterDeleteByName	1	0	1	0	1	0	1	0	
@UpdatewithDeletedBatchId	1	0	1	0	1	0	1	0	
@01UserModule-PostValid	1	1	0	0	1	1	0	0	
@UserModule	1	1	0	0	1	1	0	0	
@user	15	13	2	0	1	0	1	0	
@updateuser	5	4	1	0	1	0	1	0	
@02UserModule-PostInvalid	1	1	0	0	1	0	1	0	
@03UserModule-PostNoAuth	1	0	1	0	1	0	1	0	
@deleteuser	1	1	0	0	1	0	1	0	
@DeleteBatchwithValidBatchId	1	1	0	0	1	0	1	0	
@logout	1	1	0	0	1	1	0	0	
@logout-withAuth	1	1	0	0	1	1	0	0	

FEATURES SUMMARY -- 9 --




#	Feature Name	T	P	F	S	Duration
1	<u>Validating user login</u>	1	1	0	0	0.956 s
2	ProgramController Module Test with Invalid Data	30	29	1	0	13.787 s
3	ProgramController Module Test with Valid Data	5	4	1	0	2.381 s
4	Batch Module	8	8	0	0	4.798 s
5	Batch Module	30	16	14	0	12.046 s
6	Check Post request of user controller module.	1	1	0	0	0.789 s
7	Validating Get request for User API's	15	13	2	0	7.602 s
8	Validating Invalid data for User API's	17	11	6	0	7.499 s
9	Validating user role program batch map API's	2	2	0	0	0.927 s
10	Validating Delete Request	5	4	1	0	2.239 s

FEATURES SUMMARY -- 10 --



#	Feature Name	T	P	F	S	Duration
11	Validating user logout	1	1	0	0	0.437 s


SCENARIOS SUMMARY -- 11 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating user login</u>	Check if user able to login with token and valid credential	3	3	0	0	0.955 s
2	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with valid endpoint and request body with Authorization	6	6	0	0	0.603 s
3		Check if Admin able to create a program with valid endpoint and request body without Authorization	6	6	0	0	0.433 s
4		Check if Admin able to create a program with invalid endpoint	6	6	0	0	0.431 s
5		Check if Admin able to create a program with already existing program name	6	6	0	0	0.411 s
6		Check if Admin able to create a program with invalid method	6	6	0	0	0.464 s
7		Check if Admin able to create a program with invalid request body	6	6	0	0	0.465 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		Check if Admin able to create a program with missing values	6	6	0	0	0.485 s
		<u>in the request body</u>					

SCENARIOS SUMMARY -- 13 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with missing additional field	6	5	1	0	0.495 s
10		Check if Admin able to retrieve all programs with invalid Endpoint	6	6	0	0	0.434 s
11		Check if Admin able to retrieve all programs with invalid Method	6	6	0	0	0.448 s
12		Check if Admin able to retrieve all programs without Authorization	6	6	0	0	0.417 s
13		Check if Admin able to retrieve a program with invalid program ID	6	6	0	0	0.464 s
14		Check if Admin able to retrieve a program with invalid baseURI	6	6	0	0	0.521 s
15		Check if Admin able to retrieve a program without Authorization	6	6	0	0	0.408 s

SCENARIOS SUMMARY -- 14 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
16	ProgramController Module Test with Invalid Data	Check if Admin able to retrieve a program with invalid Endpoint	6	6	0	0	0.443 s
17		Check if Admin able to retrieve all programs with invalid Endpoint	6	6	0	0	0.445 s
18		Check if Admin able to retrieve all programs with invalid Method	6	6	0	0	0.423 s
19		Check if Admin able to retrieve all programs without Authorization	6	6	0	0	0.429 s
20		Check if Admin able to update a program with invalid program Name and request body	6	6	0	0	0.444 s
21		Check if Admin able to update a program using valid program name - missing mandatory fields in request body	6	6	0	0	0.459 s
22		<u>Check if Admin able to update a program with invalid values in request body</u>	6	6	0	0	0.423 s


SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
23	ProgramController Module Test with Invalid Data	Check if Admin able to update a program with invalid program Description	6	6	0	0	0.460 s
24		Check if Admin able to update a program status	6	6	0	0	0.446 s
25		Check if Admin able to update a program without Authorization	6	6	0	0	0.461 s
26		Check if Admin able to update a program with invalid programID endpoint and valid request body	6	6	0	0	0.446 s
27		Check if Admin able to update a program with invalid request body	6	6	0	0	0.436 s
28		Check if Admin able to update a program without request body	6	6	0	0	0.437 s
29		Check if Admin able to update a program with invalid baseURI	6	6	0	0	0.420 s

#	# Feature Name	Scenario Name	T	P	F	S	Duration
3	30	Check if Admin able to update a program with invalid method	6	6	0	0	0.458 s


SCENARIOS SUMMARY -- 17 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
31	ProgramController Module Test with Invalid Data	Check if Admin able to update a program without Authorization	5	5	0	0	0.462 s
32	ProgramController Module Test with Valid Data	Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.535 s
33		Check if Admin able to retrieve a program with valid program ID	6	6	0	0	0.443 s
34		Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.482 s
35		Check if Admin able to update a program with Valid program Name and request body	6	5	1	0	0.433 s
36		Check if Admin able to update a program with valid programID endpoint and valid request body	6	6	0	0	0.458 s
37	Batch Module	Check if admin able to create a Batch with valid endpoint and request body	6	6	0	0	0.503 s

	#	Feature Name	Scenario Name	T	P	F	S	Duration
3	38		Check if admin able to retrieve a batch with valid Batch ID	6	6	0	0	0.424 s


SCENARIOS SUMMARY -- 19 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
39	Batch Module	Check if admin able to retrieve a batch with valid BATCH NAME	6	6	0	0	0.465 s
40		Check if admin able to retrieve a batch with valid Program ID	6	6	0	0	0.437 s
41		Check if admin able to create a batch with missing additional fields	6	6	0	0	1.475 s
42		Check if admin able to retrieve all batches with valid LMS API	6	6	0	0	0.470 s
43		Check if admin able to retrieve all batches with search string	6	6	0	0	0.467 s
44		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	6	6	0	0	0.504 s
45		Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)	6	4	1	1	0.409 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
46		Check if admin able to create a Batch missing mandatory fields in request body	6	4	1	1	0.453 s
47		Check if admin able to create a batch with invalid endpoint	6	6	0	0	0.439 s


SCENARIOS SUMMARY -- 21 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
48	Batch Module	Check if admin able to create a batch with invalid data in request body	6	4	1	1	0.456 s
49		Check if admin able to create a batch with inactive program ID	6	4	1	1	0.441 s
50		Check if admin able to create a Batch with valid endpoint and request body without authorization.	6	4	1	1	0.421 s
51		Check if admin able to retrieve all batches with invalid Endpoint	6	6	0	0	0.440 s
52		Check if admin able to retrieve all batches without <u>Authorization</u>	6	6	0	0	0.428 s
53		Check if admin able to retrieve a batch with batch ID without authorization	6	6	0	0	0.428 s
54		Check if admin able to retrieve a batch with invalid BATCH ID	6	6	0	0	0.425 s

7	# Feature Name	Scenario Name	T	P	F	S	Duration
5	55	Check if admin able to retrieve a batch with invalid endpoint	6	6	0	0	0.431 s


SCENARIOS SUMMARY -- 23 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
56	Batch Module	Check if admin able to retrieve a batch without authorization	6	6	0	0	0.443 s
57		Check if admin able to retrieve a batch with invalid BATCH NAME	6	6	0	0	0.495 s
58		Check if admin able to retrieve a batch with invalid endpoint	6	6	0	0	0.473 s
59		Check if admin able to retrieve a batch without authorization	6	4	1	1	0.269 s
60		Check if admin able to retrieve a batch with invalid Program Id	6	3	1	2	0.251 s
61		Check if admin able to retrieve a batch with invalid endpoint	6	3	1	2	0.270 s
62		Check if admin able to update a Batch with valid batchID and mandatory fields in request body without authorization	6	6	0	0	0.454 s
63		Check if admin able to update a Batch with invalid batchID and mandatory fields in request body	6	3	1	2	0.268 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
64		Check if admin able to update a Batch with valid batchID	6	6	0	0	0.427 s
		and missing mandatory fields request body					


SCENARIOS SUMMARY -- 25 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
65	Batch Module	Check if admin able to update a batch with invalid data	6	6	0	0	0.492 s
66		Check if admin able to update a Batch with invalid enpoint	6	3	1	2	0.266 s
67		Check if admin able to update a Batch with a valid batchID and deleted programID field	6	3	1	2	0.255 s
68		Check if admin able to delete a Batch with invalid endpoint	6	6	0	0	0.565 s
69		Check if admin able to delete a Batch with invalid Batch ID	6	6	0	0	0.449 s
70		Check if admin able to delete a Batch without authorization	6	6	0	0	0.425 s
71		Check if admin able to retrive a batch after the programID is deleted	6	3	1	2	0.270 s
72		Check if admin able to retrive a batch after deleting the batch	6	6	0	0	0.428 s
73		Check if admin able to retrive a deleted batch using batch name	6	3	1	2	0.281 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
74		Check if admin able to update a Batch with a deleted	6	3	1	2	0.272 s
		batchID in the endpoint					

SCENARIOS SUMMARY -- 27 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
75	Check Post request of user controller module.	Authorized admin is able to create a new user with valid url and request body with mandatory fields.	6	6	0	0	0.789 s
76	Validating Get request for User API's	Admin is able to get count of active and in active admins	6	6	0	0	0.427 s
77		Admin is able to get all active users	6	6	0	0	0.531 s
78		Admin is able to assign update user role program batch	6	6	0	0	0.469 s
79		Admin is able to get admin by program batchId	6	6	0	0	0.431 s
80		Admin is able to update user roleId	6	5	1	0	0.454 s
81		Admin is able to get admin by programId	6	5	1	0	0.427 s
82		Admin is able to get admin by roleId	6	6	0	0	0.508 s
83		Admin is able to get all users	6	6	0	0	0.634 s
84		Admin is able to get all roles	6	6	0	0	0.586 s

SCENARIOS SUMMARY -- 28 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
85	Validating Get request for User API's	Admin is able to get user by userId	6	6	0	0	0.644 s
86		Admin is able to get all users with roles	6	6	0	0	0.454 s
87		Admin is able to get users by roleId V2	6	6	0	0	0.630 s
88		Admin is able to update user by userId	6	6	0	0	0.456 s
89		Admin is able to update user role status	6	6	0	0	0.427 s
90		Admin is able to update user login status	6	6	0	0	0.450 s
91	Validating Invalid data for User API's	Authorized admin is able to create a new user with valid url and request body with missing mandatory fields.	6	6	0	0	0.440 s
92		Unauthorized admin user create post request with valid request body	6	5	1	0	0.295 s
93		Admin is able to get all users with invalid endpoint	6	6	0	0	0.539 s
94		Admin is able to get all admins with invalid endpoint	6	6	0	0	0.431 s


SCENARIOS SUMMARY -- 29 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
95	Validating Invalid data for User API's	Admin is able to get all active users with invalid endpoint	6	6	0	0	0.444 s
96		Admin is able to get all active and inactive users with invalid endpoint	6	6	0	0	0.436 s
97		Admin is able to get user with invalid userId	6	6	0	0	0.437 s
98		Admin is able to get admin by invalid program batchId	6	6	0	0	0.434 s
99		Admin is able to get admin by invalid programId	6	6	0	0	0.429 s
10- 0		Admin is able to get admin by invalid roleId	6	6	0	0	0.419 s
10- 1		Admin is able to get admin with roles with invalid endpoint	6	6	0	0	0.438 s
10- 2		Admin is able to get users by roleId V2 with invalid endpoint	6	6	0	0	0.461 s
10- 3		Admin is able to update user with invalid roleId	6	5	1	0	0.447 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10- 4		Admin is able to update user with existing roleId	6	5	1	0	0.427 s


SCENARIOS SUMMARY -- 31 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
10- 5	Validating Invalid data for User API's	Admin is able to update user with invalid adminroleprogrambatch	6	5	1	0	0.457 s
10- 6		Admin is able to update user with existing adminroleprogrambatch	6	5	1	0	0.428 s
10- 7		Admin is able to update user with invalid userloginstatus	6	5	1	0	0.419 s
10- 8	Validating user role program batch map API's	Admin is able to get all admins with assigned program batches	6	6	0	0	0.458 s
10- 9		Admin is able to get program/batches for valid adminId	6	6	0	0	0.464 s
11- 0	Validating Delete Request	Admin is able to delete user	6	6	0	0	0.446 s
11- 1		Check if admin able to delete a Batch with valid Batch ID	6	6	0	0	0.455 s
11- 2		Check if Admin able to delete a program with valid programName	6	6	0	0	0.418 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11 3	-	Check if Admin able to delete a program with valid program <u>ID</u>	6	6	0	0	0.452 s

SCENARIOS SUMMARY -- 33 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
11- 4	Validating Delete Request	Admin is able to delete program/batches for valid adminId	6	5	1	0	0.440 s
11- 5	Validating user logout	Check if user able to logout with token and valid credential	6	6	0	0	0.437 s

DETAILED SECTION -- 34 --

Validating user login


PASSED	DURATION - 0.956 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 11:35:57.265 A	AM // 11:35:58.221 AM /	Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to login with token and valid credential




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.005 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.940 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s

ProgramController Module Test with Invalid Data




Check if Admin able to create a program with valid endpoint and request body with Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.246 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.004 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.268 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.079 s


Check if Admin able to create a program with valid endpoint and request body without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.252 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.001 s
5	When Admins send HTTPS Request and request Body with endpoint	PASSED	0.171 s
6	Then Admins receives 401 Unauthorized	PASSED	0.001 s


DETAILED SECTION -- 36 --

Check if Admin able to create a program with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.003 s
5	When Admins sends HTTPS Request and the request Body with endpoint	PASSED	0.162 s
6	Then Admins receives 404 not found Status with message and boolean success details	PASSED	0.000 s


Check if Admin able to create a program with already existing program name



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.245 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates POST Request for LMS with request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.155 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s


DETAILED SECTION -- 37 --

Check if Admin able to create a program with invalid method



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.278 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint.	PASSED	0.173 s
6	Then Admins receives 405 Method Not Allowed	PASSED	0.000 s


Check if Admin able to create a program with invalid request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates POST Request for the LMS with invalid request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.185 s
6	Then Admins receives 400 Bad Request Status	PASSED	0.001 s


DETAILED SECTION -- 38 --

Check if Admin able to create a program with missing values in the request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.304 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.010 s
4	Given Admins creates POST Request for the LMS with missing values in request body	PASSED	0.001 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.167 s
6	Then Admins receives 400 Bad Request Status	PASSED	0.000 s

Check if Admin able to create a program with missing additional field




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.283 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.189 s
6	Then Admins receives 200 ok	FAILED	0.008 s

DETAILED SECTION -- 39 --


#	Step / Hook Details	Status	Duration
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>		
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)		
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)		
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)		
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)		
	at com.api.stepdefinition.PC_PositiveStepDefinitions.admin_receives_ok(PC_PositiveStepDefinitions.java:331)		
	at ?.Admins receives 200 ok(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/		
	resources/feature/02_ProgramControllerNegative.feature:48)		
	* Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid endpoint	PASSED	0.159 s
6	Then Admins receives 404 not found Status with error message	PASSED	0.000 s

Check if Admin able to retrieve all programs with invalid Method




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid method	PASSED	0.174 s
6	Then Admins receives 405 Method will Not Allowed	PASSED	0.000 s

Check if Admin able to retrieve all programs without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request without Authorization	PASSED	0.164 s
6	Then Admins receives 401 Status with response body as Unauthorized	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid programID	PASSED	0.184 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid baseURI




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates GET Request for the LMS API with invalid BaseURI	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.268 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve a program without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.240 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request to retrieve without Authorization	PASSED	0.161 s
6	Then Admins receives 401 Unauthorized	PASSED	0.000 s


Check if Admin able to retrieve a program with invalid Endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.002 s
5	When Admins sends HTTPS Request with invalid Endpoint for program	PASSED	0.173 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

DETAILED SECTION


Check if Admin able to retrieve all programs with invalid Endpoint



-- 43 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins create the GET Request for LMS API	PASSED	0.002 s
5	When Admins sends the HTTPS Request with the invalid endpoint	PASSED	0.169 s
6	Then Admins receives 404 not found Status with error message	PASSED	0.000 s


Check if Admin able to retrieve all programs with invalid Method



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with the invalid Method	PASSED	0.166 s
6	Then Admins receives 405 Method Not Allowed	PASSED	0.000 s


DETAILED SECTION -- 44 --

Check if Admin able to retrieve all programs without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.250 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins create the GET Request for LMS API	PASSED	0.002 s
5	When Admins sends the HTTPS Request without Authorization	PASSED	0.169 s
6	Then Admins receives 401 Status with response body as Unauthorized	PASSED	0.001 s

Check if Admin able to update a program with invalid program Name and request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Admins creates PUT Request for the LMS API endpoint with valid request Body with mandatory and additional fields	PASSED	0.001 s
5	When Admins send HTTPS Request with invalid endpoint	PASSED	0.174 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.002 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.187 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s


Check if Admin able to update a program with invalid values in request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.249 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates PUT Request for the LMS API endpoint and invalid program Name	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with mandatory fields.	PASSED	0.163 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s


DETAILED SECTION -- 46 --

Check if Admin able to update a program with invalid program Description



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.279 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint and invalid program Description	PASSED	0.002 s
5	When Admins sends HTTPS Request and request Body with mandatory fields.	PASSED	0.169 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s


Check if Admin able to update a program status



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates PUT Request for the LMS API endpoint and Valid program Name and status	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.178 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.004 s


DETAILED SECTION -- 47 --

Check if Admin able to update a program without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates PUT Request for the LMS API endpoint with valid request Body with the mandatory, additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint and without authorization	PASSED	0.178 s
6	Then Admins receives 401 Unauthorized	PASSED	0.000 s


Check if Admin able to update a program with invalid programID endpoint and valid request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates PUT Request for the LMS API endpoint with valid request Body with mandatory, additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint and invalid programid	PASSED	0.179 s
6	Then Admins receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s


DETAILED SECTION -- 48 --

Check if Admin able to update a program with invalid request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates PUT Request for the LMS API with invalid request body	PASSED	0.001 s
5	When Admins sends HTTPS Request with invalid requestbody	PASSED	0.170 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s


Check if Admin able to update a program without request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates PUT Request for the LMS API without request body	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.169 s
6	Then Admins receives 400 Bad Request Status with message and boolean success details	PASSED	0.000 s


DETAILED SECTION -- 49 --

Check if Admin able to update a program with invalid baseURI




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token		0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint with invalid baseuri	PASSED	0.001 s
5	When Admins sends HTTPS the Request with valid endpoint	PASSED	0.152 s
6	Then Admins receives 404 Not Found the Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.002 s
5	When Admins sends HTTPS Request for PUt with invalid method	PASSED	0.191 s
6	Then Admins receives 405 Method Not Allowed	PASSED	0.000 s

Check if Admin able to update a program without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint		0.280 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body	PASSED	0.001 s
5	When Admins sends HTTPS Request without the authorization	PASSED	0.175 s

ProgramController Module Test with Valid Data




Check if Admin able to retrieve all programs with valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.260 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.000 s

Check if Admin able to retrieve a program with valid program ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.010 s
4	Given Admins create GET Request for LMS API	PASSED	0.001 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.167 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.007 s


Check if Admin able to retrieve all programs with valid Endpoint



DETAILED SECTION -- 52 --


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.214 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.001 s

Check if Admin able to update a program with Valid program Name and request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory, additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.173 s
6	Then Admins receives 200 OK Status with updated value in response body.	FAILED	0.002 s
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:150) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:563) at com.api.stepdefinition.PC_PositiveStepDefinitions. admin_receives_ok_status_with_updated_value_in_response_body(PC_PositiveStepDefinitions.java:167) at ?.Admins receives 200 OK Status with updated value in response body.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/03_ProgramControllerPositive.feature:28) * Not displayable characters are replaced by '?'.		

Check if Admin able to update a program with valid programID endpoint and valid request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.194 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.007 s

Batch Module



Check if admin able to create a Batch with valid endpoint and request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.002 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.206 s
6	Then User receives 201 created status for batch.	PASSED	0.018 s

Check if admin able to retrieve a batch with valid Batch ID

PASSED DURATION - 0.424 s	0.3					<u> </u>		Steps		
/ 11:36:14.950 AM // 11:36:15.374 AM /	0.2		i 			· <u> </u>		Total - 6 Pass - 6		
Batch Module	0.1							Fail - 0 Skip - 0	6	
@GetBatchByBatchId	0 -	1	2	3	4	5	6			


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.246 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.000 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.161 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.010 s

Check if admin able to retrieve a batch with valid BATCH NAME




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.176 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.014 s

Check if admin able to retrieve a batch with valid Program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.175 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.000 s

Check if admin able to create a batch with missing additional fields




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	1.192 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.007 s

Check if admin able to retrieve all batches with valid LMS API




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.205 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

Check if admin able to retrieve all batches with search string




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with search string.	PASSED	0.005 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.181 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.002 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.216 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.022 s

Batch Module




Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

DETAILED SECTION -- 58 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.240 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates POST Request with existing value in request body "Create New Batch"	PASSED	0.002 s
5	When Admin sends HTTPS Request with batch endpoint	FAILED	0.160 s
	java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response. path(String, String[])" is null at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_batch_endpoint(Batch_SD.java:100) at ?.Admin sends HTTPS Request with batch endpoint(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:12) * Not displayable characters are replaced by '?'.		
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.002 s

Check if admin able to create a Batch missing mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s

DETAILED SECTION -- 59 --

#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with invalid data in request body "Create Missing Mandatory"	PASSED	0.001 s
5	When Admin sends HTTPS Request with batch endpoint	FAILED	0.172 s
	java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response.path(String, String[])" is null at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_batch_endpoint(Batch_SD.java:100) at ?.Admin sends HTTPS Request with batch endpoint(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/ Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:18) * Not displayable characters are replaced by '?'.		
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s


Check if admin able to create a batch with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates POST Request "Create New Batch"	PASSED	0.002 s
5	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.160 s
6	Then Admin receives 404 not found Status	PASSED	0.000 s


Check if admin able to create a batch with invalid data in request body

DETAILED SECTION -- 60 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with invalid data in request body "Invalid Data"	PASSED	0.001 s
5	When Admin sends HTTPS Request with batch endpoint	FAILED	0.183 s
	java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response.path(String, String[])" is null at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_batch_endpoint(Batch_SD.java:100) at ?.Admin sends HTTPS Request with batch endpoint(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/ Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:31) * Not displayable characters are replaced by '?'.		
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to create a batch with inactive program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s

DETAILED SECTION -- 61 --


#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with inactive program id "Inactive programID"	PASSED	0.001 s
5	When Admin sends HTTPS Request with batch endpoint	FAILED	0.169 s
	java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response. path(String, String[])" is null at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_batch_endpoint(Batch_SD.java:100) at ?.Admin sends HTTPS Request with batch endpoint(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:37) * Not displayable characters are replaced by '?'.		
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to create a Batch with valid endpoint and request body without authorization.




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.242 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates POST Request with valid data in request body "Create New Batch"	PASSED	0.001 s
5	When Admin sends HTTPS Request with batch endpoint	FAILED	0.170 s
	java.lang.NullPointerException: Cannot invoke "java.lang.Integer.intValue()" because the return value of "io.restassured.response.Response. path(String, String[])" is null at com.api.stepdefinition.Batch_SD.admin_sends_https_request_with_batch_endpoint(Batch_SD.java:100) at ?.Admin sends HTTPS Request with batch endpoint(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/05_BatchController.feature:43) * Not displayable characters are replaced by '?'.		
6	Then Admin receives 401 Unauthorized	SKIPPED	0.000 s

DETAILED SECTION -- 62 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.171 s
6	Then Admin receives 404 status with error message Not Found .	PASSED	0.001 s

Check if admin able to retrieve all batches without Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.151 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.001 s


DETAILED SECTION -- 63 --

Check if admin able to retrieve a batch with batch ID without authorization

PASSED DURATION - 0.428 s	0.6							Steps		
/ 11:36:22.788 AM // 11:36:23.216 AM /								Total - 6		
/ 11.30.22.766 AW // 11.30.23.210 AW /	0.4 -			- +			+	Pass - 6		
Batch Module	0.2 -							Fail - 0	6	
								Skip - 0		,
@GetBatchNoAuth	0 -									
		1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends "HTTPS" Request with endpoint	PASSED	0.163 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.001 s

Check if admin able to retrieve a batch with invalid BATCH ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.249 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with invalid Batch ID	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint "invalid"	PASSED	0.164 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s


DETAILED SECTION -- 64 --

Check if admin able to retrieve a batch with invalid endpoint

PASSED DURATION - 0.431 s				-			Steps		
/ 11:36:23.653 AM // 11:36:24.084 AM /	0.3						Total - 6		
/ 11.30.23.033 AW // 11.30.24.004 AW /	0.2						Pass - 6		A
Batch Module	0.1						Fail - 0	6	
@GetBatchInvalidEndpoint	0 -		<u> </u>	<u> </u>			Skip - 0		'
@GetBatchinvalidEndpoint		1	2 3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with invalid Batch ID	PASSED	0.001 s
5	When Admin sends HTTPS Request with "invalid endpoint"	PASSED	0.173 s
6	Then Admin receives 404 not found Status	PASSED	0.001 s

Check if admin able to retrieve a batch without authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.252 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends HTTPS Request with batchName endpoint	PASSED	0.176 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.001 s


DETAILED SECTION -- 65 --

Check if admin able to retrieve a batch with invalid BATCH NAME

PASSED DURATION - 0.495 s	0.6 -							Steps		
/ 11:36:24.542 AM // 11:36:25.037 AM /								Total - 6		
7 11.30.24.342 AW // 11.30.23.037 AW/	0.4 -		<u> </u>	- +			+	Pass - 6		
Batch Module	0.2 -					- <u></u>		Fail - 0	6	
								Skip - 0		7
@GetBatchByInvalidBatchname	0 -									
		1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.294 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with invalid Batch Name	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint invalid BatchName	PASSED	0.188 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.002 s

Check if admin able to retrieve a batch with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.292 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with invalid Batch Name	PASSED	0.001 s
5	When Admin sends HTTPS Request with invalid endpoint batchName	PASSED	0.172 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.000 s


DETAILED SECTION -- 66 --

Check if admin able to retrieve a batch without authorization

FAILED DURATION - 0.269 s	0.6				·			Steps		
/ 11:36:25.530 AM // 11:36:25.799 AM /	١					1		Total - 6		
7 11.30.23.330 AW // 11.30.23.799 AW /	0.4				!		+	Pass - 4		
Batch Module	0.2							Fail - 1	6	
								Skip - 1		
@GetBatchByPgmldNoAuth	0 -						1			
		1	2	3 4	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with no auth	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint for programId.	FAILED	0.001 s
	Step undefined		
6	Then Admin receives 401 status with error message Unauthorized.	SKIPPED	0.000 s


Check if admin able to retrieve a batch with invalid Program Id



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.002 s
4	Given Admin creates GET Request with program id.	FAILED	0.001 s
	Step undefined		


#	Step / Hook Details	Status	Duration
5	When Admin sends HTTPS Request with invalid programId endpoint	SKIPPED	0.000 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to retrieve a batch with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with program id.	FAILED	0.000 s
	Step undefined		
5	When Admin sends HTTPS Request with invalid endpoint for get batch	SKIPPED	0.000 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s


Check if admin able to update a Batch with valid batchID and mandatory fields in request body without authorization



DETAILED SECTION -- 68 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates PUT Request with valid BatchId and "Update Valid Data"	PASSED	0.002 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.179 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.001 s


Check if admin able to update a Batch with invalid batchID and mandatory fields in request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth, valid BatchId and "Update Valid Data".	FAILED	0.001 s
	Step undefined		
5	When Admin sends HTTPS Request with endpoint invalid batch	SKIPPED	0.000 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s


Check if admin able to update a Batch with valid batchID and missing mandatory fields request body

DETAILED SECTION -- 69 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth, BatchId and "Missing mandatory Update"	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.157 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if admin able to update a batch with invalid data



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with "Invalid Data"	PASSED	0.002 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.212 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s


DETAILED SECTION -- 70 --

Check if admin able to update a Batch with invalid enpoint

FAILED DURATION - 0.266 s	Steps	
/ 11:36:28.015 AM // 11:36:28.281 AM /	Total - 6	
Batch Module	2 - Fail - 1 Skip - 2	6
@UpdateInvalidEndpoint	1 2 3 4 5 6	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates PUT Request with auth, valid BatchId and "Update Valid Data".	FAILED	0.000 s
	Step undefined		
5	When Admin sends HTTPS put Request with invalid endpoint	SKIPPED	0.000 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to update a Batch with a valid batchID and deleted programID field



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.246 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with Valid batch Id and Deleted programID		0.000 s
	Step undefined		

#	Step / Hook Details	Status	Duration
5	When Admin sends HTTPS Request with update endpoint and deleted programID	SKIPPED	0.000 s
6	Then Admin receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to delete a Batch with invalid endpoint

PASSED DURATION - 0.565 s	0.6	
/ 11:36:28.552 AM // 11:36:29.117 AM /	Total - 6	
/ 11.30.26.332 AW // 11.30.29.117 AW /	0.4 Pass - 6	
Batch Module	0.2 Fail - 0	6
	Skip - 0	
@DeleteBatchwithInvalidEndpoint	0 -	
	1 2 3 4 5 6	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates DELETE Request with valid BatchId.	PASSED	0.001 s
5	When Admin sends HTTPS Request with invalid delete batch endpoint	PASSED	0.283 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.001 s

Check if admin able to delete a Batch with invalid Batch ID

PASSED DURATION - 0.449 s	0.0	.6				'			Steps		
/ 11:36:29.132 AM // 11:36:29.581 AM /									Total - 6		
7 11.30.23.132 AW // 11.30.23.301 AW /	0.4	4 1			- +				Pass - 6		A
Batch Module	0.3	.2					- <u>- i</u>		Fail - 0	6	
									Skip - 0		7
@DeleteBatchwithInvalidBatchId	0		1	2	2			6			
			1	2	3	4	3	0			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s


#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates DELETE Request with invalid BatchId	PASSED	0.000 s
5	When Admin sends HTTPS Request with endpoint invalid batchID	PASSED	0.166 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	PASSED	0.004 s

Check if admin able to delete a Batch without authorization

PASSED DURATION - 0.425 s	0.3-				<u>-</u>		Steps		
/ 11:36:29.588 AM // 11:36:30.013 AM /	0.2-						Total - 6 Pass - 6		
Batch Module	0.1						Fail - 0 Skip - 0	6	
@DeleteBatchWithNoAuth	0 -	1	1 1				3KIP - 0		
@DeleteBatchWithNoAuth	0 -	1	2 3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.243 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates DELETE Request with valid BatchId no auth	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint for batch.	PASSED	0.170 s
6	Then Admin receives 401 status with error message Unauthorized.	PASSED	0.002 s


Check if admin able to retrive a batch after the programID is deleted



DETAILED SECTION -- 73 --


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with program id.	FAILED	0.001 s
	Step undefined		
5	When Admin sends HTTPS Request with endpoint.	SKIPPED	0.000 s
6	Then Admin receives 404 Not Found Status with message and boolean success details	SKIPPED	0.000 s

Check if admin able to retrive a batch after deleting the batch




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.160 s
6	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	PASSED	0.001 s

Check if admin able to retrive a deleted batch using batch name



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch Name	FAILED	0.001 s
	Step undefined		
5	When Admin sends HTTPS Request with endpoint batchName	SKIPPED	0.000 s
6	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	SKIPPED	0.000 s

Check if admin able to update a Batch with a deleted batchID in the endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth, valid BatchId and "Update Valid Data".	FAILED	0.000 s
	Step undefined		
5	When Admin sends HTTPS Request with endpoint and deleted batchID	SKIPPED	0.000 s


DETAILED SECTION -- 75 --

#	Step / Hook Details	Status	Duration
6	Then Admin receives 200 Ok status with message for update	SKIPPED	0.000 s

Check Post request of user controller module.


PASSED	DURATION - 0.789 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 11:36:31.301 AM	// 11:36:32.090 AM /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Authorized admin is able to create a new user with valid url and request body with mandatory fields.




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.002 s
5	When Authorized admin send valid post api request	PASSED	0.516 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.007 s

Validating Get request for User API's




Admin is able to get count of active and in active admins




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.156 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all active users




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.263 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to assign update user role program batch



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.243 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.034 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.187 s
6	Then users receives the 200 ok.	PASSED	0.000 s


Admin is able to get admin by program batchId



DETAILED SECTION -- 78 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.246 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.176 s
6	Then Users receives 200 ok.	PASSED	0.000 s


Admin is able to update user roleld



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates request with valid response body "UpdateUserRoleId"	PASSED	0.002 s
5	When Users sends https put request with updateuserroleId	PASSED	0.179 s
6	Then users receives the 200 ok.	FAILED	0.001 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'.		

DETAILED SECTION -- 79 --


Admin is able to get admin by programId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.162 s
6	Then Users receives 200 ok.	FAILED	0.001 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:53) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:39) * Not displayable characters are replaced by '?'.		

Admin is able to get admin by roleId

DETAILED SECTION -- 80 -



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.241 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all users

PASSED DURATION - 0.634 s	0.6						Steps	
/ 11:36:35.384 AM // 11:36:36.018 AM /					1	1	Total - 6	
7 11.30.33.304 AW // 11.30.30.010 AW/	0.4	1			=	+	Pass - 6	
Validating Get request for User API's	0.2						Fail - 0	6
							Skip - 0	
@user	0							
		1	2 3	4	5	6		

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.371 s
6	Then Users receives 200 ok.	PASSED	0.000 s


DETAILED SECTION -- 81 --

Admin is able to get all roles

PASSED	DURATION - 0.586 s	0.6							Steps		
/ 11:36:36 023 A	AM // 11:36:36.609 AM /								Total - 6		
7 11:00:00:0207		0.4							Pass - 6	6	
Validating Get re	equest for User API's	0.2 -				!			Skip - 0	ı ° J	/
@user		0 -		<u> </u>	<u> </u>	<u></u>			ор о		
			1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.233 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.347 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get user by userId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getuserbyuserld"	PASSED	0.380 s
6	Then Users receives 200 ok.	PASSED	0.000 s


DETAILED SECTION -- 82 --

Admin is able to get all users with roles

PASSED DURATION - 0.454 s	0.6	5					Steps		
/11/20/27 202 AAA // 11/20/27 710 AAA //							Total - 6		
/ 11:36:37.262 AM // 11:36:37.716 AM /	0.4	4				- +	Pass - 6		
Validating Get request for User API's	0.2	, -						6	
Tamaamig Correquestics Coorraits	0.2						Skip - 0		•
@user	0								' l
<u> </u>		ı	2 3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.181 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get users by roleld V2



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.235 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.385 s
6	Then Users receives 200 ok.	PASSED	0.000 s


DETAILED SECTION -- 83 --

Admin is able to update user by userId

PASSED DURATION - 0.456 s	0.6 -		- ;					Steps		
/ 11:36:38.360 AM // 11:36:38.816 AM /					1	1		Total - 6		
7 11.30.30.300 AW // 11.30.30.010 AW /	0.4 -		-	+			+	Pass - 6		
Validating Get request for User API's	0.2 -		<u> </u>			<u>- </u>		Fail - 0	6	
								Skip - 0		
@updateuser @user	0 -									'
		1	2	3	4	5	6			


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.013 s
4	Given Users creates request with valid response body "UpdateUser"	PASSED	0.001 s
5	When Users sends https put request with updateuser	PASSED	0.174 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Admin is able to update user role status



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UpdateUserRoleStatus"	PASSED	0.002 s
5	When Users sends https put request with updateuserrolestatus	PASSED	0.159 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Admin is able to update user login status




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates request with valid response body "UpdateUserLoginStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserloginstatus	PASSED	0.179 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Validating Invalid data for User API's




Authorized admin is able to create a new user with valid url and request body with missing mandatory fields.



DETAILED SECTION -- 85 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Authorized admin user create post request with invalid request body	PASSED	0.001 s
5	When Authorized admin user send valid post api request	PASSED	0.173 s
6	Then Authorized admin user receive 400 status with message	PASSED	0.003 s


Unauthorized admin user create post request with valid request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Unauthorized admin user create post request with valid request body	PASSED	0.001 s
5	When Unauthorized admin user send valid post api request	PASSED	0.019 s
6	Then Unauthorized admin user receive 401 status with message	FAILED	0.000 s
	java.lang.AssertionError: expected:<403> but was:<401> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at com.api.stepdefinition.UC_PostRequestStep.unauthorized_admin_user_receive_status_with_message(UC_PostRequestStep.java:100) at ?.Unauthorized admin user receive 401 status with message(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/ Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:21) * Not displayable characters are replaced by '?'.		


Admin is able to get all users with invalid endpoint

DETAILED SECTION -- 86 -



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "allusers"	PASSED	0.277 s
6	Then Users receives 404	PASSED	0.001 s

Admin is able to get all admins with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.249 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "allroles"	PASSED	0.171 s
6	Then Users receives 404	PASSED	0.000 s


DETAILED SECTION -- 87 --

Admin is able to get all active users with invalid endpoint

PASSED	DURATION - 0.444 s	0.6				-;			Steps		
/ 11:36:41 446 4	AM // 11:36:41.890 AM /				1		1		Total - 6		
711.30.41.4407	NW // 11.30.41.030 AW/	0.4 -				-			Pass - 6		
Validating Invali	d data for User API's	0.2 -			i				Fail - 0	ь	
					<u> </u>	<u> </u>			Skip - 0		
			1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "allactiveusers"	PASSED	0.174 s
6	Then Users receives 404	PASSED	0.000 s

Admin is able to get all active and inactive users with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.013 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "countofactiveandinactive"	PASSED	0.170 s
6	Then Users receives 404	PASSED	0.000 s


DETAILED SECTION -- 88 --

Admin is able to get user with invalid userId

PASSED	DURATION - 0.437 s	0.6			 				Steps		
/ 11:26:42 249 A	M // 11:36:42.785 AM /								Total - 6		.
/ 11.30.42.346 AI	W // 11.30.42.763 AW /	0.4 -		-	+			+	Pass - 6		
Validating Invalid	I data for User API's	0.2 -		<u> </u>					Fail - 0	6	
									Skip - 0		7
		0 -									
			1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "userbyuserld"	PASSED	0.170 s
6	Then Users receives 404	PASSED	0.000 s

Admin is able to get admin by invalid program batchId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "adminbyprogrambatchId"	PASSED	0.166 s
6	Then Users receives 404	PASSED	0.000 s


DETAILED SECTION -- 89 --

Admin is able to get admin by invalid programId

PASSED DURATION - 0.429 s	0.6		<u></u>					Steps		
/ 11:26:42 220 AM // 11:26:42 657 AM /			1					Total - 6		
/ 11:36:43.228 AM // 11:36:43.657 AM /	0.4			+			+	Pass - 6		
Validating Invalid data for User API's	0.2							Fail - 0	6	
Tandaming invalid data for door in to	0.2							Skip - 0		
	0									_
		1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "adminbyprogramId"	PASSED	0.165 s
6	Then Users receives 404	PASSED	0.001 s

Admin is able to get admin by invalid roleld



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.002 s
5	When Users sends https request with "adminbyroleId"	PASSED	0.165 s
6	Then Users receives 404	PASSED	0.000 s


DETAILED SECTION -- 90 --

Admin is able to get admin with roles with invalid endpoint

PASSED DURATION - 0.438 s	0.6			-			Steps	
/ 11:36:44.093 AM // 11:36:44.531 AM /	٠.						Total - 6	
, 12:00:11000711117, 12:00:1711017	0.4						Pass - 6	C 1
Validating Invalid data for User API's	0.2						Fail - 0	ь ,
							Skip - 0	
	0	1	7	1 1		-	=	
		1	2	3 4	• :	, ,		

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "alluserswithroles"	PASSED	0.167 s
6	Then Users receives 404	PASSED	0.001 s


Admin is able to get users by roleld V2 with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "usersbyroleIdV2"	PASSED	0.180 s
6	Then Users receives 404	PASSED	0.001 s


DETAILED SECTION -- 91 --

Admin is able to update user with invalid roleld



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body "UserRoleId"	PASSED	0.001 s
5	When Users sends https put request with "userroleId"	PASSED	0.181 s
6	Then Users receives 404	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:76) * Not displayable characters are replaced by '?'.		

Admin is able to update user with existing roleld




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s

DETAILED SECTION -- 92 --


#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Users creates request with valid response body "UserRoleId"	PASSED	0.000 s
5	When Users sends https put request with "userroleId"	PASSED	0.169 s
6	Then Users receives 404	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:81) * Not displayable characters are replaced by '?'.		

Admin is able to update user with invalid adminroleprogrambatch




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates request with valid response body "UserRoleProgramBatchInvalid"	PASSED	0.002 s
5	When Users sends https put request with "userroleprogrambatch"	PASSED	0.180 s
6	Then Users receives 404	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:86) * Not displayable characters are replaced by '?'.		

Admin is able to update user with existing adminroleprogrambatch



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.249 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UserRoleProgramBatchInvalid"	PASSED	0.001 s
5	When Users sends https put request with "userroleprogrambatch"	PASSED	0.170 s
6	Then Users receives 404	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:91) * Not displayable characters are replaced by '?'.		

Admin is able to update user with invalid userloginstatus



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s


DETAILED SECTION -- 94 --

#	Step / Hook Details	Status	Duration
4	Given Users creates request with valid response body "UserLoginStatus"	PASSED	0.001 s
5	When Users sends https put request with "userloginstatus"	PASSED	0.161 s
6	Then Users receives 404	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.getStatusCode()" because "this.response" is null at com.api.stepdefinition.UC_GetUsers.admin_receives_with_unauthorized(UC_GetUsers.java:63) at ?.Users receives 404(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/07_InvalidUserController.feature:96) * Not displayable characters are replaced by '?'.		

Validating user role program batch map API's

PASSED	DURATION - 0.927 s	Scenarios		Steps	
		Total - 2		Total - 12	
/ 11:36:47.227 AN	M // 11:36:48.154 AM /	Pass - 2	2	Pass - 12	12
		Fail - 0		Fail - 0	12
		Skip - 0		Skip - 0	

Admin is able to get all admins with assigned program batches



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getassignedprogrambatchifalluser"	PASSED	0.192 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get program/batches for valid adminId


PASSED	DURATION - 0.464 s	0.6 -		- ;					Steps		
/ 11:26:47 600	AM // 11:36:48.154 AM /	-							Total - 6		
711.30.47.0907	AW // 11.30.40.134 AW /	0.4 -		-	+			+	Pass - 6		
Validating user	role program batch map API's	0.2					<u></u>		Fail - 0	6	
									Skip - 0		<i>7</i>
		0 -			-						
			1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.281 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getassignedprogrambatchbyuserId	PASSED	0.172 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Validating Delete Request



Admin is able to delete user




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates delete request	PASSED	0.001 s
5	When Users sends delete request with deleteuser	PASSED	0.171 s
6	Then Userss receives 200 ok.	PASSED	0.000 s

Check if admin able to delete a Batch with valid Batch ID

PASSED DURATION - 0.455 s	0.6	
/ 11:36:48.613 AM // 11:36:49.068 AM /	Total - 6	
/ 11.30.46.013 AW // 11.30.49.006 AW /	0.4 - Pass - 6	
Validating Delete Request	0.2 Fail - 0	6
,	Skip - 0	
@DeleteBatchwithValidBatchId	0 -	
	1 2 3 4 5 6	


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates DELETE Request with valid BatchId.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint for batch.	PASSED	0.183 s
6	Then Admin receives 200 Ok status with message.	PASSED	0.000 s

Check if Admin able to delete a program with valid programName




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.239 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admins creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
5	When Admins has sends HTTPS Request with endpoint	PASSED	0.174 s
6	Then Admins receives 200 Ok status with message	PASSED	0.000 s

Check if Admin able to delete a program with valid program ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
5	When Admins send HTTPS Request with endpoint.	PASSED	0.174 s
6	Then Admins receive 200 Ok status with message	PASSED	0.000 s


Admin is able to delete program/batches for valid adminId




DETAILED SECTION -- 98 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates delete request	PASSED	0.001 s
5	When Users sends delete request with deleteassignedprogrambatchbyuserId	PASSED	0.169 s
6	Then Userss receives 200 ok.	FAILED	0.001 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_DeleteUser.userss_receives_ok(UC_DeleteUser.java:58) at ?.Userss receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/Delete.feature:37) * Not displayable characters are replaced by '?'.		

Validating user logout



Check if user able to logout with token and valid credential



DETAILED SECTION -- 99 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given user creates GET request with valid emailid and password	PASSED	0.001 s
5	When user calls GET Http request with valid endpoint	PASSED	0.168 s
6	Then user receives 200 status.	PASSED	0.000 s