

Feature			Scei	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Validating user login	0.937 s	1	1	0	0	3	3	0	0
ProgramController Module Test with Invalid Data	0.656 s	1	1	0	0	6	6	0	0
ProgramController Module Test with Valid Data	2.798 s	5	4	1	0	30	29	1	0
Batch Module	4.014 s	8	8	0	0	48	48	0	0
Check Post request of user controller module.	0.722 s	1	1	0	0	6	6	0	0
Validating Get request for User API's	9.449 s	15	12	3	0	90	87	3	0
Validating user role program batch map API's	1.102 s	2	2	0	0	12	12	0	0
Validating Delete Request	2.111 s	5	3	2	0	30	27	2	1
Validating user logout	0.459 s	1	1	0	0	6	6	0	0


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	ProgramController Module Test with Valid Data	Check if Admin able to update a program with valid programID endpoint and valid request body
2	Validating Get request for User API's	Admin is able to update user roleId
3		Admin is able to get admin by programId
4		Admin is able to update user login status
5	Validating Delete Request	Check if Admin able to delete a program with valid programName
6		Admin is able to delete program/batches for valid adminId

TAG		Scei	nario			Fea	ture	
Name	Т	P	F	S	T	P	F	S
@login-Valid	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0
@CreateNewBatch	1	1	0	0	1	1	0	0
@GetBatchByBatchId	1	1	0	0	1	1	0	0
@GetBatchbyBatchName	1	1	0	0	1	1	0	0
@GetBatchByValidPgmId	1	1	0	0	1	1	0	0
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0
@GetAllBatches	1	1	0	0	1	1	0	0
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0
@UpdateBatchValid	1	1	0	0	1	1	0	0
@01UserModule-PostValid	1	1	0	0	1	1	0	0
@UserModule	1	1	0	0	1	1	0	0
@user	15	12	3	0	1	0	1	0
@updateuser	5	3	2	0	1	0	1	0
@deleteuser	1	1	0	0	1	0	1	0
@DeleteBatchwithValidBatchId	1	1	0	0	1	0	1	0
@logout	1	1	0	0	1	1	0	0


TAG		Scei	nario			Fea	ture		
Name	T	P	F	S	T	P	F	S	
@logout-withAuth	1	1	0	0	1	1	0	0	

FEATURES SUMMARY -- 6 --



#	Feature Name	T	P	F	S	Duration
1	Validating user login	1	1	0	0	0.937 s
2	ProgramController Module Test with Invalid Data	1	1	0	0	0.656 s
3	ProgramController Module Test with Valid Data	5	4	1	0	2.798 s
4	Batch Module	8	8	0	0	4.014 s
5	Check Post request of user controller module.	1	1	0	0	0.722 s
6	Validating Get request for User API's	15	12	3	0	9.449 s
7	Validating user role program batch map API's	2	2	0	0	1.102 s
8	Validating Delete Request	5	3	2	0	2.111 s
9	Validating user logout	1	1	0	0	0.459 s


SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating user login	Check if user able to login with token and valid credential	3	3	0	0	0.936 s
2	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with valid endpoint and request body with Authorization	6	6	0	0	0.656 s
3	ProgramController Module Test with Valid Data	Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.646 s
4		Check if Admin able to retrieve a program with valid program ID	6	6	0	0	0.442 s
5		Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.746 s
6		Check if Admin able to update a program with Valid program Name and request body	6	6	0	0	0.418 s
7		Check if Admin able to update a program with valid programID endpoint and valid request body	6	5	1	0	0.510 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Batch Module	Check if admin able to create a Batch with valid endpoint and request body	6	6	0	0	0.474 s


SCENARIOS SUMMARY -- 9 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Batch Module	Check if admin able to retrieve a batch with valid Batch ID	6	6	0	0	0.467 s
10		Check if admin able to retrieve a batch with valid BATCH NAME	6	6	0	0	0.475 s
11		Check if admin able to retrieve a batch with valid Program ID	6	6	0	0	0.446 s
12		Check if admin able to create a batch with missing additional fields	6	6	0	0	0.451 s
13		Check if admin able to retrieve all batches with valid LMS API	6	6	0	0	0.697 s
14		Check if admin able to retrieve all batches with search string	6	6	0	0	0.469 s
15		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	6	6	0	0	0.472 s
16	Check Post request of user controller module.	Authorized admin is able to create a new user with valid url and request body with mandatory fields.	6	6	0	0	0.722 s


#	# Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating Get request for User API's	Admin is able to get count of active and in active admins	6	6	0	0	0.424 s

SCENARIOS SUMMARY -- 11 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	Validating Get request for User API's	Admin is able to get all active users	6	6	0	0	0.467 s
19		Admin is able to assign update user role program batch	6	6	0	0	0.582 s
20		Admin is able to get admin by program batchId	6	6	0	0	0.457 s
21		Admin is able to update user roleId	6	5	1	0	0.466 s
22		Admin is able to get admin by programId	6	5	1	0	0.430 s
23		Admin is able to get admin by roleId	6	6	0	0	0.603 s
24		Admin is able to get all users	6	6	0	0	1.173 s
25		Admin is able to get all roles	6	6	0	0	0.492 s
26		Admin is able to get user by userId	6	6	0	0	1.222 s
27		Admin is able to get all users with roles	6	6	0	0	0.439 s


SCENARIOS SUMMARY -- 12 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
28	Validating Get request for User API's	Admin is able to get users by roleld V2	6	6	0	0	1.183 s
29		Admin is able to update user by userId	6	6	0	0	0.471 s
30		Admin is able to update user role status	6	6	0	0	0.452 s
31		Admin is able to update user login status	6	5	1	0	0.439 s
32	Validating user role program batch map API's	Admin is able to get all admins with assigned program batches	6	6	0	0	0.639 s
33		Admin is able to get program/batches for valid adminId	6	6	0	0	0.454 s
34	Validating Delete Request	Admin is able to delete user	6	6	0	0	0.467 s
35		Check if admin able to delete a Batch with valid Batch ID	6	6	0	0	0.446 s
36		Check if Admin able to delete a program with valid programName	6	4	1	1	0.282 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
37		Check if Admin able to delete a program with valid program <u>ID</u>	6	6	0	0	0.434 s

SCENARIOS SUMMARY -- 14 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
38	Validating Delete Request	Admin is able to delete program/batches for valid adminId	6	5	1	0	0.448 s
39	Validating user logout	Check if user able to logout with token and valid credential	6	6	0	0	0.458 s

DETAILED SECTION -- 15 --

Validating user login


PASSED	DURATION - 0.937 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 12:23:34.110 AN	M // 12:23:35.047 AM /	Pass - 1	1	Pass - 3	3
		Fail - 0	•	Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to login with token and valid credential




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.006 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.921 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s

ProgramController Module Test with Invalid Data




Check if Admin able to create a program with valid endpoint and request body with Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.005 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.302 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.068 s

ProgramController Module Test with Valid Data




Check if Admin able to retrieve all programs with valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.241 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.002 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.394 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.002 s

Check if Admin able to retrieve a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins create GET Request for LMS API	PASSED	0.001 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.168 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.004 s

Check if Admin able to retrieve all programs with valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admins create the GET Request for LMS API	PASSED	0.000 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.481 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.239 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory, additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.167 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.004 s


Check if Admin able to update a program with valid programID endpoint and valid request body




DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.002 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.226 s
6	Then Admins receives 200 OK Status with updated value in response body	FAILED	0.003 s
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <200> but was: <500> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:579) at com.api.stepdefinition.PC_PositiveStepDefinitions. admin_receives_ok_status_with_updated_id_in_response_body(PC_PositiveStepDefinitions.java:194) at ?.Admins receives 200 OK Status with updated value in response body(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/03_ProgramControllerPositive.feature:33) * Not displayable characters are replaced by '?'.		

Batch Module



Check if admin able to create a Batch with valid endpoint and request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.249 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.002 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.197 s
6	Then User receives 201 created status for batch.	PASSED	0.020 s

Check if admin able to retrieve a batch with valid Batch ID

PASSED	DURATION - 0.467 s	0.6 -		- ;					Steps		
/ 12:23:39 037	AM // 12:23:39.504 AM /								Total - 6		
7 12.20.00.001 7		0.4 -							Pass - 6	6	
Batch Module		0.2 -	!						Skip - 0	•	
@GetBatchByB	BatchId	0 -		<u> </u>	<u> </u>				Skip - U		
			1	2	3	4	5	6			


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.185 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.005 s

Check if admin able to retrieve a batch with valid BATCH NAME




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.002 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.180 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.011 s

Check if admin able to retrieve a batch with valid Program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.171 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if admin able to create a batch with missing additional fields




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.252 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.183 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.006 s

Check if admin able to retrieve all batches with valid LMS API




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.415 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

Check if admin able to retrieve all batches with search string




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with search string.	PASSED	0.004 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.196 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.002 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.177 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.021 s

Check Post request of user controller module.



Authorized admin is able to create a new user with valid url and request body with mandatory fields.




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.241 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.005 s
5	When Authorized admin send valid post api request	PASSED	0.463 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.008 s

Validating Get request for User API's


FAILED	DURATION - 9.449 s	Scenarios Total - 15		Steps Total - 90	
/ 12:23:43.311 AM	// 12:23:52.760 AM /	Pass - 12	15	Pass - 87	90
		Skip - 0		Skip - 0	

Admin is able to get count of active and in active admins




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.156 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all active users




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.199 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to assign update user role program batch




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.036 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.267 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Admin is able to get admin by program batchld



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.187 s
6	Then Users receives 200 ok.	PASSED	0.000 s


Admin is able to update user roleld



DETAILED SECTION -- 27 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body "UpdateUserRoleId"	PASSED	0.003 s
5	When Users sends https put request with updateuserroleId	PASSED	0.187 s
6	Then users receives the 200 ok.	FAILED	0.002 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(AssertEquals.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'.		

Admin is able to get admin by programId




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.164 s
6	Then Users receives 200 ok.	FAILED	0.001 s

DETAILED SECTION -- 28 --

#	Step / Hook Details	Status	Duration
	org.opentest4j.AssertionFailedError: expected: <200> but was: <404>		
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)		
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)		
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)		
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)		
	at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52)		
	at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/		
	resources/feature/06_UserController.feature:39)		
	* Not displayable characters are replaced by '?'.		


Admin is able to get admin by roleId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.350 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all users

DETAILED SECTION -- 29 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.897 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all roles

PASSED DURATION - 0.492 s	0.6							Steps		
/ 12:23:48.005 AM // 12:23:48.497 AM /							1	Total - 6		
/ 12.23.46.003 AW // 12.23.46.497 AW /	0.4		-	+			+	Pass - 6		A
Validating Get request for User API's	0.2					_		Fail - 0	6	
Tamadaning Correspondence Court in the	0.2							Skip - 0		, ,
@user	0		<u> </u>							
		1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.278 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.203 s
6	Then Users receives 200 ok.	PASSED	0.001 s


DETAILED SECTION -- 30 --

Admin is able to get user by userId

PASSED DI	URATION - 1.222 s	1 7	:	:			-	Steps	
		0.8						Total - 6	
/ 12:23:48.508 AM	// 12:23:49.730 AM /	0.6			· ·			Pass - 6	
Validating Get requ	lest for User API's	0.4 -			<u> </u>			Fail - 0	6
Vandating Get requ	2001 701 0001 711 70	0.2 -			÷		+	Skip - 0	
@user		0 -	'						
			1	2	3	4	5 6		

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getuserbyuserld"	PASSED	0.949 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all users with roles



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.176 s
6	Then Users receives 200 ok.	PASSED	0.001 s


DETAILED SECTION -- 31 --

Admin is able to get users by roleld V2

PASSED D	OURATION - 1.183 s	1 7			!		_ : 1	Steps	
		0.8			÷			Total - 6	
/ 12:23:50.190 AM	1 // 12:23:51.373 AM /	0.6			÷			Pass - 6	
Validating Get regu	uest for User API's	0.4 -				-		Fail - 0	6
Validating Set requ	destroi osei Ai 13	0.2 -			-			Skip - 0	
@user		0 -			<u> </u>	<u> </u>			
			1	2	3	4	5 6		

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.905 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to update user by userId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.277 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates request with valid response body "UpdateUser"	PASSED	0.007 s
5	When Users sends https put request with updateuser	PASSED	0.180 s
6	Then users receives the 200 ok.	PASSED	0.001 s


DETAILED SECTION -- 32 --

Admin is able to update user role status

PASSED DURATION - 0.452 s	0.6 -				;			Steps		
/ 12:23:51.859 AM // 12:23:52.311 AM /								Total - 6		
/ 12.23.31.039 AW // 12.23.32.311 AW /	0.4 -			- +			+	Pass - 6		
Validating Get request for User API's	0.2 -					- <u></u>		Fail - 0	6	
								Skip - 0		
@updateuser @user	0 -									
		1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates request with valid response body "UpdateUserRoleStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserrolestatus	PASSED	0.182 s
6	Then users receives the 200 ok.	PASSED	0.001 s

Admin is able to update user login status



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.250 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates request with valid response body "UpdateUserLoginStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserloginstatus	PASSED	0.180 s
6	Then users receives the 200 ok.	FAILED	0.001 s


DETAILED SECTION -- 33 --

#	Step / Hook Details	Status	Duration
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400>		
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)		
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)		
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)		
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)		
	at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:98)		
	at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/		
	resources/feature/06_UserController.feature:88)		
	* Not displayable characters are replaced by '?'.		

Validating user role program batch map API's

Scenarios		Steps	
Total - 2		Total - 12	
Pass - 2	2	Pass - 12	12
Fail - 0		Fail - 0	12
Skip - 0		Skip - 0	
	Total - 2 Pass - 2 Fail - 0	Total - 2 Pass - 2 Fail - 0	Total - 2 Pass - 2 Fail - 0 Total - 12 Pass - 12 Fail - 0


Admin is able to get all admins with assigned program batches



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
5	When Users sends https request with "getassignedprogrambatchifalluser"	PASSED	0.365 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get program/batches for valid adminId




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getassignedprogrambatchbyuserId	PASSED	0.175 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Validating Delete Request



Admin is able to delete user

DETAILED SECTION -- 35 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates delete request	PASSED	0.001 s
5	When Users sends delete request with deleteuser	PASSED	0.196 s
6	Then Userss receives 200 ok.	PASSED	0.001 s


Check if admin able to delete a Batch with valid Batch ID

PASSED DURATION - 0.446 s	0.6							Steps		
/12:22:E4 260 AM // 12:22:E4 206 AM /				1	1	1	1	Total - 6		
/ 12:23:54.360 AM // 12:23:54.806 AM /	0.4		-	+			+	Pass - 6		
Validating Delete Request	0.2		<u> </u>			<u></u>		Fail - 0	6	
								Skip - 0		
@DeleteBatchwithValidBatchId	0									
		1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.252 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates DELETE Request with valid BatchId.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint for batch.	PASSED	0.183 s
6	Then Admin receives 200 Ok status with message.	PASSED	0.001 s

DETAILED SECTION -- 36 --


Check if Admin able to delete a program with valid programName



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
5	When Admins has sends HTTPS Request with endpoint	FAILED	0.003 s
	java.lang.lllegalArgumentException: Unnamed path parameter cannot be null (path parameter at index 0 is null) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructor.invoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1657) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaClassImpl.dolnvokeMethod(MetaClassImpl.java:1089) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1089) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1098) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1098) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1098) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1098) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1098) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1098) at groovy.lang.MetaClassImpl.invokeM		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710)		
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1334)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1089)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1008)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:791)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy:184)		
	at io.restassured.internal.RequestSpecificationImpl.delete(RequestSpecificationImpl.groovy)		
	at com.api.stepdefinition.PC_PositiveStepDefinitions.admin_has_sends_https_request_with_endpoint(PC_PositiveStepDefinitions.java:210)		
	at ?.Admins has sends HTTPS Request with endpoint(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/		
	Team03_APIAutomators_March2024/src/test/resources/feature/Delete.feature:24)		
	* Not displayable characters are replaced by '?'.		
6	Then Admins receives 200 Ok status with message	SKIPPED	0.000 s

Check if Admin able to delete a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s

DETAILED SECTION -- 38 --

#	Step / Hook Details	Status	Duration
4	Given Admins creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
5	When Admins send HTTPS Request with endpoint.	PASSED	0.172 s
6	Then Admins receive 200 Ok status with message	PASSED	0.000 s

Admin is able to delete program/batches for valid adminId




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates delete request	PASSED	0.001 s
5	When Users sends delete request with deleteassignedprogrambatchbyuserld	PASSED	0.177 s
6	Then Userss receives 200 ok.	FAILED	0.001 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_DeleteUser.userss_receives_ok(UC_DeleteUser.java:54) at ?.Userss receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/Delete.feature:37) * Not displayable characters are replaced by '?'.		

Validating user logout

PASSED	DURATION - 0.459 s	Scenarios Total - 1		Steps Total - 6	
/ 12:23:56.007 AM // .	12:23:56.466 AM /	Pass - 1	1	Pass - 6	6
		Fail - 0 Skip - 0		Fail - 0 Skip - 0	

Check if user able to logout with token and valid credential



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given user creates GET request with valid emailid and password	PASSED	0.001 s
5	When user calls GET Http request with valid endpoint	PASSED	0.182 s
6	Then user receives 200 status.	PASSED	0.001 s