

# Cucumber Report

Apr 1, 2024, 2:21:05 PM

Start : Apr 01, 2:20:49.625 PM

End : Apr 01, 2:21:05.082 PM

Duration : 15.457 s

Features




Scenarios

Steps

PASSED - 5  
FAILED - 1  
SKIPPED - 0

PASSED - 25  
FAILED - 2  
SKIPPED - 0


PASSED - 157  
FAILED - 2  
SKIPPED - 0



| Feature  |          | Scenario |   |   |   | Step |    |   |   |
|--|----------|----------|---|---|---|------|----|---|---|
| Name   | Duration | T        | P | F | S | T    | P  | F | S |
| <u>Validating user login</u>                           | 0.888 s  | 1        | 1 | 0 | 0 | 3    | 3  | 0 | 0 |
| <u>ProgramController Module Test with Invalid Data</u> | 0.610 s  | 1        | 1 | 0 | 0 | 6    | 6  | 0 | 0 |
| <u>ProgramController Module Test with Valid Data</u>   | 2.563 s  | 5        | 5 | 0 | 0 | 30   | 30 | 0 | 0 |
| <u>Batch Module</u>                                    | 3.964 s  | 8        | 8 | 0 | 0 | 48   | 48 | 0 | 0 |
| <u>Check Post request of user controller module.</u>   | 0.750 s  | 1        | 1 | 0 | 0 | 6    | 6  | 0 | 0 |
| <u>Validating Get request for User API's</u>           | 6.614 s  | 11       | 9 | 2 | 0 | 66   | 64 | 2 | 0 |

| # | Feature Name                                 | Scenario Name   |
|---|--|---|
| 1 | <u>Validating Get request for User API's</u> | <u>Admin is able to assign update user role program batch</u> |
| 2 |  | <u>Admin is able to get admin by programId</u>                |

| <b>TAG</b>                 | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |
|----------------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| <b>Name</b>                | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>       | <b>P</b> | <b>F</b> | <b>S</b> |
| @login-Valid               | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @login                     | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @CreateNewBatch            | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @GetBatchByBatchId         | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @GetBatchbyBatchName       | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @GetBatchByValidPgmlId     | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @CreateBatchMandatoryField | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @GetAllBatches             | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @GetAllBatchesSearchString | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @UpdateBatchValid          | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @01UserModule-PostValid    | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @UserModule                | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @user                      | 11              | 9        | 2        | 0        | 1              | 0        | 1        | 0        |
| @updateuser                | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |



| # | Feature Name   | T  | P | F | S | Duration |
|---|--|----|---|---|---|----------|
| 1 | <u>Validating user login</u>                           | 1  | 1 | 0 | 0 | 0.888 s  |
| 2 | <u>ProgramController Module Test with Invalid Data</u> | 1  | 1 | 0 | 0 | 0.610 s  |
| 3 | <u>ProgramController Module Test with Valid Data</u>   | 5  | 5 | 0 | 0 | 2.563 s  |
| 4 | <u>Batch Module</u>                                    | 8  | 8 | 0 | 0 | 3.964 s  |
| 5 | <u>Check Post request of user controller module.</u>   | 1  | 1 | 0 | 0 | 0.750 s  |
| 6 | <u>Validating Get request for User API's</u>           | 11 | 9 | 2 | 0 | 6.614 s  |



| # | Feature Name   | Scenario Name  | T | P | F | S | Duration |
|---|--|--|---|---|---|---|----------|
| 1 | <u>Validating user login</u>                           | <u>Check if user able to login with token and valid credential</u>                                     | 3 | 3 | 0 | 0 | 0.887 s  |
| 2 | <u>ProgramController Module Test with Invalid Data</u> | <u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u> | 6 | 6 | 0 | 0 | 0.610 s  |
| 3 | <u>ProgramController Module Test with Valid Data</u>   | <u>Check if Admin able to retrieve all programs with valid Endpoint</u>                                | 6 | 6 | 0 | 0 | 0.590 s  |
| 4 |  | <u>Check if Admin able to retrieve a program with valid program ID</u>                                 | 6 | 6 | 0 | 0 | 0.456 s  |
| 5 |  | <u>Check if Admin able to retrieve all programs with valid Endpoint</u>                                | 6 | 6 | 0 | 0 | 0.601 s  |
| 6 |  | <u>Check if Admin able to update a program with Valid program Name and request body</u>                | 6 | 6 | 0 | 0 | 0.446 s  |
| 7 |  | <u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>    | 6 | 6 | 0 | 0 | 0.446 s  |


| # | Feature Name        | Scenario Name   | T | P | F | S | Duration |
|---|---------------------|---|---|---|---|---|----------|
| 8 | <u>Batch Module</u> | <u>Check if admin able to create a Batch with valid endpoint and request body</u> | 6 | 6 | 0 | 0 | 0.460 s  |



| #  | Feature Name   | Scenario Name   | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 9  | <u>Batch Module</u>                                  | <u>Check if admin able to retrieve a batch with valid Batch ID</u>  | 6 | 6 | 0 | 0 | 0.428 s  |
| 10 |  | <u>Check if admin able to retrieve a batch with valid BATCH NAME</u>  | 6 | 6 | 0 | 0 | 0.450 s  |
| 11 |  | <u>Check if admin able to retrieve a batch with valid Program ID</u>  | 6 | 6 | 0 | 0 | 0.596 s  |
| 12 |  | <u>Check if admin able to create a batch with missing additional fields</u>                                 | 6 | 6 | 0 | 0 | 0.453 s  |
| 13 |  | <u>Check if admin able to retrieve all batches with valid LMS API</u>                                       | 6 | 6 | 0 | 0 | 0.628 s  |
| 14 |  | <u>Check if admin able to retrieve all batches with search string</u>                                       | 6 | 6 | 0 | 0 | 0.454 s  |
| 15 |  | <u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>        | 6 | 6 | 0 | 0 | 0.445 s  |
| 16 | <u>Check Post request of user controller module.</u> | <u>Authorized admin is able to create a new user with valid url and request body with mandatory fields.</u> | 6 | 6 | 0 | 0 | 0.750 s  |





| #  | Feature Name                                 | Scenario Name  | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 17 | <u>Validating Get request for User API's</u> | <u>Admin is able to get count of active and in active admins</u> | 6 | 6 | 0 | 0 | 0.429 s  |





| #  | Feature Name                                 | Scenario Name   | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 18 | <u>Validating Get request for User API's</u> | <u>Admin is able to get all active users</u>                  | 6 | 6 | 0 | 0 | 0.473 s  |
| 19 |  | <u>Admin is able to assign update user role program batch</u> | 6 | 5 | 1 | 0 | 0.459 s  |
| 20 |  | <u>Admin is able to get admin by program batchId</u>          | 6 | 6 | 0 | 0 | 0.453 s  |
| 21 |  | <u>Admin is able to get admin by programId</u>                | 6 | 5 | 1 | 0 | 0.456 s  |
| 22 |  | <u>Admin is able to get admin by roleId</u>                   | 6 | 6 | 0 | 0 | 0.577 s  |
| 23 |  | <u>Admin is able to get all users</u>                         | 6 | 6 | 0 | 0 | 0.947 s  |
| 24 |  | <u>Admin is able to get all roles</u>                         | 6 | 6 | 0 | 0 | 0.465 s  |
| 25 |  | <u>Admin is able to get user by userId</u>                    | 6 | 6 | 0 | 0 | 0.927 s  |
| 26 |  | <u>Admin is able to get all users with roles</u>              | 6 | 6 | 0 | 0 | 0.435 s  |
| 27 |  | <u>Admin is able to get users by roleId V2</u>                | 6 | 6 | 0 | 0 | 0.892 s  |

## Validating user login



|                                      |                    |           |   |           |   |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| <b>PASSED</b>                        | DURATION - 0.888 s | Scenarios |  | Steps     |  |
| / 2:20:49.625 PM // 2:20:50.513 PM / |                    | Total - 1 |   | Total - 3 |   |
|                                      |                    | Pass - 1  |   | Pass - 3  |   |
|                                      |                    | Fail - 0  |   | Fail - 0  |   |
|                                      |                    | Skip - 0  |   | Skip - 0  |   |

## Check if user able to login with token and valid credential


|   |   |           |  |
|---|---|-----------|--|
| <div>PASSED</div> <div>DURATION - 0.887 s</div> | <div></div> | Steps     | <div></div> |
| / 2:20:49.626 PM // 2:20:50.513 PM /            |   | Total - 3 |  |
| Validating user login                           |   | Pass - 3  |  |
| @login-Valid @login                             |   | Fail - 0  |  |
|   |   | Skip - 0  |  |

| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.006 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.869 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s  |

## ProgramController Module Test with Invalid Data


|                                      |                    |           |   |           |   |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| <b>PASSED</b>                        | DURATION - 0.610 s | Scenarios |  | Steps     |  |
| / 2:20:50.546 PM // 2:20:51.156 PM / |                    | Total - 1 |   | Total - 6 |   |
|                                      |                    | Pass - 1  |   | Pass - 6  |   |
|                                      |                    | Fail - 0  |   | Fail - 0  |   |
|                                      |                    | Skip - 0  |   | Skip - 0  |   |

## Check if Admin able to create a program with valid endpoint and request body with Authorization




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials              | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint          | PASSED | 0.253 s  |
| 3 | Then Admin receives 200 created with auto generated token       | PASSED | 0.004 s  |
| 4 | Given Admins creates POST Request for the LMS with request body | PASSED | 0.004 s  |
| 5 | When Admins sends HTTPS Request and request Body with endpoint  | PASSED | 0.266 s  |
| 6 | Then Admins receives 201 Created Status with response body      | PASSED | 0.080 s  |

### ProgramController Module Test with Valid Data





### Check if Admin able to retrieve all programs with valid Endpoint





| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.258 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s  |
| 4 | Given Admins creates GET Request for the LMS API          | PASSED | 0.002 s  |
| 5 | When Admins sends HTTPS Request with endpoint             | PASSED | 0.322 s  |
| 6 | Then Admins receives 200 OK Status with response body.    | PASSED | 0.001 s  |

### Check if Admin able to retrieve a program with valid program ID

|   |                    |  |  |   |
|---|--------------------|--|--|---|
| PASSED  | DURATION - 0.456 s |  | Steps<br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 2:20:51.762 PM // 2:20:52.218 PM /          |                    |  |  |   |
| ProgramController Module Test with Valid Data |                    |  |  |   |
|   |                    |  |  |   |



| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.261 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s  |
| 4 | Given Admins create GET Request for LMS API               | PASSED | 0.001 s  |
| 5 | When Admins send HTTPS Request with the endpoint          | PASSED | 0.179 s  |
| 6 | Then Admins receives 200 OK Status with response body     | PASSED | 0.003 s  |

### Check if Admin able to retrieve all programs with valid Endpoint

|   |                    |  |  |   |
|---|--------------------|--|--|---|
| PASSED  | DURATION - 0.601 s |  | Steps<br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 2:20:52.224 PM // 2:20:52.825 PM /          |                    |  |  |   |
| ProgramController Module Test with Valid Data |                    |  |  |   |
|   |                    |  |  |   |



| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.258 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s  |
| 4 | Given Admins create the GET Request for LMS API           | PASSED | 0.002 s  |
| 5 | When Admins sends the HTTPS Request with endpoint         | PASSED | 0.333 s  |
| 6 | Then Admins receive 200 OK Status with the response body  | PASSED | 0.001 s  |

### Check if Admin able to update a program with Valid program Name and request body

|   |                    |  |  |   |
|---|--------------------|--|--|---|
| PASSED  | DURATION - 0.446 s |  | Steps<br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 2:20:52.831 PM // 2:20:53.277 PM /          |                    |  |  |   |
| ProgramController Module Test with Valid Data |                    |  |  |   |
|   |                    |  |  |   |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials  | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint  | PASSED | 0.257 s  |
| 3 | Then Admin receives 200 created with auto generated token   | PASSED | 0.005 s  |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory , additional fields. | PASSED | 0.001 s  |
| 5 | When Admins sends HTTPS Request with the valid endpoint   | PASSED | 0.177 s  |
| 6 | Then Admins receives 200 OK Status with updated value in response body.   | PASSED | 0.003 s  |

### Check if Admin able to update a program with valid programID endpoint and valid request body



|   |                    |  |  |   |
|---|--------------------|--|--|---|
| PASSED  | DURATION - 0.446 s |  | Steps<br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 2:20:53.283 PM // 2:20:53.729 PM /          |                    |  |  |   |
| ProgramController Module Test with Valid Data |                    |  |  |   |
|   |                    |  |  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials   | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint   | PASSED | 0.252 s  |
| 3 | Then Admin receives 200 created with auto generated token  | PASSED | 0.007 s  |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields | PASSED | 0.001 s  |
| 5 | When Admins sends HTTPS Request with valid endpoint  | PASSED | 0.181 s  |
| 6 | Then Admins receives 200 OK Status with updated value in response body   | PASSED | 0.003 s  |

## Batch Module


|                                      |                    |  |   |  |   |
|--------------------------------------|--------------------|--|---|--|---|
| PASSED                               | DURATION - 3.964 s | Scenarios<br>Total - 8<br>Pass - 8<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 48<br>Pass - 48<br>Fail - 0<br>Skip - 0 |  |
| / 2:20:53.735 PM // 2:20:57.699 PM / |                    |  |   |  |   |

## Check if admin able to create a Batch with valid endpoint and request body

|                                      |                    |   |  |  |
|--------------------------------------|--------------------|---|--|--|
| PASSED                               | DURATION - 0.460 s |  | Steps<br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 2:20:53.735 PM // 2:20:54.195 PM / |                    |   |  |  |
| Batch Module                         |                    |   |  |  |
| @CreateNewBatch                      |                    |   |  |  |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials  | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint  | PASSED | 0.261 s  |
| 3 | Then Admin receives 200 created with auto generated token   | PASSED | 0.004 s  |
| 4 | Given User creates request for the LMS API endpoint "Create New Batch".                             | PASSED | 0.002 s  |
| 5 | When User sends HTTPS post request for batch and request body with mandatory and additional fields. | PASSED | 0.181 s  |
| 6 | Then User receives 201 created status for batch.  | PASSED | 0.012 s  |

## Check if admin able to retrieve a batch with valid Batch ID



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials              | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint          | PASSED | 0.240 s  |
| 3 | Then Admin receives 200 created with auto generated token       | PASSED | 0.006 s  |
| 4 | Given Admin creates GET Request with valid Batch ID.            | PASSED | 0.001 s  |
| 5 | When Admin sends HTTPS get Request with endpoint.               | PASSED | 0.177 s  |
| 6 | Then Admin receives 200 OK Status with response body for batch. | PASSED | 0.004 s  |



### Check if admin able to retrieve a batch with valid BATCH NAME



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials                  | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint              | PASSED | 0.256 s  |
| 3 | Then Admin receives 200 created with auto generated token           | PASSED | 0.007 s  |
| 4 | Given Admin creates GET Request with valid Batch Name.              | PASSED | 0.001 s  |
| 5 | When Admin sends HTTPS Request with endpoint batchName.             | PASSED | 0.179 s  |
| 6 | Then Admin receives 200 OK Status with the response body for batch. | PASSED | 0.006 s  |





### Check if admin able to retrieve a batch with valid Program ID

|   |  |   |   |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 0.596 s</div> |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 2:20:55.087 PM // 2:20:55.683 PM /</div> |  |   |   |
| <div>Batch Module</div>                         |  |   |   |
| <div>@GetBatchByValidPgmlId</div>               |  |   |   |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials              | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint          | PASSED | 0.247 s  |
| 3 | Then Admin receives 200 created with auto generated token       | PASSED | 0.005 s  |
| 4 | Given Admin creates GET Request with the program id.            | PASSED | 0.001 s  |
| 5 | When Admin sends HTTPS Request with the endpoint for programId. | PASSED | 0.339 s  |
| 6 | Then Admin receives 200 OK Status with response body.           | PASSED | 0.002 s  |

### Check if admin able to create a batch with missing additional fields

|   |                               |  |   |   |
|---|-------------------------------|--|---|---|
| <div>PASSED</div>                               | <div>DURATION - 0.453 s</div> | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 2:20:55.695 PM // 2:20:56.148 PM /</div> |                               |  |   |   |
| <div>Batch Module</div>                         |                               |  |   |   |
| <div>@CreateBatchMandatoryField</div>           |                               |  |   |   |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials  | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint  | PASSED | 0.265 s  |
| 3 | Then Admin receives 200 created with auto generated token                                       | PASSED | 0.007 s  |
| 4 | Given Admin creates POST Request with missing additional fields Create New Batch Missing Field. | PASSED | 0.001 s  |
| 5 | When Admin sends HTTPS Request with endpoint.   | PASSED | 0.173 s  |
| 6 | Then Admin receives 201 Created Status with response body.                                      | PASSED | 0.004 s  |

### Check if admin able to retrieve all batches with valid LMS API




| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.283 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s  |
| 4 | Given Admin creates GET Request.                          | PASSED | 0.001 s  |
| 5 | When Admin sends "HTTPS Request" with endpoint.           | PASSED | 0.331 s  |
| 6 | Then Admin receives 200 OK Status with response body.     | PASSED | 0.002 s  |

### Check if admin able to retrieve all batches with search string




| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.263 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s  |
| 4 | Given Admin creates GET Request with search string.       | PASSED | 0.004 s  |
| 5 | When Admin sends "HTTPS Request" with endpoint.           | PASSED | 0.175 s  |
| 6 | Then Admin receives 200 Ok status with response body.     | PASSED | 0.001 s  |

### Check if admin able to update a Batch with valid batchID and mandatory fields in request body




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials                              | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint                          | PASSED | 0.246 s  |
| 3 | Then Admin receives 200 created with auto generated token                       | PASSED | 0.004 s  |
| 4 | Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data. | PASSED | 0.001 s  |
| 5 | When Admin sends HTTPS Request with update endpoint.                            | PASSED | 0.174 s  |
| 6 | Then Admin receives 200 OK Status with updated value in response body.          | PASSED | 0.018 s  |

### Check Post request of user controller module.





### Authorized admin is able to create a new user with valid url and request body with mandatory fields.





| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials                   | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint               | PASSED | 0.262 s  |
| 3 | Then Admin receives 200 created with auto generated token            | PASSED | 0.009 s  |
| 4 | Given Authorized Admin creates POST request with valid request body. | PASSED | 0.004 s  |
| 5 | When Authorized admin send valid post api request                    | PASSED | 0.467 s  |
| 6 | Then Authorized admin receive 201 status with response body          | PASSED | 0.006 s  |

### Validating Get request for User API's


|                                      |                    |            |   |            |   |
|--------------------------------------|--------------------|------------|---|------------|---|
| <b>FAILED</b>                        | DURATION - 6.614 s | Scenarios  |  | Steps      |  |
| / 2:20:58.468 PM // 2:21:05.082 PM / |                    | Total - 11 |   | Total - 66 |   |
|                                      |                    | Pass - 9   |   | Pass - 64  |   |
|                                      |                    | Fail - 2   |   | Fail - 2   |   |
|                                      |                    | Skip - 0   |   | Skip - 0   |   |

### Admin is able to get count of active and in active admins

|                                       |                               |   |           |  |
|---------------------------------------|-------------------------------|---|-----------|--|
| <div>PASSED</div>                     | <div>DURATION - 0.429 s</div> |  | Steps     |  |
| / 2:20:58.468 PM // 2:20:58.897 PM /  |                               |   | Total - 6 |  |
| Validating Get request for User API's |                               |   | Pass - 6  |  |
| @user                                 |                               |   | Fail - 0  |  |
|                                       |                               |   | Skip - 0  |  |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials                | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint            | PASSED | 0.256 s  |
| 3 | Then Admin receives 200 created with auto generated token         | PASSED | 0.005 s  |
| 4 | Given Users creates Get user request                              | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getcountofactiveandinactive" | PASSED | 0.164 s  |
| 6 | Then Users receives 200 ok.                                       | PASSED | 0.000 s  |

### Admin is able to get all active users



| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.274 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getallactiveusers"   | PASSED | 0.187 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.000 s  |



### Admin is able to assign update user role program batch



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials                         | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint                     | PASSED | 0.258 s  |
| 3 | Then Admin receives 200 created with auto generated token                  | PASSED | 0.008 s  |
| 4 | Given Users creates request with valid response body UserRoleProgramBatch. | PASSED | 0.002 s  |
| 5 | When Users sends https put request with assignupdateuserroleprogrambatch   | PASSED | 0.177 s  |
| 6 | Then Users receives the 200 ok.  | FAILED | 0.009 s  |
|   | org.opentest4j.AssertionFailedError: expected: <200> but was: <400>        |        |          |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre>at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:74) at ?.Users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ resources/feature/06_UserController.feature:24) * Not displayable characters are replaced by '?'. </pre> |        |          |

### Admin is able to get admin by program batchId

|  |  |   |   |
|--|--|---|---|
| <div>PASSED</div> <div>DURATION - 0.453 s</div>  |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 2:20:59.857 PM // 2:21:00.310 PM /</div>  |  |   |   |
| <div>Validating Get request for User API's</div> |  |   |   |
| <div>@user</div>                                 |  |   |   |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials           | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint       | PASSED | 0.266 s  |
| 3 | Then Admin receives 200 created with auto generated token    | PASSED | 0.011 s  |
| 4 | Given Users creates Get user request                         | PASSED | 0.000 s  |
| 5 | When Users sends https request with getadminbyprogrambatchId | PASSED | 0.172 s  |
| 6 | Then Users receives 200 ok.                                  | PASSED | 0.000 s  |

### Admin is able to get admin by programId

|                                       |                    |  |   |   |
|---------------------------------------|--------------------|--|---|---|
| <b>FAILED</b>                         | DURATION - 0.456 s |  | <b>Steps</b><br>Total - 6<br>Pass - 5<br>Fail - 1<br>Skip - 0 |  |
| / 2:21:00.317 PM // 2:21:00.773 PM /  |                    |  |   |   |
| Validating Get request for User API's |                    |  |   |   |
| @user                                 |                    |  |   |   |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials   | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint   | PASSED | 0.268 s  |
| 3 | Then Admin receives 200 created with auto generated token  | PASSED | 0.007 s  |
| 4 | Given Users creates Get user request   | PASSED | 0.001 s  |
| 5 | When Users sends https request with getadminbyprogramId  | PASSED | 0.174 s  |
| 6 | Then Users receives 200 ok.<br><br>org.opentest4j.AssertionFailedError: expected: <200> but was: <404><br>at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)<br>at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)<br>at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)<br>at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)<br>at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177)<br>at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545)<br>at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52)<br>at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34)<br>* Not displayable characters are replaced by '?'.<br><br> | FAILED | 0.002 s  |

### Admin is able to get admin by roleId

|                                       |                    |  |   |   |
|---------------------------------------|--------------------|--|---|---|
| <b>PASSED</b>                         | DURATION - 0.577 s |  | <b>Steps</b><br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 2:21:00.785 PM // 2:21:01.362 PM /  |                    |  |   |   |
| Validating Get request for User API's |                    |  |   |   |
| @user                                 |                    |  |   |   |



| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.247 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getadminbyroleId"    | PASSED | 0.318 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.000 s  |

### Admin is able to get all users

|                                       |                    |  |  |   |
|---------------------------------------|--------------------|--|--|---|
| PASSED                                | DURATION - 0.947 s |  | Steps<br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 2:21:01.375 PM // 2:21:02.322 PM /  |                    |  |  |   |
| Validating Get request for User API's |                    |  |  |   |
| @user                                 |                    |  |  |   |

| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.269 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getallusers"         | PASSED | 0.664 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.000 s  |



### Admin is able to get all roles

|                                       |                    |  |  |   |
|---------------------------------------|--------------------|--|--|---|
| PASSED                                | DURATION - 0.465 s |  | Steps<br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 2:21:02.334 PM // 2:21:02.799 PM /  |                    |  |  |   |
| Validating Get request for User API's |                    |  |  |   |
| @user                                 |                    |  |  |   |





| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.263 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.000 s  |
| 5 | When Users sends https request with "getallroles"         | PASSED | 0.190 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.000 s  |

### Admin is able to get user by userId

|                                       |                    |  |  |   |
|---------------------------------------|--------------------|--|--|---|
| PASSED                                | DURATION - 0.927 s |  | Steps<br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 2:21:02.811 PM // 2:21:03.738 PM /  |                    |  |  |   |
| Validating Get request for User API's |                    |  |  |   |
| @user                                 |                    |  |  |   |



| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.001 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.252 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getuserbyuserId"     | PASSED | 0.665 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.001 s  |

### Admin is able to get all users with roles

|                                       |                    |  |  |   |
|---------------------------------------|--------------------|--|--|---|
| PASSED                                | DURATION - 0.435 s |  | Steps<br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 2:21:03.749 PM // 2:21:04.184 PM /  |                    |  |  |   |
| Validating Get request for User API's |                    |  |  |   |
| @user                                 |                    |  |  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials         | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint     | PASSED | 0.261 s  |
| 3 | Then Admin receives 200 created with auto generated token  | PASSED | 0.004 s  |
| 4 | Given Users creates Get user request                       | PASSED | 0.001 s  |
| 5 | When Users sends https request with "getalluserswithroles" | PASSED | 0.168 s  |
| 6 | Then Users receives 200 ok.                                | PASSED | 0.000 s  |

### Admin is able to get users by roleId V2

|                                       |                    |  |   |   |
|---------------------------------------|--------------------|--|---|---|
| PASSED                                | DURATION - 0.892 s |  | <b>Steps</b><br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 2:21:04.190 PM // 2:21:05.082 PM /  |                    |  |   |   |
| Validating Get request for User API's |                    |  |   |   |
| @user                                 |                    |  |   |   |

| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials        | PASSED | 0.000 s  |
| 2 | When Admin calls Post Https method with valid endpoint    | PASSED | 0.238 s  |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s  |
| 4 | Given Users creates Get user request                      | PASSED | 0.000 s  |
| 5 | When Users sends https request with "getusersbyroleIdV2"  | PASSED | 0.644 s  |
| 6 | Then Users receives 200 ok.                               | PASSED | 0.001 s  |