


Feature			Scei	nario			St	Step		
Name	Duration	T	P	F	S	T	P	F	S	
Validating user login	0.926 s	1	1	0	0	3	3	0	0	
ProgramController Module Test with Invalid Data	0.643 s	1	1	0	0	6	6	0	0	
ProgramController Module Test with Valid Data	2.547 s	5	5	0	0	30	30	0	0	
Batch Module	3.890 s	8	8	0	0	48	48	0	0	
Check Post request of user controller module.	0.878 s	1	1	0	0	6	6	0	0	
Validating Get request for User API's	6.234 s	11	6	5	0	66	61	5	0	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Validating Get request for User API's	Admin is able to assign update user role program batch
2		Admin is able to get admin by program batchId
3		Admin is able to get admin by programId
4		Admin is able to get admin by roleId
5		Admin is able to get user by userId


TAG		Scei	nario			Feature				
Name	T	P	F	S	T	P	F	S		
@login-Valid	1	1	0	0	1	1	0	0		
@login	1	1	0	0	1	1	0	0		
@CreateNewBatch	1	1	0	0	1	1	0	0		
@GetBatchByBatchId	1	1	0	0	1	1	0	0		
@GetBatchbyBatchName	1	1	0	0	1	1	0	0		
@GetBatchByValidPgmId	1	1	0	0	1	1	0	0		
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0		
@GetAllBatches	1	1	0	0	1	1	0	0		
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0		
@UpdateBatchValid	1	1	0	0	1	1	0	0		
@01UserModule-PostValid	1	1	0	0	1	1	0	0		
@UserModule	1	1	0	0	1	1	0	0		
@user	11	6	5	0	1	0	1	0		
@updateuser	1	0	1	0	1	0	1	0		

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>Validating user login</u>	1	1	0	0	0.926 s
2	ProgramController Module Test with Invalid Data	1	1	0	0	0.643 s
3	ProgramController Module Test with Valid Data	5	5	0	0	2.547 s
4	Batch Module	8	8	0	0	3.890 s
5	Check Post request of user controller module.	1	1	0	0	0.878 s
6	Validating Get request for User API's	11	6	5	0	6.234 s


SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating user login	Check if user able to login with token and valid credential	3	3	0	0	0.926 s
2	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with valid endpoint and request body with Authorization	6	6	0	0	0.643 s
3	ProgramController Module Test with Valid Data	Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.584 s
4		Check if Admin able to retrieve a program with valid program ID	6	6	0	0	0.448 s
5		Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.614 s
6		Check if Admin able to update a program with Valid program Name and request body	6	6	0	0	0.432 s
7		Check if Admin able to update a program with valid programID endpoint and valid request body	6	6	0	0	0.438 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Batch Module	Check if admin able to create a Batch with valid endpoint	6	6	0	0	0.458 s
		and request body					


SCENARIOS SUMMARY -- 8 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Batch Module	Check if admin able to retrieve a batch with valid Batch ID	6	6	0	0	0.485 s
10		Check if admin able to retrieve a batch with valid BATCH NAME	6	6	0	0	0.476 s
11		Check if admin able to retrieve a batch with valid Program ID	6	6	0	0	0.448 s
12		Check if admin able to create a batch with missing additional fields	6	6	0	0	0.478 s
13		Check if admin able to retrieve all batches with valid LMS API	6	6	0	0	0.598 s
14		Check if admin able to retrieve all batches with search string	6	6	0	0	0.465 s
15		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	6	6	0	0	0.434 s
16	Check Post request of user controller module.	Authorized admin is able to create a new user with valid url and request body with mandatory fields.	6	6	0	0	0.878 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17	Validating Get request for User API's	Admin is able to get count of active and in active admins	6	6	0	0	0.452 s

SCENARIOS SUMMARY -- 10 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	Validating Get request for User API's	Admin is able to get all active users	6	6	0	0	0.465 s
19		Admin is able to assign update user role program batch	6	5	1	0	0.472 s
20		Admin is able to get admin by program batchId	6	5	1	0	0.441 s
21		Admin is able to get admin by programId	6	5	1	0	0.450 s
22		Admin is able to get admin by roleId	6	5	1	0	0.582 s
23		Admin is able to get all users	6	6	0	0	0.924 s
24		Admin is able to get all roles	6	6	0	0	0.450 s
25		Admin is able to get user by userId	6	5	1	0	0.446 s
26		Admin is able to get all users with roles	6	6	0	0	0.433 s
27		Admin is able to get users by roleId V2	6	6	0	0	1.004 s

DETAILED SECTION -- 11 --

Validating user login


PASSED	DURATION - 0.926 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 1:23:53.289 P	PM // 1:23:54.215 PM /	Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to login with token and valid credential




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.005 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.908 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s

ProgramController Module Test with Invalid Data



Check if Admin able to create a program with valid endpoint and request body with Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.005 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.287 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.079 s

ProgramController Module Test with Valid Data


PASSED	DURATION - 2.547 s	Scenarios		Steps	
		Total - 5		Total - 30	
/ 1:23:54.901 PI	M // 1:23:57.448 PM /	Pass - 5	5	Pass - 30	30
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to retrieve all programs with valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.324 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create GET Request for LMS API	PASSED	0.002 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.178 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.004 s

Check if Admin able to retrieve all programs with valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.276 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.328 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory, additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.161 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.003 s


Check if Admin able to update a program with valid programID endpoint and valid request body




DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 created with auto generated token		0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields		0.001 s
5	When Admins sends HTTPS Request with valid endpoint		0.178 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.005 s

Batch Module




Check if admin able to create a Batch with valid endpoint and request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.003 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.169 s
6	Then User receives 201 created status for batch.	PASSED	0.013 s

DETAILED SECTION -- 16 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.286 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.184 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.005 s


Check if admin able to retrieve a batch with valid BATCH NAME



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.275 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.176 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.014 s


DETAILED SECTION -- 17 --

Check if admin able to retrieve a batch with valid Program ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.180 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if admin able to create a batch with missing additional fields



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.281 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.182 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.004 s


DETAILED SECTION -- 18 --

Check if admin able to retrieve all batches with valid LMS API

PASSED DURATION - 0.598 s	0.6 -						Steps		
/ 1:23:59.834 PM // 1:24:00.432 PM /		1 1		1			Total - 6		
/ 1.23.39.834 PW // 1.24.00.432 PW /	0.4	-				- +	Pass - 6		
Batch Module	0.2							6	
					•		Skip - 0		
@GetAllBatches	0 -1	_'							^
		1 2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.319 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if admin able to retrieve all batches with search string



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with search string.	PASSED	0.003 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.182 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body


PASSED DURATION - 0.434 s	0.6	 	·	 		Steps		
/ 1:24:00.915 PM // 1:24:01.349 PM /	0.4	 				Total - 6 Pass - 6		
Batch Module	0.2	 	! 	 <u> </u>	<u> </u>	Fail - 0 Skip - 0	6	
@UpdateBatchValid	0 -	 	1	 <u> </u>	-	3KIP - 0		

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.158 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.007 s

Check Post request of user controller module.



Authorized admin is able to create a new user with valid url and request body with mandatory fields.




DETAILED SECTION -- 20 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.004 s
5	When Authorized admin send valid post api request	PASSED	0.601 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.007 s

Validating Get request for User API's

FAILED	DURATION - 6.234 s	Scenarios		Steps	
		Total - 11		Total - 66	
/ 1:24:02.247 PI	M // 1:24:08.481 PM /	Pass - 6	11	Pass - 61	66
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 0	


Admin is able to get count of active and in active admins



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.002 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.174 s
6	Then Users receives 200 ok.	PASSED	0.001 s


Admin is able to get all active users

DETAILED SECTION -- 21 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.194 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to assign update user role program batch




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.001 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.182 s
6	Then Users receives the 200 ok.	FAILED	0.012 s
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <400> but was: <200>		

DETAILED SECTION -- 22 --

#	Step / Hook Details	Status	Duration
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)		
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)		
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)		
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571)		
	at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:71)		
	at ?.Users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/		
	resources/feature/06_UserController.feature:24)		
	* Not displayable characters are replaced by '?'.		


Admin is able to get admin by program batchId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.172 s
6	Then Users receives 200 ok.	FAILED	0.001 s
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <404> but was: <200> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:29) * Not displayable characters are replaced by '?'.		

DETAILED SECTION -- 23 --


Admin is able to get admin by programId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.177 s
6	Then Users receives 200 ok.	FAILED	0.001 s
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <404> but was: <200> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(AssertEquals.java:571) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'.		


Admin is able to get admin by roleld

DETAILED SECTION -- 24 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.313 s
6	Then Users receives 200 ok	FAILED	0.003 s
	Step undefined		

Admin is able to get all users



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.659 s
6	Then Users receives 200 ok.	PASSED	0.000 s


DETAILED SECTION -- 25 --

Admin is able to get all roles

PASSED DURATION - 0.450 s	0.6		- ;					Steps		
/ 1:24:06.123 PM // 1:24:06.573 PM /		1	1	1				Total - 6		
/ 1.24.00.123 PW // 1.24.00.573 PW /	0.4 -		-	+			+	Pass - 6		
Validating Get request for User API's	0.2 -		•			<u>- </u>		Fail - 0	6	
								Skip - 0		
@user	0 -		-							
		1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.176 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get user by userId




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getuserbyuserId	PASSED	0.177 s
6	Then Users receives 200 ok.	FAILED	0.001 s

DETAILED SECTION -- 26 --

#	Step / Hook Details	Status	Duration
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <404> but was: <200>		
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)		
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)		
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)		
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571)		
	at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52)		
	at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/		
	resources/feature/06_UserController.feature:54)		
	* Not displayable characters are replaced by '?'.		


Admin is able to get all users with roles



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.172 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get users by roleld V2

DETAILED SECTION -- 27 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.728 s
6	Then Users receives 200 ok.	PASSED	0.001 s