


Feature			Scei	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Validating user login	1.747 s	1	1	0	0	3	3	0	0
ProgramController Module Test with Invalid Data	0.613 s	1	1	0	0	6	6	0	0
ProgramController Module Test with Valid Data	2.562 s	5	4	1	0	30	29	1	0
Batch Module	3.873 s	8	8	0	0	48	48	0	0
Check Post request of user controller module.	0.468 s	1	0	1	0	6	5	1	0
Validating Get request for User API's	6.119 s	11	9	2	0	66	64	2	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	ProgramController Module Test with Valid Data	Check if Admin able to update a program with valid programID endpoint and valid request body
2	Check Post request of user controller module.	Authorized admin is able to create a new user with valid url and request body with mandatory fields.
3	Validating Get request for User API's	Admin is able to get all active users
4		Admin is able to get admin by roleId


TAG		Scenario				Fea	ture	
Name	T	P	F	S	T	P	F	S
@login-Valid	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0
@CreateNewBatch	1	1	0	0	1	1	0	0
@GetBatchByBatchId	1	1	0	0	1	1	0	0
@GetBatchbyBatchName	1	1	0	0	1	1	0	0
@GetBatchByValidPgmId	1	1	0	0	1	1	0	0
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0
@GetAllBatches	1	1	0	0	1	1	0	0
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0
@UpdateBatchValid	1	1	0	0	1	1	0	0
@01UserModule-PostValid	1	0	1	0	1	0	1	0
@UserModule	1	0	1	0	1	0	1	0
@user	11	9	2	0	1	0	1	0
@updateuser	1	1	0	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>Validating user login</u>	1	1	0	0	1.747 s
2	ProgramController Module Test with Invalid Data	1	1	0	0	0.613 s
3	ProgramController Module Test with Valid Data	5	4	1	0	2.562 s
4	Batch Module	8	8	0	0	3.873 s
5	Check Post request of user controller module.	1	0	1	0	0.468 s
6	Validating Get request for User API's	11	9	2	0	6.119 s


SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating user login</u>	Check if user able to login with token and valid credential	3	3	0	0	1.746 s
2	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with valid endpoint and request body with Authorization	6	6	0	0	0.613 s
3	ProgramController Module Test with Valid Data	Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.577 s
4		Check if Admin able to retrieve a program with valid program ID	6	6	0	0	0.446 s
5		Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.604 s
6		Check if Admin able to update a program with Valid program Name and request body	6	6	0	0	0.447 s
7		Check if Admin able to update a program with valid programID endpoint and valid request body	6	5	1	0	0.455 s

:	#	Feature Name	Scenario Name	T	P	F	S	Duration
	8	Batch Module	Check if admin able to create a Batch with valid endpoint and request body	6	6	0	0	0.453 s


SCENARIOS SUMMARY -- 8 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Batch Module	Check if admin able to retrieve a batch with valid Batch ID	6	6	0	0	0.474 s
10		Check if admin able to retrieve a batch with valid BATCH NAME	6	6	0	0	0.460 s
11		Check if admin able to retrieve a batch with valid Program ID	6	6	0	0	0.457 s
12		Check if admin able to create a batch with missing additional fields	6	6	0	0	0.456 s
13		Check if admin able to retrieve all batches with valid LMS API	6	6	0	0	0.611 s
14		Check if admin able to retrieve all batches with search string	6	6	0	0	0.454 s
15		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	6	6	0	0	0.462 s
16	Check Post request of user controller module.	Authorized admin is able to create a new user with valid url and request body with mandatory fields.	6	5	1	0	0.468 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17	Validating Get request for User API's	Admin is able to get count of active and in active admins	6	6	0	0	0.399 s

SCENARIOS SUMMARY -- 10 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	Validating Get request for User API's	Admin is able to get all active users	6	5	1	0	0.442 s
19		Admin is able to assign update user role program batch	6	6	0	0	0.459 s
20		Admin is able to get admin by program batchId	6	6	0	0	0.441 s
21		Admin is able to get admin by programId	6	6	0	0	0.424 s
22		Admin is able to get admin by roleId	6	5	1	0	0.604 s
23		Admin is able to get all users	6	6	0	0	0.900 s
24		Admin is able to get all roles	6	6	0	0	0.451 s
25		Admin is able to get user by userId	6	6	0	0	0.450 s
26		Admin is able to get all users with roles	6	6	0	0	0.452 s
27		Admin is able to get users by roleId V2	6	6	0	0	1.020 s

DETAILED SECTION -- 11 --

Validating user login


PASSED	DURATION - 1.747 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 1:08:45.318 PI	M // 1:08:47.065 PM /	Pass - 1	1	Pass - 3	3
		Fail - 0	•	Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to login with token and valid credential




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.006 s
2	When Admin calls Post Https method with valid endpoint	PASSED	1.728 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s

ProgramController Module Test with Invalid Data




Check if Admin able to create a program with valid endpoint and request body with Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.005 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.264 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.084 s

ProgramController Module Test with Valid Data




Check if Admin able to retrieve all programs with valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.250 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.320 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.000 s

Check if Admin able to retrieve a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create GET Request for LMS API	PASSED	0.002 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.165 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.005 s

Check if Admin able to retrieve all programs with valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.243 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.352 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory, additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.180 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.004 s

Check if Admin able to update a program with valid programID endpoint and valid request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.002 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.185 s
6	Then Admins receives 200 OK Status with updated value in response body	FAILED	0.005 s
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <200> but was: <500> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:579) at com.api.stepdefinition.PC_PositiveStepDefinitions. admin_receives_ok_status_with_updated_id_in_response_body(PC_PositiveStepDefinitions.java:193) at ?.Admins receives 200 OK Status with updated value in response body(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/03_ProgramControllerPositive.feature:33) * Not displayable characters are replaced by '?'.		

Batch Module



Check if admin able to create a Batch with valid endpoint and request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.242 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.003 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.187 s
6	Then User receives 201 created status for batch.	PASSED	0.014 s

Check if admin able to retrieve a batch with valid Batch ID

PASSED DURATION - 0.474 s	0.6			·	-;		<u> </u>	Steps		
/ 1:08:50.755 PM // 1:08:51.229 PM /						-	1	Total - 6		
/ 1.06.30.733 FW // 1.06.31.229 FW /	0.4			+			+	Pass - 6		
Batch Module	0.2			. <u>-</u>	-!	<u>. L</u>		Fail - 0	6	
								Skip - 0		
@GetBatchByBatchId	0 -	1	1	2	1		-			·
		1	2	3	4	2	6			


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.274 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.185 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.006 s

Check if admin able to retrieve a batch with valid BATCH NAME




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.182 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.011 s

Check if admin able to retrieve a batch with valid Program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with the program id.	PASSED	0.002 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.177 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.003 s

Check if admin able to create a batch with missing additional fields




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.183 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.005 s

Check if admin able to retrieve all batches with valid LMS API




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.334 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if admin able to retrieve all batches with search string




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with search string.	PASSED	0.004 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.183 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.181 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.008 s

Check Post request of user controller module.



Authorized admin is able to create a new user with valid url and request body with mandatory fields.

DETAILED SECTION -- 20 --




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.004 s
5	When Authorized admin send valid post api request	PASSED	0.189 s
6	Then Authorized admin receive 201 status with response body	FAILED	0.012 s
	java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties (["userComments","userEduPg", "userEduPg", "userFistName","userIcin, "userLoginEmail"," userMiddleName", "userPoneNumber", "userTimeZone", "userVisaStatus"]) level: "error" schema: ["loadingURI":"file:/Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/target/test-classes/schemas/UserJsonSchema_json#","pointer":""} instance: ["pointer":""] domain: "validation" keyword: "required" required: ["userComments", "userEduPg", "userEduUPg", "userEinstName", "userIndinor", "userLoginEmail", "userComments", "userEduPg", "userEduUPg", "userEinstName", "userIndinor", "userLoginEmail", "userMiddleName", "userIndedinor", "userLinkedinUri", "userLoginEmail", "userMiddleName", "userPhoneNumber", "userTimeZone", "userVisaStatus"] Actual: ("message": "Failed to create new User as phone number 4113211121 already exists!!", "success":false) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor, java:73) at org.codehaus.groovy.runtime.callsite.Constructor.invoke(CachedConstructor(CallSite, java:77) at org.codehaus.groovy.runtime.callsite.Constructor.ActellSite.callConstructor(CallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:267) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:27		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:107)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238)		
	at com.api.stepdefinition.UC_PostRequestStep.authorized_admin_receive_status_with_response_body(UC_PostRequestStep.java:55)		
	at ?.Authorized admin receive 201 status with response body(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/		
	Team03_APIAutomators_March2024/src/test/resources/feature/05_UC_PostRequest.feature:13)		
	* Not displayable characters are replaced by '?'.		

Validating Get request for User API's

FAILED	DURATION - 6.119 s	Scenarios		Steps	
		Total - 11		Total - 66	
/ 1:08:54.660 PM // 1	L:09:00.779 PM /	Pass - 9	11	Pass - 64	66
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

Admin is able to get count of active and in active admins




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials		0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.237 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s

DETAILED SECTION -- 22 --

#	Step / Hook Details	Status	Duration
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.154 s
6	Then Users receives 200 ok.	PASSED	0.000 s


Admin is able to get all active users



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.250 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.181 s
6	Then Users receives 200 ok	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.then()" because "this.response" is null at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:72) at ?.Users receives 200 ok(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:19) * Not displayable characters are replaced by '?'.		


Admin is able to assign update user role program batch

DETAILED SECTION -- 23 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.275 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.001 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.175 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get admin by program batchId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.173 s
6	Then Users receives 200 ok.	PASSED	0.000 s


DETAILED SECTION -- 24 --

Admin is able to get admin by programId

PASSED DURATION - 0.424 s							Steps		
44.00.00.00.00.00.00.00.00.00.00.00.00.0	0.3 -						Total - 6		
/ 1:08:56.436 PM // 1:08:56.860 PM /	0.2				<u>+</u>		Pass - 6		A
Validating Get request for User API's	0.1							6	
Tandaming Correquestion Court in the	0.1						Skip - 0		<i>!</i>
@user	0 -		<u> </u>						
		1	2 3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials		0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.170 s
6	Then Users receives 200 ok.	PASSED	0.001 s


Admin is able to get admin by roleId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.004 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.331 s
6	Then Users receives 200 ok	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.then()" because "this.response" is null		
	at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:72)		
	at ?.Users receives 200 ok(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/		
	resources/feature/06_UserController.feature:39)		
	* Not displayable characters are replaced by '?'.		

Admin is able to get all users




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.239 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.655 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all roles




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getallroles"	PASSED	0.191 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get user by userId




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getuserbyuserId	PASSED	0.170 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all users with roles



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.274 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.171 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get users by roleld V2



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.744 s
6	Then Users receives 200 ok.	PASSED	0.000 s