

# Cucumber Report

Apr 1, 2024, 1:32:47 PM

Start : Apr 01, 1:32:31.302 PM

End : Apr 01, 1:32:47.131 PM

Duration : 15.829 s

Features



Scenarios

Steps

PASSED - 4  
FAILED - 2  
SKIPPED - 0

PASSED - 21  
FAILED - 6  
SKIPPED - 0


PASSED - 153  
FAILED - 6  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating user login</u>	0.914 s	1	1	0	0	3	3	0	0
<u>ProgramController Module Test with Invalid Data</u>	0.617 s	1	1	0	0	6	6	0	0
<u>ProgramController Module Test with Valid Data</u>	2.664 s	5	5	0	0	30	30	0	0
<u>Batch Module</u>	4.009 s	8	7	1	0	48	47	1	0
<u>Check Post request of user controller module.</u>	0.821 s	1	1	0	0	6	6	0	0
<u>Validating Get request for User API's</u>	6.728 s	11	6	5	0	66	61	5	0

#	Feature Name	Scenario Name
1	<u>Batch Module</u>	<u>Check if admin able to retrieve a batch with valid Batch ID</u>
2	<u>Validating Get request for User API's</u>	<u>Admin is able to assign update user role program batch</u>
3		<u>Admin is able to get admin by program batchId</u>
4		<u>Admin is able to get admin by programId</u>
5		<u>Admin is able to get admin by roleId</u>
6		<u>Admin is able to get user by userId</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@login-Valid	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0
@CreateNewBatch	1	1	0	0	1	0	1	0
@GetBatchByBatchId	1	0	1	0	1	0	1	0
@GetBatchbyBatchName	1	1	0	0	1	0	1	0
@GetBatchByValidPgmlId	1	1	0	0	1	0	1	0
@CreateBatchMandatoryField	1	1	0	0	1	0	1	0
@GetAllBatches	1	1	0	0	1	0	1	0
@GetAllBatchesSearchString	1	1	0	0	1	0	1	0
@UpdateBatchValid	1	1	0	0	1	0	1	0
@01UserModule-PostValid	1	1	0	0	1	1	0	0
@UserModule	1	1	0	0	1	1	0	0
@user	11	6	5	0	1	0	1	0
@updateuser	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Validating user login</u>	1	1	0	0	0.914 s
2	<u>ProgramController Module Test with Invalid Data</u>	1	1	0	0	0.617 s
3	<u>ProgramController Module Test with Valid Data</u>	5	5	0	0	2.664 s
4	<u>Batch Module</u>	8	7	1	0	4.009 s
5	<u>Check Post request of user controller module.</u>	1	1	0	0	0.821 s
6	<u>Validating Get request for User API's</u>	11	6	5	0	6.728 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating user login</u>	<u>Check if user able to login with token and valid credential</u>	3	3	0	0	0.913 s
2	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	6	6	0	0	0.617 s
3	<u>ProgramController Module Test with Valid Data</u>	<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	6	6	0	0	0.723 s
4		<u>Check if Admin able to retrieve a program with valid program ID</u>	6	6	0	0	0.440 s
5		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	6	6	0	0	0.598 s
6		<u>Check if Admin able to update a program with Valid program Name and request body</u>	6	6	0	0	0.418 s
7		<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	6	6	0	0	0.454 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Batch Module</u>	<u>Check if admin able to create a Batch with valid endpoint and request body</u>	6	6	0	0	0.466 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Batch Module</u>	<u>Check if admin able to retrieve a batch with valid Batch ID</u>	6	5	1	0	0.466 s
10		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	6	6	0	0	0.462 s
11		<u>Check if admin able to retrieve a batch with valid Program ID</u>	6	6	0	0	0.447 s
12		<u>Check if admin able to create a batch with missing additional fields</u>	6	6	0	0	0.469 s
13		<u>Check if admin able to retrieve all batches with valid LMS API</u>	6	6	0	0	0.630 s
14		<u>Check if admin able to retrieve all batches with search string</u>	6	6	0	0	0.562 s
15		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	6	6	0	0	0.453 s
16	<u>Check Post request of user controller module.</u>	<u>Authorized admin is able to create a new user with valid url and request body with mandatory fields.</u>	6	6	0	0	0.821 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Validating Get request for User API's</u>	<u>Admin is able to get count of active and in active admins</u>	6	6	0	0	0.431 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Validating Get request for User API's</u>	<u>Admin is able to get all active users</u>	6	6	0	0	0.474 s
19		<u>Admin is able to assign update user role program batch</u>	6	5	1	0	0.446 s
20		<u>Admin is able to get admin by program batchId</u>	6	5	1	0	0.409 s
21		<u>Admin is able to get admin by programId</u>	6	5	1	0	0.445 s
22		<u>Admin is able to get admin by roleId</u>	6	5	1	0	0.717 s
23		<u>Admin is able to get all users</u>	6	6	0	0	1.276 s
24		<u>Admin is able to get all roles</u>	6	6	0	0	0.460 s
25		<u>Admin is able to get user by userId</u>	6	5	1	0	0.422 s
26		<u>Admin is able to get all users with roles</u>	6	6	0	0	0.472 s
27		<u>Admin is able to get users by roleId V2</u>	6	6	0	0	1.066 s

## Validating user login



<b>PASSED</b>	DURATION - 0.914 s	Scenarios		Steps	
/ 1:32:31.302 PM // 1:32:32.216 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Check if user able to login with token and valid credential


<div>PASSED</div> <div>DURATION - 0.913 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:32:31.303 PM // 1:32:32.216 PM /</div>			
<div>Validating user login</div>			
<div>@login-Valid @login</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.005 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.896 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s

## ProgramController Module Test with Invalid Data


<b>PASSED</b>	DURATION - 0.617 s	Scenarios		Steps	
/ 1:32:32.249 PM // 1:32:32.866 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Check if Admin able to create a program with valid endpoint and request body with Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.004 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.271 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.078 s

### ProgramController Module Test with Valid Data





### Check if Admin able to retrieve all programs with valid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.393 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.002 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.319 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.001 s

### Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.440 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:32:33.606 PM // 1:32:34.046 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.245 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create GET Request for LMS API	PASSED	0.001 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.182 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.004 s

### Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.598 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:32:34.054 PM // 1:32:34.652 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.333 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

### Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.418 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:32:34.661 PM // 1:32:35.079 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory , additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.159 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.004 s

### Check if Admin able to update a program with valid programID endpoint and valid request body



PASSED	DURATION - 0.454 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:32:35.086 PM // 1:32:35.540 PM /				
ProgramController Module Test with Valid Data				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.002 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.179 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.006 s

## Batch Module

<b>FAILED</b>	DURATION - 4.009 s	Scenarios		Steps	
/ 1:32:35.551 PM // 1:32:39.560 PM /		Total - 8		Total - 48	
		Pass - 7		Pass - 47	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## Check if admin able to create a Batch with valid endpoint and request body

<div>PASSED</div>	<div>DURATION - 0.466 s</div>		Steps	
/ 1:32:35.551 PM // 1:32:36.017 PM /			Total - 6	
Batch Module			Pass - 6	
@CreateNewBatch			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.003 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.178 s
6	Then User receives 201 created status for batch.	PASSED	0.014 s

## Check if admin able to retrieve a batch with valid Batch ID



<div>FAILED</div> <div>DURATION - 0.466 s</div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.000</td></tr><tr><td>2</td><td>0.268</td></tr><tr><td>3</td><td>0.002</td></tr><tr><td>4</td><td>0.000</td></tr><tr><td>5</td><td>0.179</td></tr><tr><td>6</td><td>0.008</td></tr></tbody></table>	Step	Duration (s)	1	0.000	2	0.268	3	0.002	4	0.000	5	0.179	6	0.008	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
Step	Duration (s)																	
1	0.000																	
2	0.268																	
3	0.002																	
4	0.000																	
5	0.179																	
6	0.008																	
/ 1:32:36.022 PM // 1:32:36.488 PM /																		
Batch Module																		
@GetBatchByBatchId																		

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.179 s
6	Then Admin receives 200 OK Status with response body for batch.  java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)	FAILED	0.008 s




#	Step / Hook Details	Status	Duration
	<pre>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at com.api.stepdefinition.Batch_SD.admin_receives_ok_status_with_response_body_for_batch(Batch_SD.java:315) at ?.Admin receives 200 OK Status with response body for batch.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/ Team03_APIAutomators_March2024/src/test/resources/feature/04_BatchControllerPositive.feature:18) * Not displayable characters are replaced by '?'. </pre>		

### Check if admin able to retrieve a batch with valid BATCH NAME

<div>PASSED</div> <div>DURATION - 0.462 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:32:36.495 PM // 1:32:36.957 PM /</div>			
<div>Batch Module</div>			
<div>@GetBatchbyBatchName</div>			


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.175 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.007 s

### Check if admin able to retrieve a batch with valid Program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.177 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

### Check if admin able to create a batch with missing additional fields





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.184 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.011 s

### Check if admin able to retrieve all batches with valid LMS API

<div>PASSED</div> <div>DURATION - 0.630 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:32:37.897 PM // 1:32:38.527 PM /</div>			
<div>Batch Module</div>			
<div>@GetAllBatches</div>			


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.350 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

### Check if admin able to retrieve all batches with search string

<div>PASSED</div>	<div>DURATION - 0.562 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:32:38.538 PM // 1:32:39.100 PM /</div>				
<div>Batch Module</div>				
<div>@GetAllBatchesSearchString</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.369 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with search string.	PASSED	0.004 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.181 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.000 s

### Check if admin able to update a Batch with valid batchID and mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.252 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.000 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.180 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.016 s

### Check Post request of user controller module.





### Authorized admin is able to create a new user with valid url and request body with mandatory fields.





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.005 s
5	When Authorized admin send valid post api request	PASSED	0.535 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.007 s

### Validating Get request for User API's


<b>FAILED</b>	DURATION - 6.728 s	Scenarios		Steps	
/ 1:32:40.403 PM // 1:32:47.131 PM /		Total - 11		Total - 66	
		Pass - 6		Pass - 61	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 0	

### Admin is able to get count of active and in active admins

<b>PASSED</b>	DURATION - 0.431 s		Steps	
/ 1:32:40.403 PM // 1:32:40.834 PM /			Total - 6	
Validating Get request for User API's			Pass - 6	
@user			Fail - 0	
		Skip - 0		


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.171 s
6	Then Users receives 200 ok.	PASSED	0.000 s

### Admin is able to get all active users



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.002 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.200 s
6	Then Users receives 200 ok.	PASSED	0.001 s



### Admin is able to assign update user role program batch



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.001 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.166 s
6	Then Users receives the 200 ok.	FAILED	0.002 s
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <400> but was: <200>		



#	Step / Hook Details	Status	Duration
	<pre> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:71) at ?.Users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ resources/feature/06_UserController.feature:24) * Not displayable characters are replaced by '?'. </pre>		

### Admin is able to get admin by program batchId

<b>FAILED</b>	DURATION - 0.409 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 1:32:41.780 PM // 1:32:42.189 PM /				
Validating Get request for User API's				
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.155 s
6	Then Users receives 200 ok.  <pre> org.opentest4j.AssertionFailedError: StatusCode is Null ==&gt; expected: &lt;404&gt; but was: &lt;200&gt; at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ resources/feature/06_UserController.feature:29) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s


## Admin is able to get admin by programId

<div>FAILED</div>	<div>DURATION - 0.445 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:32:42.193 PM // 1:32:42.638 PM /</div>				
<div>Validating Get request for User API's</div>				
<div>@user</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.171 s
6	Then Users receives 200 ok. org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <404> but was: <200> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


## Admin is able to get admin by roleId






#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.293 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.410 s
6	Then Users receives 200 ok	FAILED	0.003 s
	Step undefined		


### Admin is able to get all users



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.277 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.989 s
6	Then Users receives 200 ok.	PASSED	0.001 s

**Admin is able to get all roles**



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getallroles"	PASSED	0.188 s
6	Then Users receives 200 ok.	PASSED	0.000 s

**Admin is able to get user by userId**

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.235 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getuserbyuserId	PASSED	0.178 s
6	Then Users receives 200 ok.	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>org.opentest4j.AssertionFailedError: StatusCode is Null ==&gt; expected: &lt;404&gt; but was: &lt;200&gt; at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ resources/feature/06_UserController.feature:54) * Not displayable characters are replaced by '?'. </pre>		

### Admin is able to get all users with roles

<b>PASSED</b>	DURATION - 0.472 s		<b>Steps</b> Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:32:45.583 PM // 1:32:46.055 PM /				
Validating Get request for User API's				
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.290 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.174 s
6	Then Users receives 200 ok.	PASSED	0.001 s

### Admin is able to get users by roleId V2



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.792 s
6	Then Users receives 200 ok.	PASSED	0.001 s