

# Cucumber Report

Apr 1, 2024, 6:26:03 PM

Start : Apr 01, 6:25:45.141 PM

End : Apr 01, 6:26:02.943 PM

Duration : 17.802 s

Features




Scenarios

Steps

PASSED - 5  
FAILED - 1  
SKIPPED - 0

PASSED - 27  
FAILED - 4  
SKIPPED - 0


PASSED - 177  
FAILED - 4  
SKIPPED - 2



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating user login</u>	0.925 s	1	1	0	0	3	3	0	0
<u>ProgramController Module Test with Invalid Data</u>	0.634 s	1	1	0	0	6	6	0	0
<u>ProgramController Module Test with Valid Data</u>	2.658 s	5	5	0	0	30	30	0	0
<u>Batch Module</u>	3.832 s	8	8	0	0	48	48	0	0
<u>Check Post request of user controller module.</u>	0.826 s	1	1	0	0	6	6	0	0
<u>Validating Get request for User API's</u>	8.857 s	15	11	4	0	90	84	4	2

#	Feature Name	Scenario Name
1	<u>Validating Get request for User API's</u>	<u>Admin is able to assign update user role program batch</u>
2		<u>Admin is able to get admin by programId</u>
3		<u>Admin is able to update user login status</u>
4		<u>Admin is able to update user roleId</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@login-Valid	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0
@CreateNewBatch	1	1	0	0	1	1	0	0
@GetBatchByBatchId	1	1	0	0	1	1	0	0
@GetBatchbyBatchName	1	1	0	0	1	1	0	0
@GetBatchByValidPgmlId	1	1	0	0	1	1	0	0
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0
@GetAllBatches	1	1	0	0	1	1	0	0
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0
@UpdateBatchValid	1	1	0	0	1	1	0	0
@01UserModule-PostValid	1	1	0	0	1	1	0	0
@UserModule	1	1	0	0	1	1	0	0
@user	15	11	4	0	1	0	1	0
@updateuser	5	2	3	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Validating user login</u>	1	1	0	0	0.925 s
2	<u>ProgramController Module Test with Invalid Data</u>	1	1	0	0	0.634 s
3	<u>ProgramController Module Test with Valid Data</u>	5	5	0	0	2.658 s
4	<u>Batch Module</u>	8	8	0	0	3.832 s
5	<u>Check Post request of user controller module.</u>	1	1	0	0	0.826 s
6	<u>Validating Get request for User API's</u>	15	11	4	0	8.857 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating user login</u>	<u>Check if user able to login with token and valid credential</u>	3	3	0	0	0.924 s
2	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	6	6	0	0	0.634 s
3	<u>ProgramController Module Test with Valid Data</u>	<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	6	6	0	0	0.626 s
4		<u>Check if Admin able to retrieve a program with valid program ID</u>	6	6	0	0	0.447 s
5		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	6	6	0	0	0.662 s
6		<u>Check if Admin able to update a program with Valid program Name and request body</u>	6	6	0	0	0.455 s
7		<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	6	6	0	0	0.443 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Batch Module</u>	<u>Check if admin able to create a Batch with valid endpoint and request body</u>	6	6	0	0	0.460 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Batch Module</u>	<u>Check if admin able to retrieve a batch with valid Batch ID</u>	6	6	0	0	0.439 s
10		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	6	6	0	0	0.456 s
11		<u>Check if admin able to retrieve a batch with valid Program ID</u>	6	6	0	0	0.440 s
12		<u>Check if admin able to create a batch with missing additional fields</u>	6	6	0	0	0.456 s
13		<u>Check if admin able to retrieve all batches with valid LMS API</u>	6	6	0	0	0.640 s
14		<u>Check if admin able to retrieve all batches with search string</u>	6	6	0	0	0.459 s
15		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	6	6	0	0	0.443 s
16	<u>Check Post request of user controller module.</u>	<u>Authorized admin is able to create a new user with valid url and request body with mandatory fields.</u>	6	6	0	0	0.826 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Validating Get request for User API's</u>	<u>Admin is able to get count of active and in active admins</u>	6	6	0	0	0.428 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Validating Get request for User API's</u>	<u>Admin is able to get all active users</u>	6	6	0	0	0.528 s
19		<u>Admin is able to assign update user role program batch</u>	6	3	1	2	0.333 s
20		<u>Admin is able to get admin by program batchId</u>	6	6	0	0	0.465 s
21		<u>Admin is able to get admin by programId</u>	6	5	1	0	0.507 s
22		<u>Admin is able to get admin by roleId</u>	6	6	0	0	0.605 s
23		<u>Admin is able to get all users</u>	6	6	0	0	1.083 s
24		<u>Admin is able to get all roles</u>	6	6	0	0	0.502 s
25		<u>Admin is able to get user by userId</u>	6	6	0	0	1.044 s
26		<u>Admin is able to get all users with roles</u>	6	6	0	0	0.433 s
27		<u>Admin is able to get users by roleId V2</u>	6	6	0	0	1.056 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>Validating Get request for User API's</u>	<u>Admin is able to update user by userId</u>	6	6	0	0	0.433 s
29		<u>Admin is able to update user role status</u>	6	6	0	0	0.461 s
30		<u>Admin is able to update user login status</u>	6	5	1	0	0.442 s
31		<u>Admin is able to update user roleId</u>	6	5	1	0	0.409 s

## Validating user login



<b>PASSED</b>	DURATION - 0.925 s	Scenarios		Steps	
/ 6:25:45.141 PM // 6:25:46.066 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Check if user able to login with token and valid credential


<b>PASSED</b>	DURATION - 0.924 s		Steps	
/ 6:25:45.142 PM // 6:25:46.066 PM /			Total - 3	
Validating user login			Pass - 3	
@login-Valid @login			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.005 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.907 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s

## ProgramController Module Test with Invalid Data


<b>PASSED</b>	DURATION - 0.634 s	Scenarios		Steps	
/ 6:25:46.101 PM // 6:25:46.735 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Check if Admin able to create a program with valid endpoint and request body with Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.004 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.279 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.080 s

### ProgramController Module Test with Valid Data





### Check if Admin able to retrieve all programs with valid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.359 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.002 s

### Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.447 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:25:47.377 PM // 6:25:47.824 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins create GET Request for LMS API	PASSED	0.000 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.177 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.003 s

### Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.662 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:25:47.831 PM // 6:25:48.493 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.235 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.420 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

### Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.455 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:25:48.498 PM // 6:25:48.953 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory , additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.182 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.004 s

### Check if Admin able to update a program with valid programID endpoint and valid request body



PASSED	DURATION - 0.443 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:25:48.960 PM // 6:25:49.403 PM /				
ProgramController Module Test with Valid Data				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.173 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.003 s

## Batch Module

PASSED	DURATION - 3.832 s	Scenarios		Steps	
/ 6:25:49.410 PM // 6:25:53.242 PM /		Total - 8		Total - 48	
		Pass - 8		Pass - 48	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


## Check if admin able to create a Batch with valid endpoint and request body

PASSED	DURATION - 0.460 s		Steps	
/ 6:25:49.410 PM // 6:25:49.870 PM /			Total - 6	
Batch Module			Pass - 6	
@CreateNewBatch			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.002 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.181 s
6	Then User receives 201 created status for batch.	PASSED	0.013 s


## Check if admin able to retrieve a batch with valid Batch ID







#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.157 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.006 s

### Check if admin able to retrieve a batch with valid BATCH NAME





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.179 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.007 s

### Check if admin able to retrieve a batch with valid Program ID

<div>PASSED</div> <div>DURATION - 0.440 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 6:25:50.777 PM // 6:25:51.217 PM /</div>			
<div>Batch Module</div>			
<div>@GetBatchByValidPgmlId</div>			


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.172 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.000 s

### Check if admin able to create a batch with missing additional fields

<div>PASSED</div>	<div>DURATION - 0.456 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:25:51.222 PM // 6:25:51.678 PM /</div>				
<div>Batch Module</div>				
<div>@CreateBatchMandatoryField</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.002 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.177 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.006 s

### Check if admin able to retrieve all batches with valid LMS API




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.273 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request.	PASSED	0.000 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.356 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

### Check if admin able to retrieve all batches with search string




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request with search string.	PASSED	0.006 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.190 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.001 s

### Check if admin able to update a Batch with valid batchID and mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.240 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.185 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.012 s

### Check Post request of user controller module.





### Authorized admin is able to create a new user with valid url and request body with mandatory fields.





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.003 s
5	When Authorized admin send valid post api request	PASSED	0.536 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.008 s

### Validating Get request for User API's



<b>FAILED</b>	DURATION - 8.857 s	Scenarios		Steps	
/ 6:25:54.086 PM // 6:26:02.943 PM /		Total - 15	15	Total - 90	90
		Pass - 11		Pass - 84	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 2	

### Admin is able to get count of active and in active admins

<div>PASSED</div> <div>DURATION - 0.428 s</div>	<div></div>	Steps	<div></div>	
/ 6:25:54.086 PM // 6:25:54.514 PM /		Total - 6		6
Validating Get request for User API's		Pass - 6		
@user		Fail - 0		
		Skip - 0		



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.236 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.184 s
6	Then Users receives 200 ok.	PASSED	0.000 s

### Admin is able to get all active users

<div>PASSED</div>	<div>DURATION - 0.528 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:25:54.520 PM // 6:25:55.048 PM /</div>				
<div>Validating Get request for User API's</div>				
<div>@user</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.293 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.223 s
6	Then Users receives 200 ok.	PASSED	0.000 s



### Admin is able to assign update user role program batch

<div>FAILED</div> <div>DURATION - 0.333 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 6:25:55.060 PM // 6:25:55.393 PM /				
Validating Get request for User API's				
@updateuser @user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.302 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body UserRoleProgramBatch. com.fasterxml.jackson.databind.exc.InvalidDefinitionException: No serializer found for class com.api.utils.JsonReader and no properties discovered to create BeanSerializer (to avoid exception, disable SerializationFeature.FAIL_ON_EMPTY_BEANS) (through reference chain: com.api.models.userUpdateRole["post"]->com.api.stepdefinition.UC_PostRequestStep["reader"]) at com.fasterxml.jackson.databind.exc.InvalidDefinitionException.from(InvalidDefinitionException.java:77)	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	<pre> at com.fasterxml.jackson.databind.SerializerProvider.reportBadDefinition(SerializerProvider.java:1330) at com.fasterxml.jackson.databind.DatabindContext.reportBadDefinition(DatabindContext.java:414) at com.fasterxml.jackson.databind.ser.impl.UnknownSerializer.failForEmpty(UnknownSerializer.java:53) at com.fasterxml.jackson.databind.ser.impl.UnknownSerializer.serialize(UnknownSerializer.java:30) at com.fasterxml.jackson.databind.ser.BeanPropertyWriter.serializeAsField(BeanPropertyWriter.java:732) at com.fasterxml.jackson.databind.ser.std.BeanSerializerBase.serializeFields(BeanSerializerBase.java:770) at com.fasterxml.jackson.databind.ser.BeanSerializer.serialize(BeanSerializer.java:183) at com.fasterxml.jackson.databind.ser.BeanPropertyWriter.serializeAsField(BeanPropertyWriter.java:732) at com.fasterxml.jackson.databind.ser.std.BeanSerializerBase.serializeFields(BeanSerializerBase.java:770) at com.fasterxml.jackson.databind.ser.BeanSerializer.serialize(BeanSerializer.java:183) at com.fasterxml.jackson.databind.ser.DefaultSerializerProvider._serialize(DefaultSerializerProvider.java:502) at com.fasterxml.jackson.databind.ser.DefaultSerializerProvider.serializeValue(DefaultSerializerProvider.java:341) at com.fasterxml.jackson.databind.ObjectWriter\$Prefetch.serialize(ObjectWriter.java:1574) at com.fasterxml.jackson.databind.ObjectWriter._writeValueAndClose(ObjectWriter.java:1275) at com.fasterxml.jackson.databind.ObjectWriter.writeValueAsString(ObjectWriter.java:1140) at com.api.stepdefinition.UC_UpdateUser.users_creates_request_with_valid_response_body_user_role_program_batch(UC_UpdateUser.java:86) at ?.Users creates request with valid response body UserRoleProgramBatch.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:22) * Not displayable characters are replaced by '?'. </pre>		
5	When Users sends https put request with assignupdateuserroleprogrambatch	SKIPPED	0.000 s
6	Then users receives the 200 ok.	SKIPPED	0.000 s



### Admin is able to get admin by program batchId

<b>PASSED</b> DURATION - 0.465 s / 6:25:55.403 PM // 6:25:55.868 PM / Validating Get request for User API's @user				Steps Total - 6 Pass - 6 Fail - 0 Skip - 0		
--	--	---	--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s

#	Step / Hook Details	Status	Duration
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.184 s
6	Then Users receives 200 ok.	PASSED	0.001 s



### Admin is able to get admin by programId

<div>FAILED</div> <div>DURATION - 0.507 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 6:25:55.877 PM // 6:25:56.384 PM /				
Validating Get request for User API's				
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.315 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.178 s
6	Then Users receives 200 ok.  org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s



### Admin is able to get admin by roleId



<div>PASSED</div>	<div>DURATION - 0.605 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 6:25:56.394 PM // 6:25:56.999 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.335 s
6	Then Users receives 200 ok.	PASSED	0.001 s

### Admin is able to get all users

<div>PASSED</div>	<div>DURATION - 1.083 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 6:25:57.010 PM // 6:25:58.093 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.813 s
6	Then Users receives 200 ok.	PASSED	0.002 s

**Admin is able to get all roles**


<div>PASSED</div>	<div>DURATION - 0.502 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 6:25:58.105 PM // 6:25:58.607 PM /				
Validating Get request for User API's				
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.293 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.198 s
6	Then Users receives 200 ok.	PASSED	0.001 s


**Admin is able to get user by userId**

<div>PASSED</div> <div>DURATION - 1.044 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 6:25:58.619 PM // 6:25:59.663 PM /</div>			
<div>Validating Get request for User API's</div>			
<div>@user</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getuserbyuserId"	PASSED	0.781 s
6	Then Users receives 200 ok.	PASSED	0.000 s



**Admin is able to get all users with roles**

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.151 s
6	Then Users receives 200 ok.	PASSED	0.000 s

**Admin is able to get users by roleId V2**



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.235 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.812 s
6	Then Users receives 200 ok.	PASSED	0.001 s

**Admin is able to update user by userId**

<b>PASSED</b>	DURATION - 0.433 s		<b>Steps</b> Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:26:01.177 PM // 6:26:01.610 PM /				
Validating Get request for User API's				
@updateuser @user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body "UpdateUser"	PASSED	0.002 s
5	When Users sends https put request with updateuser	PASSED	0.174 s
6	Then users receives the 200 ok.	PASSED	0.001 s

**Admin is able to update user role status**

<b>PASSED</b>	DURATION - 0.461 s		<b>Steps</b> Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:26:01.621 PM // 6:26:02.082 PM /				
Validating Get request for User API's				
@updateuser @user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.281 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates request with valid response body "UpdateUserRoleStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserrolestatus	PASSED	0.174 s
6	Then users receives the 200 ok.	PASSED	0.000 s

## Admin is able to update user login status

<b>FAILED</b>	DURATION - 0.442 s		<b>Steps</b> Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 6:26:02.085 PM // 6:26:02.527 PM /				
Validating Get request for User API's				
@updateuser @user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.246 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates request with valid response body "UpdateUserLoginStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserloginstatus	PASSED	0.184 s
6	Then users receives the 200 ok.  org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:107) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:83) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

## Admin is able to update user roleId

<b>FAILED</b>	DURATION - 0.409 s		<b>Steps</b> Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 6:26:02.534 PM // 6:26:02.943 PM /				
Validating Get request for User API's				
@updateuser @user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.245 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates request with valid response body "UpdateUserRoleId"	PASSED	0.001 s
5	When Users sends https put request with updateuserroleId	PASSED	0.156 s
6	Then users receives the 200 ok.  org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:107) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:89) * Not displayable characters are replaced by '?'.  	FAILED	0.001 s