

Cucumber Report

Apr 1, 2024, 6:28:37 PM

Start : Apr 01, 6:28:17.963 PM

End : Apr 01, 6:28:36.815 PM

Duration : 18.852 s

Features




Scenarios

Steps

PASSED - 5
FAILED - 1
SKIPPED - 0

PASSED - 27
FAILED - 4
SKIPPED - 0


PASSED - 177
FAILED - 4
SKIPPED - 2



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating user login</u>	0.922 s	1	1	0	0	3	3	0	0
<u>ProgramController Module Test with Invalid Data</u>	0.615 s	1	1	0	0	6	6	0	0
<u>ProgramController Module Test with Valid Data</u>	2.566 s	5	5	0	0	30	30	0	0
<u>Batch Module</u>	3.910 s	8	8	0	0	48	48	0	0
<u>Check Post request of user controller module.</u>	0.961 s	1	1	0	0	6	6	0	0
<u>Validating Get request for User API's</u>	9.799 s	15	11	4	0	90	84	4	2

#	Feature Name	Scenario Name
1	<u>Validating Get request for User API's</u>	<u>Admin is able to assign update user role program batch</u>
2		<u>Admin is able to get admin by programId</u>
3		<u>Admin is able to update user login status</u>
4		<u>Admin is able to update user roleId</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@login-Valid	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0
@CreateNewBatch	1	1	0	0	1	1	0	0
@GetBatchByBatchId	1	1	0	0	1	1	0	0
@GetBatchbyBatchName	1	1	0	0	1	1	0	0
@GetBatchByValidPgmlId	1	1	0	0	1	1	0	0
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0
@GetAllBatches	1	1	0	0	1	1	0	0
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0
@UpdateBatchValid	1	1	0	0	1	1	0	0
@01UserModule-PostValid	1	1	0	0	1	1	0	0
@UserModule	1	1	0	0	1	1	0	0
@user	15	11	4	0	1	0	1	0
@updateuser	5	2	3	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Validating user login</u>	1	1	0	0	0.922 s
2	<u>ProgramController Module Test with Invalid Data</u>	1	1	0	0	0.615 s
3	<u>ProgramController Module Test with Valid Data</u>	5	5	0	0	2.566 s
4	<u>Batch Module</u>	8	8	0	0	3.910 s
5	<u>Check Post request of user controller module.</u>	1	1	0	0	0.961 s
6	<u>Validating Get request for User API's</u>	15	11	4	0	9.799 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating user login</u>	<u>Check if user able to login with token and valid credential</u>	3	3	0	0	0.921 s
2	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	6	6	0	0	0.615 s
3	<u>ProgramController Module Test with Valid Data</u>	<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	6	6	0	0	0.599 s
4		<u>Check if Admin able to retrieve a program with valid program ID</u>	6	6	0	0	0.441 s
5		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	6	6	0	0	0.635 s
6		<u>Check if Admin able to update a program with Valid program Name and request body</u>	6	6	0	0	0.427 s
7		<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	6	6	0	0	0.436 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Batch Module</u>	<u>Check if admin able to create a Batch with valid endpoint and request body</u>	6	6	0	0	0.474 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Batch Module</u>	<u>Check if admin able to retrieve a batch with valid Batch ID</u>	6	6	0	0	0.451 s
10		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	6	6	0	0	0.452 s
11		<u>Check if admin able to retrieve a batch with valid Program ID</u>	6	6	0	0	0.418 s
12		<u>Check if admin able to create a batch with missing additional fields</u>	6	6	0	0	0.480 s
13		<u>Check if admin able to retrieve all batches with valid LMS API</u>	6	6	0	0	0.672 s
14		<u>Check if admin able to retrieve all batches with search string</u>	6	6	0	0	0.463 s
15		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	6	6	0	0	0.454 s
16	<u>Check Post request of user controller module.</u>	<u>Authorized admin is able to create a new user with valid url and request body with mandatory fields.</u>	6	6	0	0	0.961 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Validating Get request for User API's</u>	<u>Admin is able to get count of active and in active admins</u>	6	6	0	0	0.433 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Validating Get request for User API's</u>	<u>Admin is able to get all active users</u>	6	6	0	0	0.468 s
19		<u>Admin is able to assign update user role program batch</u>	6	3	1	2	0.288 s
20		<u>Admin is able to get admin by program batchId</u>	6	6	0	0	0.448 s
21		<u>Admin is able to get admin by programId</u>	6	5	1	0	0.444 s
22		<u>Admin is able to get admin by roleId</u>	6	6	0	0	0.620 s
23		<u>Admin is able to get all users</u>	6	6	0	0	1.105 s
24		<u>Admin is able to get all roles</u>	6	6	0	0	0.485 s
25		<u>Admin is able to get user by userId</u>	6	6	0	0	1.130 s
26		<u>Admin is able to get all users with roles</u>	6	6	0	0	0.438 s
27		<u>Admin is able to get users by roleId V2</u>	6	6	0	0	1.033 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>Validating Get request for User API's</u>	<u>Admin is able to update user by userId</u>	6	6	0	0	0.456 s
29		<u>Admin is able to update user role status</u>	6	6	0	0	0.475 s
30		<u>Admin is able to update user login status</u>	6	5	1	0	0.408 s
31		<u>Admin is able to update user roleId</u>	6	5	1	0	1.426 s

Validating user login



PASSED	DURATION - 0.922 s	Scenarios		Steps	
/ 6:28:17.963 PM // 6:28:18.885 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to login with token and valid credential


<div>PASSED</div> <div>DURATION - 0.921 s</div>	<div></div>	Steps	<div></div>
<div>/ 6:28:17.964 PM // 6:28:18.885 PM /</div>		Total - 3	
<div>Validating user login</div>		Pass - 3	
<div>@login-Valid @login</div>		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.006 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.903 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s

ProgramController Module Test with Invalid Data


PASSED	DURATION - 0.615 s	Scenarios		Steps	
/ 6:28:18.922 PM // 6:28:19.537 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to create a program with valid endpoint and request body with Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.004 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.267 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.078 s

ProgramController Module Test with Valid Data





Check if Admin able to retrieve all programs with valid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.331 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.441 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:28:20.153 PM // 6:28:20.594 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins create GET Request for LMS API	PASSED	0.002 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.164 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.005 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.635 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:28:20.603 PM // 6:28:21.238 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.248 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.377 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.427 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:28:21.244 PM // 6:28:21.671 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.236 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory , additional fields.	PASSED	0.002 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.181 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.003 s

Check if Admin able to update a program with valid programID endpoint and valid request body



PASSED	DURATION - 0.436 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:28:21.678 PM // 6:28:22.114 PM /				
ProgramController Module Test with Valid Data				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.002 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.168 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.004 s

Batch Module


PASSED	DURATION - 3.910 s	Scenarios		Steps	
/ 6:28:22.124 PM // 6:28:26.034 PM /		Total - 8		Total - 48	
		Pass - 8	8	Pass - 48	48
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if admin able to create a Batch with valid endpoint and request body

PASSED	DURATION - 0.474 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:28:22.124 PM // 6:28:22.598 PM /				
Batch Module				
@CreateNewBatch				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.002 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.191 s
6	Then User receives 201 created status for batch.	PASSED	0.012 s

Check if admin able to retrieve a batch with valid Batch ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.178 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.004 s

Check if admin able to retrieve a batch with valid BATCH NAME





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.171 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.007 s

Check if admin able to retrieve a batch with valid Program ID

<div>PASSED</div> <div>DURATION - 0.418 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:28:23.515 PM // 6:28:23.933 PM /</div>			
<div>Batch Module</div>			
<div>@GetBatchByValidPgmlId</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.241 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.170 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if admin able to create a batch with missing additional fields

<div>PASSED</div>	<div>DURATION - 0.480 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 6:28:23.943 PM // 6:28:24.423 PM /				
Batch Module				
@CreateBatchMandatoryField				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.269 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.002 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.195 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.006 s

Check if admin able to retrieve all batches with valid LMS API

<div>PASSED</div> <div>DURATION - 0.672 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 6:28:24.428 PM // 6:28:25.100 PM /</div>			
<div>Batch Module</div>			
<div>@GetAllBatches</div>			


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.274 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.382 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

Check if admin able to retrieve all batches with search string

<div>PASSED</div>	<div>DURATION - 0.463 s</div>	<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 6</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 6:28:25.109 PM // 6:28:25.572 PM /</div>				
<div>Batch Module</div>				
<div>@GetAllBatchesSearchString</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with search string.	PASSED	0.004 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.185 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.174 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.018 s

Check Post request of user controller module.





Authorized admin is able to create a new user with valid url and request body with mandatory fields.





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.252 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.004 s
5	When Authorized admin send valid post api request	PASSED	0.688 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.008 s

Validating Get request for User API's



FAILED	DURATION - 9.799 s	Scenarios		Steps	
/ 6:28:27.016 PM // 6:28:36.815 PM /		Total - 15	15	Total - 90	90
		Pass - 11		Pass - 84	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 2	

Admin is able to get count of active and in active admins

<div>PASSED</div>	<div>DURATION - 0.433 s</div>		Steps		
/ 6:28:27.016 PM // 6:28:27.449 PM /			Total - 6		6
Validating Get request for User API's			Pass - 6		
@user			Fail - 0		
			Skip - 0		



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.255 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.169 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all active users

PASSED	DURATION - 0.468 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:28:27.454 PM // 6:28:27.922 PM /				
Validating Get request for User API's				
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.194 s
6	Then Users receives 200 ok.	PASSED	0.001 s



Admin is able to assign update user role program batch

FAILED	DURATION - 0.288 s		Steps Total - 6 Pass - 3 Fail - 1 Skip - 2	
/ 6:28:27.934 PM // 6:28:28.222 PM /				
Validating Get request for User API's				
@updateuser @user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.257 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body UserRoleProgramBatch. com.fasterxml.jackson.databind.exc.InvalidDefinitionException: No serializer found for class com.api.utils.JsonReader and no properties discovered to create BeanSerializer (to avoid exception, disable SerializationFeature.FAIL_ON_EMPTY_BEANS) (through reference chain: com.api.models.userUpdateRole["post"]->com.api.stepdefinition.UC_PostRequestStep["reader"]) at com.fasterxml.jackson.databind.exc.InvalidDefinitionException.from(InvalidDefinitionException.java:77)	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	<pre> at com.fasterxml.jackson.databind.SerializerProvider.reportBadDefinition(SerializerProvider.java:1330) at com.fasterxml.jackson.databind.DatabindContext.reportBadDefinition(DatabindContext.java:414) at com.fasterxml.jackson.databind.ser.impl.UnknownSerializer.failForEmpty(UnknownSerializer.java:53) at com.fasterxml.jackson.databind.ser.impl.UnknownSerializer.serialize(UnknownSerializer.java:30) at com.fasterxml.jackson.databind.ser.BeanPropertyWriter.serializeAsField(BeanPropertyWriter.java:732) at com.fasterxml.jackson.databind.ser.std.BeanSerializerBase.serializeFields(BeanSerializerBase.java:770) at com.fasterxml.jackson.databind.ser.BeanSerializer.serialize(BeanSerializer.java:183) at com.fasterxml.jackson.databind.ser.BeanPropertyWriter.serializeAsField(BeanPropertyWriter.java:732) at com.fasterxml.jackson.databind.ser.std.BeanSerializerBase.serializeFields(BeanSerializerBase.java:770) at com.fasterxml.jackson.databind.ser.BeanSerializer.serialize(BeanSerializer.java:183) at com.fasterxml.jackson.databind.ser.DefaultSerializerProvider._serialize(DefaultSerializerProvider.java:502) at com.fasterxml.jackson.databind.ser.DefaultSerializerProvider.serializeValue(DefaultSerializerProvider.java:341) at com.fasterxml.jackson.databind.ObjectWriter\$Prefetch.serialize(ObjectWriter.java:1574) at com.fasterxml.jackson.databind.ObjectWriter._writeValueAndClose(ObjectWriter.java:1275) at com.fasterxml.jackson.databind.ObjectWriter.writeValueAsString(ObjectWriter.java:1140) at com.api.stepdefinition.UC_UpdateUser.users_creates_request_with_valid_response_body_user_role_program_batch(UC_UpdateUser.java:86) at ?.Users creates request with valid response body UserRoleProgramBatch.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:22) * Not displayable characters are replaced by '?'. </pre>		
5	When Users sends https put request with assignupdateuserroleprogrambatch	SKIPPED	0.000 s
6	Then users receives the 200 ok.	SKIPPED	0.000 s



Admin is able to get admin by program batchId

PASSED	DURATION - 0.448 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:28:28.229 PM // 6:28:28.677 PM /				
Validating Get request for User API's				
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s



#	Step / Hook Details	Status	Duration
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.182 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get admin by programId

FAILED	DURATION - 0.444 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 6:28:28.687 PM // 6:28:29.131 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.271 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.012 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.155 s
6	Then Users receives 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Admin is able to get admin by roleId

PASSED	DURATION - 0.620 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:28:29.138 PM // 6:28:29.758 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.346 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all users

<div>PASSED</div>	<div>DURATION - 1.105 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 6:28:29.770 PM // 6:28:30.875 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.824 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all roles

<div>PASSED</div>	<div>DURATION - 0.485 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 6:28:30.885 PM // 6:28:31.370 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.279 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.196 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get user by userId

<div>PASSED</div> <div>DURATION - 1.130 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:28:31.383 PM // 6:28:32.513 PM /</div>			
<div>Validating Get request for User API's</div>			
<div>@user</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getuserbyuserId"	PASSED	0.861 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get all users with roles

PASSED	DURATION - 0.438 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:28:32.532 PM // 6:28:32.970 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.161 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get users by roleId V2

PASSED	DURATION - 1.033 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 6:28:32.982 PM // 6:28:34.015 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.761 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to update user by userId

<div>PASSED</div>	<div>DURATION - 0.456 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 6:28:34.029 PM // 6:28:34.485 PM /				
Validating Get request for User API's				
@updateuser @user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates request with valid response body "UpdateUser"	PASSED	0.002 s
5	When Users sends https put request with updateuser	PASSED	0.180 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Admin is able to update user role status

<div>PASSED</div>	<div>DURATION - 0.475 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 6:28:34.497 PM // 6:28:34.972 PM /				
Validating Get request for User API's				
@updateuser @user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.284 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates request with valid response body "UpdateUserRoleStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserrolestatus	PASSED	0.183 s
6	Then users receives the 200 ok.	PASSED	0.000 s

Admin is able to update user login status

FAILED	DURATION - 0.408 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 6:28:34.978 PM // 6:28:35.386 PM /				
Validating Get request for User API's				
@updateuser @user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.010 s
4	Given Users creates request with valid response body "UpdateUserLoginStatus"	PASSED	0.001 s
5	When Users sends https put request with updateuserloginstatus	PASSED	0.151 s
6	Then users receives the 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:108) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:83) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Admin is able to update user roleId

FAILED	DURATION - 1.426 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 6:28:35.389 PM // 6:28:36.815 PM /				
Validating Get request for User API's				
@updateuser @user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates request with valid response body "UpdateUserRoleId"	PASSED	0.001 s
5	When Users sends https put request with updateuserroleId	PASSED	1.157 s
6	Then users receives the 200 ok.	FAILED	0.002 s
	org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:108) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:89) * Not displayable characters are replaced by '?'.		