


Feature			Scei	nario			Step			
Name	Duration	T	P	F	S	T	P	F	S	
Validating user login	0.904 s	1	1	0	0	3	3	0	0	
ProgramController Module Test with Invalid Data	0.623 s	1	1	0	0	6	6	0	0	
ProgramController Module Test with Valid Data	2.503 s	5	5	0	0	30	30	0	0	
Batch Module	3.922 s	8	8	0	0	48	48	0	0	
Check Post request of user controller module.	0.758 s	1	1	0	0	6	6	0	0	
Validating Get request for User API's	6.147 s	11	7	4	0	66	62	4	0	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Validating Get request for User API's	Admin is able to assign update user role program batch
2		Admin is able to get admin by program batchId
3		Admin is able to get admin by programId
4		Admin is able to get user by userId


TAG	Scenario				Fea	ture		
Name	T	P	F	S	T	P	F	S
@login-Valid	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0
@CreateNewBatch	1	1	0	0	1	1	0	0
@GetBatchByBatchId	1	1	0	0	1	1	0	0
@GetBatchbyBatchName	1	1	0	0	1	1	0	0
@GetBatchByValidPgmId	1	1	0	0	1	1	0	0
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0
@GetAllBatches	1	1	0	0	1	1	0	0
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0
@UpdateBatchValid	1	1	0	0	1	1	0	0
@01UserModule-PostValid	1	1	0	0	1	1	0	0
@UserModule	1	1	0	0	1	1	0	0
@user	11	7	4	0	1	0	1	0
@updateuser	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>Validating user login</u>	1	1	0	0	0.904 s
2	ProgramController Module Test with Invalid Data	1	1	0	0	0.623 s
3	ProgramController Module Test with Valid Data	5	5	0	0	2.503 s
4	Batch Module	8	8	0	0	3.922 s
5	Check Post request of user controller module.	1	1	0	0	0.758 s
6	Validating Get request for User API's	11	7	4	0	6.147 s


SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating user login	Check if user able to login with token and valid credential	3	3	0	0	0.903 s
2	ProgramController Module Test with Invalid Data	Check if Admin able to create a program with valid endpoint and request body with Authorization	6	6	0	0	0.623 s
3	ProgramController Module Test with Valid Data	Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.575 s
4		Check if Admin able to retrieve a program with valid program ID	6	6	0	0	0.456 s
5		Check if Admin able to retrieve all programs with valid Endpoint	6	6	0	0	0.589 s
6		Check if Admin able to update a program with Valid program Name and request body	6	6	0	0	0.428 s
7		Check if Admin able to update a program with valid programID endpoint and valid request body	6	6	0	0	0.426 s

#	# Feature Name	Scenario Name	T	P	F	S	Duration
8	Batch Module	Check if admin able to create a Batch with valid endpoint and request body	6	6	0	0	0.490 s


SCENARIOS SUMMARY -- 8 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
9		Check if admin able to retrieve a batch with valid Batch ID	6	6	0	0	0.489 s
10		Check if admin able to retrieve a batch with valid BATCH NAME	6	6	0	0	0.439 s
11		Check if admin able to retrieve a batch with valid Program ID	6	6	0	0	0.431 s
12		Check if admin able to create a batch with missing additional fields	6	6	0	0	0.479 s
13		Check if admin able to retrieve all batches with valid LMS API	6	6	0	0	0.596 s
14		Check if admin able to retrieve all batches with search string	6	6	0	0	0.471 s
15		Check if admin able to update a Batch with valid batchID and mandatory fields in request body	6	6	0	0	0.479 s
16	Check Post request of user controller module.	Authorized admin is able to create a new user with valid url and request body with mandatory fields.	6	6	0	0	0.758 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17	Validating Get request for User API's	Admin is able to get count of active and in active admins	6	6	0	0	0.426 s

SCENARIOS SUMMARY -- 10 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	Validating Get request for User API's	Admin is able to get all active users	6	6	0	0	0.468 s
19		Admin is able to assign update user role program batch	6	5	1	0	0.476 s
20		Admin is able to get admin by program batchId	6	5	1	0	0.446 s
21		Admin is able to get admin by programId	6	5	1	0	0.455 s
22		Admin is able to get admin by roleId	6	6	0	0	0.580 s
23		Admin is able to get all users	6	6	0	0	0.962 s
24		Admin is able to get all roles	6	6	0	0	0.449 s
25		Admin is able to get user by userId	6	5	1	0	0.413 s
26		Admin is able to get all users with roles	6	6	0	0	0.425 s
27		Admin is able to get users by roleId V2	6	6	0	0	0.944 s

DETAILED SECTION -- 11 --

Validating user login


PASSED	DURATION - 0.904 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 2:00:47.594 PM /	// 2:00:48.498 PM /	Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to login with token and valid credential




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.005 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.887 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s

ProgramController Module Test with Invalid Data



Check if Admin able to create a program with valid endpoint and request body with Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.267 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.004 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.263 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.081 s

ProgramController Module Test with Valid Data


PASSED	DURATION - 2.503 s	Scenarios		Steps	
		Total - 5		Total - 30	
/ 2:00:49.165 PN	M // 2:00:51.668 PM /	Pass - 5	5	Pass - 30	30
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to retrieve all programs with valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.317 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.002 s

Check if Admin able to retrieve a program with valid program ID




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins create GET Request for LMS API	PASSED	0.001 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.182 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.003 s

Check if Admin able to retrieve all programs with valid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.328 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory, additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.169 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.003 s


Check if Admin able to update a program with valid programID endpoint and valid request body




DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.001 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.164 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.004 s

Batch Module




Check if admin able to create a Batch with valid endpoint and request body



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.002 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.199 s
6	Then User receives 201 created status for batch.	PASSED	0.017 s


Check if admin able to retrieve a batch with valid Batch ID

DETAILED SECTION -- 16 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.224 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.005 s


Check if admin able to retrieve a batch with valid BATCH NAME



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.253 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.170 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.007 s


DETAILED SECTION -- 17 --

Check if admin able to retrieve a batch with valid Program ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.171 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.000 s

Check if admin able to create a batch with missing additional fields



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.002 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.198 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.007 s


DETAILED SECTION -- 18 --

Check if admin able to retrieve all batches with valid LMS API

PASSED D	URATION - 0.596 s	0.6 -							Steps		
/ 2:00:54.029 PM //	/ 2:00:E4 62E DM /			1	1	-	1		Total - 6		
/ 2.00.54.029 PW //	7 2.00.54.025 PM 7	0.4 -			- +	!		+	Pass - 6		
Batch Module		0.2 -							Fail - 0	6	
									Skip - 0		
@GetAllBatches		0 -				<u> </u>					
G Got in Datonos			1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.251 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.333 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

Check if admin able to retrieve all batches with search string



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with search string.	PASSED	0.004 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.201 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body


PASSED DURATION - 0.479 s	0.6 -							Steps		
/ 2:00:55.118 PM // 2:00:55.597 PM /	١							Total - 6		
7 2.00.30.110 1 111 / 2.00.33.037 1 1117	0.4 -			- +				Pass - 6		
Batch Module	0.2 -					- <u></u>		Fail - 0	6	
								Skip - 0		
@UpdateBatchValid	0 -									_
		1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.261 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.182 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.025 s

Check Post request of user controller module.




Authorized admin is able to create a new user with valid url and request body with mandatory fields.




DETAILED SECTION -- 20 --

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.005 s
5	When Authorized admin send valid post api request	PASSED	0.471 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.008 s

Validating Get request for User API's




Admin is able to get count of active and in active admins



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.002 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.151 s
6	Then Users receives 200 ok.	PASSED	0.000 s


Admin is able to get all active users

DETAILED SECTION -- 21 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.200 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to assign update user role program batch




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.002 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.178 s
6	Then Users receives the 200 ok.	FAILED	0.014 s
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <400> but was: <200>		

DETAILED SECTION -- 22 --

#	Step / Hook Details	Status	Duration
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)		
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)		
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)		
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571)		
	at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:72)		
	at ?.Users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/		
	resources/feature/06_UserController.feature:24)		
	* Not displayable characters are replaced by '?'.		


Admin is able to get admin by program batchId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.256 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.002 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.175 s
6	Then Users receives 200 ok.	FAILED	0.001 s
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <404> but was: <200> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:29) * Not displayable characters are replaced by '?'.		

DETAILED SECTION -- 23 --


Admin is able to get admin by programId



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.176 s
6	Then Users receives 200 ok.	FAILED	0.001 s
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <404> but was: <200> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(AssertEquals.java:571) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'.		

Admin is able to get admin by roleld

DETAILED SECTION -- 24 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.250 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.321 s
6	Then Users receives 200 ok.	PASSED	0.001 s

Admin is able to get all users

PASSED	DURATION - 0.962 s	1 -							Steps	
/ 0.00 F0.007 D	14 // 0 04 00 040 PM /	0.8							Total - 6	
/ 2:00:59.287 PI	M // 2:01:00.249 PM /	0.6 -			+			+	Pass - 6	
Validating Get r	request for User API's	0.4 -				!		+	Fail - 0	6
	•	0.2 -							Skip - 0	
@user		0 -								
			1	2	3	4	5	6		

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.682 s
6	Then Users receives 200 ok.	PASSED	0.001 s


DETAILED SECTION -- 25 --

Admin is able to get all roles

PASSED DURATION - 0.449 s							Steps		
/o o4 o0 o04 DM //o o4 o0 740 DM /	0.3	_					Total - 6		
/ 2:01:00.261 PM // 2:01:00.710 PM /	0.2			-			Pass - 6		
Validating Get request for User API's	0.1					!		6	
	0.1						Skip - 0		
@user	0 -		<u> </u>		<u> </u>				
		i	2 3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.245 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.191 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get user by userId




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getuserbyuserId	PASSED	0.149 s
6	Then Users receives 200 ok.	FAILED	0.002 s

DETAILED SECTION -- 26 --

#	Step / Hook Details	Status	Duration
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <400> but was: <200>		
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)		
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)		
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)		
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)		
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571)		
	at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52)		
	at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/		
	resources/feature/06_UserController.feature:54)		
	* Not displayable characters are replaced by '?'.		


Admin is able to get all users with roles



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.003 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.172 s
6	Then Users receives 200 ok.	PASSED	0.000 s

Admin is able to get users by roleld V2

DETAILED SECTION -- 27 --



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.672 s
6	Then Users receives 200 ok.	PASSED	0.000 s