

Cucumber Report

Apr 1, 2024, 6:23:28 PM

Start : Apr 01, 6:23:10.937 PM

End : Apr 01, 6:23:28.527 PM

Duration : 17.590 s

Features




Scenarios

Steps

PASSED - 5
FAILED - 1
SKIPPED - 0

PASSED - 27
FAILED - 4
SKIPPED - 0


PASSED - 177
FAILED - 4
SKIPPED - 2



| Feature | | Scenario | | | | Step | | | |
|--|----------|----------|----|---|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Validating user login</u> | 0.899 s | 1 | 1 | 0 | 0 | 3 | 3 | 0 | 0 |
| <u>ProgramController Module Test with Invalid Data</u> | 0.626 s | 1 | 1 | 0 | 0 | 6 | 6 | 0 | 0 |
| <u>ProgramController Module Test with Valid Data</u> | 2.674 s | 5 | 5 | 0 | 0 | 30 | 30 | 0 | 0 |
| <u>Batch Module</u> | 3.904 s | 8 | 8 | 0 | 0 | 48 | 48 | 0 | 0 |
| <u>Check Post request of user controller module.</u> | 0.789 s | 1 | 1 | 0 | 0 | 6 | 6 | 0 | 0 |
| <u>Validating Get request for User API's</u> | 8.613 s | 15 | 11 | 4 | 0 | 90 | 84 | 4 | 2 |

| # | Feature Name | Scenario Name |
|---|--|---|
| 1 | <u>Validating Get request for User API's</u> | <u>Admin is able to assign update user role program batch</u> |
| 2 | | <u>Admin is able to get admin by programId</u> |
| 3 | | <u>Admin is able to update user login status</u> |
| 4 | | <u>Admin is able to update user roleId</u> |

| TAG | Scenario | | | | Feature | | | |
|----------------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @login-Valid | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @login | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @CreateNewBatch | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetBatchByBatchId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetBatchbyBatchName | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetBatchByValidPgmlId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @CreateBatchMandatoryField | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetAllBatches | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetAllBatchesSearchString | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @UpdateBatchValid | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @01UserModule-PostValid | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @UserModule | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @user | 15 | 11 | 4 | 0 | 1 | 0 | 1 | 0 |
| @updateuser | 5 | 2 | 3 | 0 | 1 | 0 | 1 | 0 |



| # | Feature Name | T | P | F | S | Duration |
|---|--|----|----|---|---|----------|
| 1 | <u>Validating user login</u> | 1 | 1 | 0 | 0 | 0.899 s |
| 2 | <u>ProgramController Module Test with Invalid Data</u> | 1 | 1 | 0 | 0 | 0.626 s |
| 3 | <u>ProgramController Module Test with Valid Data</u> | 5 | 5 | 0 | 0 | 2.674 s |
| 4 | <u>Batch Module</u> | 8 | 8 | 0 | 0 | 3.904 s |
| 5 | <u>Check Post request of user controller module.</u> | 1 | 1 | 0 | 0 | 0.789 s |
| 6 | <u>Validating Get request for User API's</u> | 15 | 11 | 4 | 0 | 8.613 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|---|---|---|---|----------|
| 1 | <u>Validating user login</u> | <u>Check if user able to login with token and valid credential</u> | 3 | 3 | 0 | 0 | 0.898 s |
| 2 | <u>ProgramController Module Test with Invalid Data</u> | <u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u> | 6 | 6 | 0 | 0 | 0.626 s |
| 3 | <u>ProgramController Module Test with Valid Data</u> | <u>Check if Admin able to retrieve all programs with valid Endpoint</u> | 6 | 6 | 0 | 0 | 0.598 s |
| 4 | | <u>Check if Admin able to retrieve a program with valid program ID</u> | 6 | 6 | 0 | 0 | 0.436 s |
| 5 | | <u>Check if Admin able to retrieve all programs with valid Endpoint</u> | 6 | 6 | 0 | 0 | 0.695 s |
| 6 | | <u>Check if Admin able to update a program with Valid program Name and request body</u> | 6 | 6 | 0 | 0 | 0.439 s |
| 7 | | <u>Check if Admin able to update a program with valid programID endpoint and valid request body</u> | 6 | 6 | 0 | 0 | 0.467 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------|---|---|---|---|---|----------|
| 8 | <u>Batch Module</u> | <u>Check if admin able to create a Batch with valid endpoint and request body</u> | 6 | 6 | 0 | 0 | 0.465 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 9 | <u>Batch Module</u> | <u>Check if admin able to retrieve a batch with valid Batch ID</u> | 6 | 6 | 0 | 0 | 0.472 s |
| 10 | | <u>Check if admin able to retrieve a batch with valid BATCH NAME</u> | 6 | 6 | 0 | 0 | 0.457 s |
| 11 | | <u>Check if admin able to retrieve a batch with valid Program ID</u> | 6 | 6 | 0 | 0 | 0.413 s |
| 12 | | <u>Check if admin able to create a batch with missing additional fields</u> | 6 | 6 | 0 | 0 | 0.465 s |
| 13 | | <u>Check if admin able to retrieve all batches with valid LMS API</u> | 6 | 6 | 0 | 0 | 0.651 s |
| 14 | | <u>Check if admin able to retrieve all batches with search string</u> | 6 | 6 | 0 | 0 | 0.467 s |
| 15 | | <u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u> | 6 | 6 | 0 | 0 | 0.454 s |
| 16 | <u>Check Post request of user controller module.</u> | <u>Authorized admin is able to create a new user with valid url and request body with mandatory fields.</u> | 6 | 6 | 0 | 0 | 0.789 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 17 | <u>Validating Get request for User API's</u> | <u>Admin is able to get count of active and in active admins</u> | 6 | 6 | 0 | 0 | 0.420 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 18 | <u>Validating Get request for User API's</u> | <u>Admin is able to get all active users</u> | 6 | 6 | 0 | 0 | 0.462 s |
| 19 | | <u>Admin is able to assign update user role program batch</u> | 6 | 3 | 1 | 2 | 0.297 s |
| 20 | | <u>Admin is able to get admin by program batchId</u> | 6 | 6 | 0 | 0 | 0.434 s |
| 21 | | <u>Admin is able to get admin by programId</u> | 6 | 5 | 1 | 0 | 0.460 s |
| 22 | | <u>Admin is able to get admin by roleId</u> | 6 | 6 | 0 | 0 | 0.579 s |
| 23 | | <u>Admin is able to get all users</u> | 6 | 6 | 0 | 0 | 1.066 s |
| 24 | | <u>Admin is able to get all roles</u> | 6 | 6 | 0 | 0 | 0.479 s |
| 25 | | <u>Admin is able to get user by userId</u> | 6 | 6 | 0 | 0 | 1.111 s |
| 26 | | <u>Admin is able to get all users with roles</u> | 6 | 6 | 0 | 0 | 0.432 s |
| 27 | | <u>Admin is able to get users by roleId V2</u> | 6 | 6 | 0 | 0 | 0.989 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 28 | <u>Validating Get request for User API's</u> | <u>Admin is able to update user by userId</u> | 6 | 6 | 0 | 0 | 0.431 s |
| 29 | | <u>Admin is able to update user role status</u> | 6 | 6 | 0 | 0 | 0.447 s |
| 30 | | <u>Admin is able to update user login status</u> | 6 | 5 | 1 | 0 | 0.435 s |
| 31 | | <u>Admin is able to update user roleId</u> | 6 | 5 | 1 | 0 | 0.433 s |

Validating user login



| | | | | | |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| PASSED | DURATION - 0.899 s | Scenarios |  | Steps |  |
| / 6:23:10.937 PM // 6:23:11.836 PM / | | Total - 1 | | Total - 3 | |
| | | Pass - 1 | | Pass - 3 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Check if user able to login with token and valid credential


| | | | |
|---|---|-----------|--|
| <div>PASSED</div> <div>DURATION - 0.898 s</div> | <div></div> | Steps | <div></div> |
| / 6:23:10.938 PM // 6:23:11.836 PM / | | Total - 3 | |
| Validating user login | | Pass - 3 | |
| @login-Valid @login | | Fail - 0 | |
| | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.006 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.880 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |

ProgramController Module Test with Invalid Data


| | | | | | |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| PASSED | DURATION - 0.626 s | Scenarios |  | Steps |  |
| / 6:23:11.877 PM // 6:23:12.503 PM / | | Total - 1 | | Total - 6 | |
| | | Pass - 1 | | Pass - 6 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Check if Admin able to create a program with valid endpoint and request body with Authorization




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.259 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Admins creates POST Request for the LMS with request body | PASSED | 0.003 s |
| 5 | When Admins sends HTTPS Request and request Body with endpoint | PASSED | 0.279 s |
| 6 | Then Admins receives 201 Created Status with response body | PASSED | 0.077 s |

ProgramController Module Test with Valid Data





Check if Admin able to retrieve all programs with valid Endpoint





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.263 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admins creates GET Request for the LMS API | PASSED | 0.002 s |
| 5 | When Admins sends HTTPS Request with endpoint | PASSED | 0.322 s |
| 6 | Then Admins receives 200 OK Status with response body. | PASSED | 0.001 s |

Check if Admin able to retrieve a program with valid program ID

| | | | | |
|---|--------------------|--|--|---|
| PASSED | DURATION - 0.436 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 6:23:13.127 PM // 6:23:13.563 PM / | | | | |
| ProgramController Module Test with Valid Data | | | | |
| | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.002 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.255 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Admins create GET Request for LMS API | PASSED | 0.001 s |
| 5 | When Admins send HTTPS Request with the endpoint | PASSED | 0.167 s |
| 6 | Then Admins receives 200 OK Status with response body | PASSED | 0.004 s |

Check if Admin able to retrieve all programs with valid Endpoint

| | | | | |
|---|--------------------|--|--|---|
| PASSED | DURATION - 0.695 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 6:23:13.572 PM // 6:23:14.267 PM / | | | | |
| ProgramController Module Test with Valid Data | | | | |
| | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.264 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins create the GET Request for LMS API | PASSED | 0.001 s |
| 5 | When Admins sends the HTTPS Request with endpoint | PASSED | 0.421 s |
| 6 | Then Admins receive 200 OK Status with the response body | PASSED | 0.001 s |

Check if Admin able to update a program with Valid program Name and request body

| | | | | |
|---|--------------------|--|--|---|
| PASSED | DURATION - 0.439 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 6:23:14.274 PM // 6:23:14.713 PM / | | | | |
| ProgramController Module Test with Valid Data | | | | |
| | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.257 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory , additional fields. | PASSED | 0.002 s |
| 5 | When Admins sends HTTPS Request with the valid endpoint | PASSED | 0.169 s |
| 6 | Then Admins receives 200 OK Status with updated value in response body. | PASSED | 0.006 s |

Check if Admin able to update a program with valid programID endpoint and valid request body



| | | | | |
|---|--------------------|--|--|---|
| PASSED | DURATION - 0.467 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 6:23:14.723 PM // 6:23:15.190 PM / | | | | |
| ProgramController Module Test with Valid Data | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.261 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields | PASSED | 0.001 s |
| 5 | When Admins sends HTTPS Request with valid endpoint | PASSED | 0.191 s |
| 6 | Then Admins receives 200 OK Status with updated value in response body | PASSED | 0.004 s |

Batch Module


| | | | | | |
|--------------------------------------|--------------------|-----------|---|------------|---|
| PASSED | DURATION - 3.904 s | Scenarios | | Steps | |
| / 6:23:15.201 PM // 6:23:19.105 PM / | | Total - 8 |  | Total - 48 |  |
| | | Pass - 8 | 8 | Pass - 48 | 48 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Check if admin able to create a Batch with valid endpoint and request body

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| PASSED | DURATION - 0.465 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 6:23:15.201 PM // 6:23:15.666 PM / | | | | |
| Batch Module | | | | |
| @CreateNewBatch | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.257 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given User creates request for the LMS API endpoint "Create New Batch". | PASSED | 0.002 s |
| 5 | When User sends HTTPS post request for batch and request body with mandatory and additional fields. | PASSED | 0.187 s |
| 6 | Then User receives 201 created status for batch. | PASSED | 0.012 s |

Check if admin able to retrieve a batch with valid Batch ID





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.270 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with valid Batch ID. | PASSED | 0.002 s |
| 5 | When Admin sends HTTPS get Request with endpoint. | PASSED | 0.185 s |
| 6 | Then Admin receives 200 OK Status with response body for batch. | PASSED | 0.006 s |

Check if admin able to retrieve a batch with valid BATCH NAME





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.266 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request with valid Batch Name. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint batchName. | PASSED | 0.174 s |
| 6 | Then Admin receives 200 OK Status with the response body for batch. | PASSED | 0.007 s |

Check if admin able to retrieve a batch with valid Program ID

| | | | |
|---|---|---|--|
| <div>PASSED</div> <div>DURATION - 0.413 s</div> | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 6:23:16.616 PM // 6:23:17.029 PM /</div> | | | |
| <div>Batch Module</div> | | | |
| <div>@GetBatchByValidPgmlId</div> | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.238 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Admin creates GET Request with the program id. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with the endpoint for programId. | PASSED | 0.167 s |
| 6 | Then Admin receives 200 OK Status with response body. | PASSED | 0.001 s |

Check if admin able to create a batch with missing additional fields

| | | | | |
|--------------------------------------|-------------------------------|--|---|---|
| <div>PASSED</div> | <div>DURATION - 0.465 s</div> | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 6:23:17.040 PM // 6:23:17.505 PM / | | | | |
| Batch Module | | | | |
| @CreateBatchMandatoryField | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.273 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admin creates POST Request with missing additional fields Create New Batch Missing Field. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with endpoint. | PASSED | 0.178 s |
| 6 | Then Admin receives 201 Created Status with response body. | PASSED | 0.005 s |

Check if admin able to retrieve all batches with valid LMS API

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 0.651 s</div> |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 6:23:17.509 PM // 6:23:18.160 PM /</div> | | | |
| <div>Batch Module</div> | | | |
| <div>@GetAllBatches</div> | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.258 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Admin creates GET Request. | PASSED | 0.001 s |
| 5 | When Admin sends "HTTPS Request" with endpoint. | PASSED | 0.381 s |
| 6 | Then Admin receives 200 OK Status with response body. | PASSED | 0.001 s |

Check if admin able to retrieve all batches with search string

| | | | | |
|--------------------------------------|-------------------------------|--|---|---|
| <div>PASSED</div> | <div>DURATION - 0.467 s</div> | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 6:23:18.172 PM // 6:23:18.639 PM / | | | | |
| Batch Module | | | | |
| @GetAllBatchesSearchString | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.264 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.008 s |
| 4 | Given Admin creates GET Request with search string. | PASSED | 0.004 s |
| 5 | When Admin sends "HTTPS Request" with endpoint. | PASSED | 0.187 s |
| 6 | Then Admin receives 200 Ok status with response body. | PASSED | 0.001 s |

Check if admin able to update a Batch with valid batchID and mandatory fields in request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.265 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data. | PASSED | 0.001 s |
| 5 | When Admin sends HTTPS Request with update endpoint. | PASSED | 0.169 s |
| 6 | Then Admin receives 200 OK Status with updated value in response body. | PASSED | 0.010 s |

Check Post request of user controller module.





Authorized admin is able to create a new user with valid url and request body with mandatory fields.





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.255 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Authorized Admin creates POST request with valid request body. | PASSED | 0.004 s |
| 5 | When Authorized admin send valid post api request | PASSED | 0.514 s |
| 6 | Then Authorized admin receive 201 status with response body | PASSED | 0.008 s |

Validating Get request for User API's

| | | | | | |
|--------------------------------------|--------------------|------------|---|------------|---|
| FAILED | DURATION - 8.613 s | Scenarios |  | Steps |  |
| / 6:23:19.914 PM // 6:23:28.527 PM / | | Total - 15 | 15 | Total - 90 | 90 |
| | | Pass - 11 | | Pass - 84 | |
| | | Fail - 4 | | Fail - 4 | |
| | | Skip - 0 | | Skip - 2 | |

Admin is able to get count of active and in active admins

| | | | | |
|---|---|-----------|--|---|
| <div>PASSED</div> <div>DURATION - 0.420 s</div> |  | Steps |  | |
| / 6:23:19.914 PM // 6:23:20.334 PM / | | Total - 6 | | 6 |
| Validating Get request for User API's | | Pass - 6 | | |
| @user | | Fail - 0 | | |
| | | Skip - 0 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.258 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.004 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getcountofactiveandinactive" | PASSED | 0.155 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get all active users

| | | | | |
|---------------------------------------|--------------------|--|---|--|
| PASSED | DURATION - 0.462 s | | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 | |
| / 6:23:20.340 PM // 6:23:20.802 PM / | | | | |
| Validating Get request for User API's | | | | |
| @user | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.269 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getallactiveusers" | PASSED | 0.183 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |



Admin is able to assign update user role program batch

| | | | | |
|---------------------------------------|--------------------|--|---|--|
| FAILED | DURATION - 0.297 s | | Steps Total - 6 Pass - 3 Fail - 1 Skip - 2 | |
| / 6:23:20.813 PM // 6:23:21.110 PM / | | | | |
| Validating Get request for User API's | | | | |
| @updateuser @user | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.271 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Users creates request with valid response body UserRoleProgramBatch. com.fasterxml.jackson.databind.exc.InvalidDefinitionException: No serializer found for class com.api.utils.JsonReader and no properties discovered to create BeanSerializer (to avoid exception, disable SerializationFeature.FAIL_ON_EMPTY_BEANS) (through reference chain: com.api.models.userUpdateRole["post"]->com.api.stepdefinition.UC_PostRequestStep["reader"]) at com.fasterxml.jackson.databind.exc.InvalidDefinitionException.from(InvalidDefinitionException.java:77) | FAILED | 0.019 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at com.fasterxml.jackson.databind.SerializerProvider.reportBadDefinition(SerializerProvider.java:1330) at com.fasterxml.jackson.databind.DatabindContext.reportBadDefinition(DatabindContext.java:414) at com.fasterxml.jackson.databind.ser.impl.UnknownSerializer.failForEmpty(UnknownSerializer.java:53) at com.fasterxml.jackson.databind.ser.impl.UnknownSerializer.serialize(UnknownSerializer.java:30) at com.fasterxml.jackson.databind.ser.BeanPropertyWriter.serializeAsField(BeanPropertyWriter.java:732) at com.fasterxml.jackson.databind.ser.std.BeanSerializerBase.serializeFields(BeanSerializerBase.java:770) at com.fasterxml.jackson.databind.ser.BeanSerializer.serialize(BeanSerializer.java:183) at com.fasterxml.jackson.databind.ser.BeanPropertyWriter.serializeAsField(BeanPropertyWriter.java:732) at com.fasterxml.jackson.databind.ser.std.BeanSerializerBase.serializeFields(BeanSerializerBase.java:770) at com.fasterxml.jackson.databind.ser.BeanSerializer.serialize(BeanSerializer.java:183) at com.fasterxml.jackson.databind.ser.DefaultSerializerProvider._serialize(DefaultSerializerProvider.java:502) at com.fasterxml.jackson.databind.ser.DefaultSerializerProvider.serializeValue(DefaultSerializerProvider.java:341) at com.fasterxml.jackson.databind.ObjectWriter\$Prefetch.serialize(ObjectWriter.java:1574) at com.fasterxml.jackson.databind.ObjectWriter._writeValueAndClose(ObjectWriter.java:1275) at com.fasterxml.jackson.databind.ObjectWriter.writeValueAsString(ObjectWriter.java:1140) at com.api.stepdefinition.UC_UpdateUser.users_creates_request_with_valid_response_body_user_role_program_batch(UC_UpdateUser.java:86) at ?.Users creates request with valid response body UserRoleProgramBatch.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:22) * Not displayable characters are replaced by '?'. </pre> | | |
| 5 | When Users sends https put request with assignupdateuserroleprogrambatch | SKIPPED | 0.000 s |
| 6 | Then users receives the 200 ok. | SKIPPED | 0.000 s |



Admin is able to get admin by program batchId

| | | | | | | |
|--|--|---|--|--|--|---|
| PASSED DURATION - 0.434 s / 6:23:21.117 PM // 6:23:21.551 PM / Validating Get request for User API's @user | |  | | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 | |  |
|--|--|---|--|--|--|---|

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.264 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 4 | Given Users creates Get user request | PASSED | 0.002 s |
| 5 | When Users sends https request with getadminbyprogrambatchId | PASSED | 0.160 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get admin by programId

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.460 s</div> | |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div> |  |
| / 6:23:21.565 PM // 6:23:22.025 PM / | | | | |
| Validating Get request for User API's | | | | |
| @user | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.271 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with getadminbyprogramId | PASSED | 0.176 s |
| 6 | Then Users receives 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <404> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'. | FAILED | 0.003 s |

Admin is able to get admin by roleId


| | | | | |
|---------------------------------------|--------------------|--|---|---|
| PASSED | DURATION - 0.579 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 6:23:22.043 PM // 6:23:22.622 PM / | | | | |
| Validating Get request for User API's | | | | |
| @user | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.251 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getadminbyroleId" | PASSED | 0.319 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |


Admin is able to get all users

| | | | | |
|---------------------------------------|-------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 1.066 s</div> |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 6:23:22.633 PM // 6:23:23.699 PM / | | | | |
| Validating Get request for User API's | | | | |
| @user | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.271 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getallusers" | PASSED | 0.783 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |

Admin is able to get all roles

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.003 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.268 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getallroles" | PASSED | 0.197 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |

Admin is able to get user by userId

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.266 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getuserbyuserId" | PASSED | 0.834 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |

Admin is able to get all users with roles

| | | | | |
|---------------------------------------|--------------------|--|---|--|
| PASSED | DURATION - 0.432 s | | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 | |
| / 6:23:25.321 PM // 6:23:25.753 PM / | | | | |
| Validating Get request for User API's | | | | |
| @user | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.268 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.007 s |
| 4 | Given Users creates Get user request | PASSED | 0.000 s |
| 5 | When Users sends https request with "getalluserswithroles" | PASSED | 0.154 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.000 s |

Admin is able to get users by roleId V2

| | | | | |
|---------------------------------------|--------------------|--|---|--|
| PASSED | DURATION - 0.989 s | | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 | |
| / 6:23:25.757 PM // 6:23:26.746 PM / | | | | |
| Validating Get request for User API's | | | | |
| @user | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.235 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Users creates Get user request | PASSED | 0.001 s |
| 5 | When Users sends https request with "getusersbyroleIdV2" | PASSED | 0.746 s |
| 6 | Then Users receives 200 ok. | PASSED | 0.001 s |

Admin is able to update user by userId



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.242 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Users creates request with valid response body "UpdateUser" | PASSED | 0.002 s |
| 5 | When Users sends https put request with updateuser | PASSED | 0.181 s |
| 6 | Then users receives the 200 ok. | PASSED | 0.000 s |

Admin is able to update user role status





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.269 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Users creates request with valid response body "UpdateUserRoleStatus" | PASSED | 0.001 s |
| 5 | When Users sends https put request with updateuserrolestatus | PASSED | 0.171 s |
| 6 | Then users receives the 200 ok. | PASSED | 0.000 s |

Admin is able to update user login status

| | | | | |
|---------------------------------------|--------------------|--|---|--|
| FAILED | DURATION - 0.435 s | | Steps Total - 6 Pass - 5 Fail - 1 Skip - 0 | |
| / 6:23:27.647 PM // 6:23:28.082 PM / | | | | |
| Validating Get request for User API's | | | | |
| @updateuser @user | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.251 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.006 s |
| 4 | Given Users creates request with valid response body "UpdateUserLoginStatus" | PASSED | 0.001 s |
| 5 | When Users sends https put request with updateuserloginstatus | PASSED | 0.173 s |
| 6 | Then users receives the 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:107) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:83) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |

Admin is able to update user roleId

| | | | | |
|---------------------------------------|--------------------|--|---|---|
| FAILED | DURATION - 0.433 s |  | Steps Total - 6 Pass - 5 Fail - 1 Skip - 0 |  |
| / 6:23:28.094 PM // 6:23:28.527 PM / | | | | |
| Validating Get request for User API's | | | | |
| @updateuser @user | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.000 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.250 s |
| 3 | Then Admin receives 200 created with auto generated token | PASSED | 0.005 s |
| 4 | Given Users creates request with valid response body "UpdateUserRoleId" | PASSED | 0.001 s |
| 5 | When Users sends https put request with updateuserroleId | PASSED | 0.174 s |
| 6 | Then users receives the 200 ok. org.opentest4j.AssertionFailedError: expected: <200> but was: <400> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:545) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:107) at ?.users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:89) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |