

# Cucumber Report

Apr 1, 2024, 1:53:04 PM

Start : Apr 01, 1:52:47.740 PM

End : Apr 01, 1:53:03.981 PM

Duration : 16.241 s

Features




Scenarios

Steps

PASSED - 5  
FAILED - 1  
SKIPPED - 0

PASSED - 23  
FAILED - 4  
SKIPPED - 0


PASSED - 155  
FAILED - 4  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating user login</u>	1.992 s	1	1	0	0	3	3	0	0
<u>ProgramController Module Test with Invalid Data</u>	0.620 s	1	1	0	0	6	6	0	0
<u>ProgramController Module Test with Valid Data</u>	2.756 s	5	5	0	0	30	30	0	0
<u>Batch Module</u>	3.856 s	8	8	0	0	48	48	0	0
<u>Check Post request of user controller module.</u>	0.763 s	1	1	0	0	6	6	0	0
<u>Validating Get request for User API's</u>	6.180 s	11	7	4	0	66	62	4	0

#	Feature Name	Scenario Name
1	<u>Validating Get request for User API's</u>	<u>Admin is able to assign update user role program batch</u>
2		<u>Admin is able to get admin by program batchId</u>
3		<u>Admin is able to get admin by programId</u>
4		<u>Admin is able to get user by userId</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@login-Valid	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0
@CreateNewBatch	1	1	0	0	1	1	0	0
@GetBatchByBatchId	1	1	0	0	1	1	0	0
@GetBatchbyBatchName	1	1	0	0	1	1	0	0
@GetBatchByValidPgmlId	1	1	0	0	1	1	0	0
@CreateBatchMandatoryField	1	1	0	0	1	1	0	0
@GetAllBatches	1	1	0	0	1	1	0	0
@GetAllBatchesSearchString	1	1	0	0	1	1	0	0
@UpdateBatchValid	1	1	0	0	1	1	0	0
@01UserModule-PostValid	1	1	0	0	1	1	0	0
@UserModule	1	1	0	0	1	1	0	0
@user	11	7	4	0	1	0	1	0
@updateuser	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Validating user login</u>	1	1	0	0	1.992 s
2	<u>ProgramController Module Test with Invalid Data</u>	1	1	0	0	0.620 s
3	<u>ProgramController Module Test with Valid Data</u>	5	5	0	0	2.756 s
4	<u>Batch Module</u>	8	8	0	0	3.856 s
5	<u>Check Post request of user controller module.</u>	1	1	0	0	0.763 s
6	<u>Validating Get request for User API's</u>	11	7	4	0	6.180 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating user login</u>	<u>Check if user able to login with token and valid credential</u>	3	3	0	0	1.991 s
2	<u>ProgramController Module Test with Invalid Data</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	6	6	0	0	0.620 s
3	<u>ProgramController Module Test with Valid Data</u>	<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	6	6	0	0	0.594 s
4		<u>Check if Admin able to retrieve a program with valid program ID</u>	6	6	0	0	0.650 s
5		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	6	6	0	0	0.600 s
6		<u>Check if Admin able to update a program with Valid program Name and request body</u>	6	6	0	0	0.433 s
7		<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	6	6	0	0	0.446 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Batch Module</u>	<u>Check if admin able to create a Batch with valid endpoint and request body</u>	6	6	0	0	0.484 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Batch Module</u>	<u>Check if admin able to retrieve a batch with valid Batch ID</u>	6	6	0	0	0.452 s
10		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	6	6	0	0	0.449 s
11		<u>Check if admin able to retrieve a batch with valid Program ID</u>	6	6	0	0	0.451 s
12		<u>Check if admin able to create a batch with missing additional fields</u>	6	6	0	0	0.437 s
13		<u>Check if admin able to retrieve all batches with valid LMS API</u>	6	6	0	0	0.605 s
14		<u>Check if admin able to retrieve all batches with search string</u>	6	6	0	0	0.461 s
15		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	6	6	0	0	0.469 s
16	<u>Check Post request of user controller module.</u>	<u>Authorized admin is able to create a new user with valid url and request body with mandatory fields.</u>	6	6	0	0	0.763 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Validating Get request for User API's</u>	<u>Admin is able to get count of active and in active admins</u>	6	6	0	0	0.437 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Validating Get request for User API's</u>	<u>Admin is able to get all active users</u>	6	6	0	0	0.475 s
19		<u>Admin is able to assign update user role program batch</u>	6	5	1	0	0.448 s
20		<u>Admin is able to get admin by program batchId</u>	6	5	1	0	0.444 s
21		<u>Admin is able to get admin by programId</u>	6	5	1	0	0.452 s
22		<u>Admin is able to get admin by roleId</u>	6	6	0	0	0.570 s
23		<u>Admin is able to get all users</u>	6	6	0	0	0.969 s
24		<u>Admin is able to get all roles</u>	6	6	0	0	0.460 s
25		<u>Admin is able to get user by userId</u>	6	5	1	0	0.467 s
26		<u>Admin is able to get all users with roles</u>	6	6	0	0	0.412 s
27		<u>Admin is able to get users by roleId V2</u>	6	6	0	0	0.917 s

## Validating user login



<b>PASSED</b>	DURATION - 1.992 s	Scenarios		Steps	
/ 1:52:47.740 PM // 1:52:49.732 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Check if user able to login with token and valid credential


<div>PASSED</div> <div>DURATION - 1.991 s</div>	<div><div></div><div></div><div></div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>3</div></div>
<div>/ 1:52:47.741 PM // 1:52:49.732 PM /</div>			
<div>Validating user login</div>			
<div>@login-Valid @login</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.005 s
2	When Admin calls Post Https method with valid endpoint	PASSED	1.973 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s

## ProgramController Module Test with Invalid Data


<b>PASSED</b>	DURATION - 0.620 s	Scenarios		Steps	
/ 1:52:49.766 PM // 1:52:50.386 PM /		Total - 1		Total - 6	
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Check if Admin able to create a program with valid endpoint and request body with Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.247 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins creates POST Request for the LMS with request body	PASSED	0.005 s
5	When Admins sends HTTPS Request and request Body with endpoint	PASSED	0.280 s
6	Then Admins receives 201 Created Status with response body	PASSED	0.080 s

### ProgramController Module Test with Valid Data





### Check if Admin able to retrieve all programs with valid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.264 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins creates GET Request for the LMS API	PASSED	0.001 s
5	When Admins sends HTTPS Request with endpoint	PASSED	0.317 s
6	Then Admins receives 200 OK Status with response body.	PASSED	0.002 s

### Check if Admin able to retrieve a program with valid program ID

PASSED	DURATION - 0.650 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:52:51.001 PM // 1:52:51.651 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.448 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admins create GET Request for LMS API	PASSED	0.004 s
5	When Admins send HTTPS Request with the endpoint	PASSED	0.185 s
6	Then Admins receives 200 OK Status with response body	PASSED	0.003 s

### Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.600 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:52:51.658 PM // 1:52:52.258 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.254 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Admins create the GET Request for LMS API	PASSED	0.001 s
5	When Admins sends the HTTPS Request with endpoint	PASSED	0.337 s
6	Then Admins receive 200 OK Status with the response body	PASSED	0.000 s

### Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.433 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:52:52.268 PM // 1:52:52.701 PM /				
ProgramController Module Test with Valid Data				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.250 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Admins creates PUT Request for the LMS API endpoint with the valid request Body with mandatory , additional fields.	PASSED	0.001 s
5	When Admins sends HTTPS Request with the valid endpoint	PASSED	0.172 s
6	Then Admins receives 200 OK Status with updated value in response body.	PASSED	0.004 s

### Check if Admin able to update a program with valid programID endpoint and valid request body



PASSED		DURATION - 0.446 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:52:52.707 PM // 1:52:53.153 PM /						
ProgramController Module Test with Valid Data						

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.244 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admins creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields	PASSED	0.002 s
5	When Admins sends HTTPS Request with valid endpoint	PASSED	0.185 s
6	Then Admins receives 200 OK Status with updated value in response body	PASSED	0.005 s

## Batch Module


PASSED	DURATION - 3.856 s	Scenarios Total - 8 Pass - 8 Fail - 0 Skip - 0		Steps Total - 48 Pass - 48 Fail - 0 Skip - 0	
/ 1:52:53.163 PM // 1:52:57.019 PM /					

## Check if admin able to create a Batch with valid endpoint and request body

PASSED	DURATION - 0.484 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:52:53.163 PM // 1:52:53.647 PM /				
Batch Module				
@CreateNewBatch				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given User creates request for the LMS API endpoint "Create New Batch".	PASSED	0.003 s
5	When User sends HTTPS post request for batch and request body with mandatory and additional fields.	PASSED	0.198 s
6	Then User receives 201 created status for batch.	PASSED	0.015 s

## Check if admin able to retrieve a batch with valid Batch ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates GET Request with valid Batch ID.	PASSED	0.001 s
5	When Admin sends HTTPS get Request with endpoint.	PASSED	0.174 s
6	Then Admin receives 200 OK Status with response body for batch.	PASSED	0.008 s



### Check if admin able to retrieve a batch with valid BATCH NAME



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.259 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with valid Batch Name.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint batchName.	PASSED	0.174 s
6	Then Admin receives 200 OK Status with the response body for batch.	PASSED	0.005 s





**Check if admin able to retrieve a batch with valid Program ID**

<div>PASSED</div> <div>DURATION - 0.451 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:52:54.566 PM // 1:52:55.017 PM /</div>			
<div>Batch Module</div>			
<div>@GetBatchByValidPgmlId</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates GET Request with the program id.	PASSED	0.001 s
5	When Admin sends HTTPS Request with the endpoint for programId.	PASSED	0.177 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.000 s

**Check if admin able to create a batch with missing additional fields**

<div>PASSED</div>	<div>DURATION - 0.437 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:52:55.022 PM // 1:52:55.459 PM /</div>				
<div>Batch Module</div>				
<div>@CreateBatchMandatoryField</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.245 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Admin creates POST Request with missing additional fields Create New Batch Missing Field.	PASSED	0.001 s
5	When Admin sends HTTPS Request with endpoint.	PASSED	0.180 s
6	Then Admin receives 201 Created Status with response body.	PASSED	0.005 s

### Check if admin able to retrieve all batches with valid LMS API

<div>PASSED</div>	<div>DURATION - 0.605 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:52:55.464 PM // 1:52:56.069 PM /				
Batch Module				
@GetAllBatches				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request.	PASSED	0.001 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.328 s
6	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

### Check if admin able to retrieve all batches with search string

<div>PASSED</div>	<div>DURATION - 0.461 s</div>	<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 6</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 1:52:56.078 PM // 1:52:56.539 PM /</div>				
<div>Batch Module</div>				
<div>@GetAllBatchesSearchString</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.273 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Admin creates GET Request with search string.	PASSED	0.004 s
5	When Admin sends "HTTPS Request" with endpoint.	PASSED	0.173 s
6	Then Admin receives 200 Ok status with response body.	PASSED	0.002 s

### Check if admin able to update a Batch with valid batchID and mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.270 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Admin creates PUT Request with auth, valid BatchId and Update Valid Data.	PASSED	0.001 s
5	When Admin sends HTTPS Request with update endpoint.	PASSED	0.172 s
6	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.015 s

### Check Post request of user controller module.





### Authorized admin is able to create a new user with valid url and request body with mandatory fields.





#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Authorized Admin creates POST request with valid request body.	PASSED	0.005 s
5	When Authorized admin send valid post api request	PASSED	0.470 s
6	Then Authorized admin receive 201 status with response body	PASSED	0.007 s

### Validating Get request for User API's


<b>FAILED</b>	DURATION - 6.180 s	Scenarios		Steps	
/ 1:52:57.801 PM // 1:53:03.981 PM /		Total - 11		Total - 66	
		Pass - 7		Pass - 62	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 0	

### Admin is able to get count of active and in active admins

<b>PASSED</b>	DURATION - 0.437 s		Steps	
/ 1:52:57.801 PM // 1:52:58.238 PM /			Total - 6	
Validating Get request for User API's			Pass - 6	
@user			Fail - 0	
			Skip - 0	


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getcountofactiveandinactive"	PASSED	0.164 s
6	Then Users receives 200 ok.	PASSED	0.001 s

### Admin is able to get all active users



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.266 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.009 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallactiveusers"	PASSED	0.197 s
6	Then Users receives 200 ok.	PASSED	0.000 s



### Admin is able to assign update user role program batch



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.262 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates request with valid response body UserRoleProgramBatch.	PASSED	0.001 s
5	When Users sends https put request with assignupdateuserroleprogrambatch	PASSED	0.160 s
6	Then Users receives the 200 ok.	FAILED	0.014 s
	org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <400> but was: <200>		

#	Step / Hook Details	Status	Duration
	<pre>at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571) at com.api.stepdefinition.UC_UpdateUser.admins_receives_ok(UC_UpdateUser.java:71) at ?.Users receives the 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ resources/feature/06_UserController.feature:24) * Not displayable characters are replaced by '?'. </pre>		

### Admin is able to get admin by program batchId

<div>FAILED</div> <div>DURATION - 0.444 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:52:59.198 PM // 1:52:59.642 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.258 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogrambatchId	PASSED	0.174 s
6	<pre>Then Users receives 200 ok. org.opentest4j.AssertionFailedError: StatusCode is Null ==&gt; expected: &lt;404&gt; but was: &lt;200&gt; at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ resources/feature/06_UserController.feature:29) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

## Admin is able to get admin by programId

<b>FAILED</b>	DURATION - 0.452 s		<b>Steps</b> Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 1:52:59.655 PM // 1:53:00.107 PM /				
Validating Get request for User API's				
@user				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getadminbyprogramId	PASSED	0.175 s
6	Then Users receives 200 ok.  org.opentest4j.AssertionFailedError: StatusCode is Null ==> expected: <404> but was: <200> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571) at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52) at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/resources/feature/06_UserController.feature:34) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

## Admin is able to get admin by roleId

<div>PASSED</div>	<div>DURATION - 0.570 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:53:00.119 PM // 1:53:00.689 PM /				
Validating Get request for User API's				
@user				


#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getadminbyroleId"	PASSED	0.289 s
6	Then Users receives 200 ok.	PASSED	0.001 s

### Admin is able to get all users


<div>PASSED</div>	<div>DURATION - 0.969 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:53:00.705 PM // 1:53:01.674 PM /				
Validating Get request for User API's				
@user				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.006 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallusers"	PASSED	0.694 s
6	Then Users receives 200 ok.	PASSED	0.000 s



**Admin is able to get all roles**



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.272 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.008 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with "getallroles"	PASSED	0.177 s
6	Then Users receives 200 ok.	PASSED	0.001 s

**Admin is able to get user by userId**

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.268 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.007 s
4	Given Users creates Get user request	PASSED	0.001 s
5	When Users sends https request with getuserbyuserId	PASSED	0.187 s
6	Then Users receives 200 ok.	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>org.opentest4j.AssertionFailedError: StatusCode is Null ==&gt; expected: &lt;404&gt; but was: &lt;200&gt;   at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)   at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)   at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)   at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)   at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:571)   at com.api.stepdefinition.UC_GetUsers.user_receives_ok(UC_GetUsers.java:52)   at ?.Users receives 200 ok.(file:///Users/amreennaziasyed/eclipse-workspace/DSALGO/Team03_APIAutomators_March2024/src/test/ resources/feature/06_UserController.feature:54) * Not displayable characters are replaced by '?'. </pre>		

### Admin is able to get all users with roles

<div>PASSED</div> <div>DURATION - 0.412 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:53:02.638 PM // 1:53:03.050 PM /</div>			
<div>Validating Get request for User API's</div>			
<div>@user</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.231 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getalluserswithroles"	PASSED	0.174 s
6	Then Users receives 200 ok.	PASSED	0.000 s

### Admin is able to get users by roleId V2


PASSED

DURATION - 0.917 s

/ 1:53:03.064 PM // 1:53:03.981 PM /

Validating Get request for User API's

@user



Step	Duration (s)
1	0.000
2	0.239
3	0.005
4	0.000
5	0.669
6	0.000


Steps

Total - 6

Pass - 6

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.000 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.239 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.005 s
4	Given Users creates Get user request	PASSED	0.000 s
5	When Users sends https request with "getusersbyroleIdV2"	PASSED	0.669 s
6	Then Users receives 200 ok.	PASSED	0.000 s