



PySpark
Learning Hub | Practice Problem



Akash Mahindrakar
Data Engineer
akashsjce8050@gmail.com

Step - 1 : Problem Statement

20_Date in pyspark

Write a pyspark code perform below function

- Get the lowest "Salary" from EmployeeDetail table.
- Show "JoiningDate" in "dd mmm yyyy" format, ex- "15 Feb 2013"
- Show "JoiningDate" in "yyyy/mm/dd" format, ex- "2013/02/15"

Difficult Level : EASY

DataFrame:

```
data = [  
    [1, "Vikas", "Ahlawat", 600000.0, "2013-02-15 11:16:28.290", "IT", "Male"],  
    [2, "nikita", "Jain", 530000.0, "2014-01-09 17:31:07.793", "HR", "Female"],  
    [3, "Ashish", "Kumar", 1000000.0, "2014-01-09 10:05:07.793", "IT", "Male"],  
    [4, "Nikhil", "Sharma", 480000.0, "2014-01-09 09:00:07.793", "HR", "Male"],  
    [5, "anish", "kadian", 500000.0, "2014-01-09 09:31:07.793", "Payroll", "Male"],  
]  
# Create a schema for the DataFrame  
schema = StructType([  
    StructField("EmployeeID", IntegerType(), True),  
    StructField("First_Name", StringType(), True),  
    StructField("Last_Name", StringType(), True),  
    StructField("Salary", DoubleType(), True),  
    StructField("Joining_Date", StringType(), True),  
    StructField("Department", StringType(), True),  
    StructField("Gender", StringType(), True)  
])
```

Step - 2 : Writing the pyspark code to solve

PYSPARK LEARNING HUB : DAY - 20

Creating Spark Session

```
from pyspark.sql import SparkSession
from pyspark.sql.types import
StructType, StructField, IntegerType, StringType
```

#creating spark session

```
spark = SparkSession. \
builder. \
config('spark.shuffle.useOldFetchProtocol', 'true'). \
config('spark.ui.port','0'). \
config("spark.sql.warehouse.dir", "/user/itv008042/warehouse"). \
enableHiveSupport(). \
master('yarn'). \
getOrCreate()
```

Create a list of rows from the image

```
data = [
    [1, "Vikas", "Ahlawat", 600000.0, "2013-02-15 11:16:28.290", "IT", "Male"],
    [2, "nikita", "Jain", 530000.0, "2014-01-09 17:31:07.793", "HR", "Female"],
    [3, "Ashish", "Kumar", 1000000.0, "2014-01-09 10:05:07.793", "IT", "Male"],
    [4, "Nikhil", "Sharma", 480000.0, "2014-01-09 09:00:07.793", "HR", "Male"],
    [5, "anish", "kadian", 500000.0, "2014-01-09 09:31:07.793", "Payroll", "Male"],
]
```

Create a schema for the DataFrame

```
schema = StructType([
    StructField("EmployeeID", IntegerType(), True),
    StructField("First_Name", StringType(), True),
    StructField("Last_Name", StringType(), True),
    StructField("Salary", DoubleType(), True),
    StructField("Joining_Date", StringType(), True),
    StructField("Department", StringType(), True),
    StructField("Gender", StringType(), True)
])
```

```
emp_df=spark.createDataFrame(data,schema)
```

PYSPARK LEARNING HUB : DAY - 20

EmployeeID	First_Name	Last_Name	Salary	Joining_Date	Department	Gender
1	Vikas	Ahlawat	600000.0	2013-02-15 11:16:...	IT	Male
2	nikita	Jain	530000.0	2014-01-09 17:31:...	HR	Female
3	Ashish	Kumar	1000000.0	2014-01-09 10:05:...	IT	Male
4	Nikhil	Sharma	480000.0	2014-01-09 09:00:...	HR	Male
5	anish	kadian	500000.0	2014-01-09 09:31:...	Payroll	Male



```
# 17). Get the lowest "Salary" from EmployeeDetail table.
```

```
emp_df.agg(min("Salary")).show()
```

```
#18)Show "JoiningDate" in "dd mmm yyyy" format, ex- "15 Feb 2013"
```

```
formatted_df = emp_df.withColumn("Joining_Date", date_format(to_timestamp(col("Joining_Date")), "dd MMM  
yyyy"))
```

```
formatted_df.show()
```

```
# 19)Show "JoiningDate" in "yyyy/mm/dd" format, ex- "2013/02/15"
```

```
formatted_df = emp_df.withColumn("Joining_Date", date_format(to_timestamp(col("Joining_Date")),  
"yyyy/mm/dd"))
```

```
formatted_df.show()
```

PYSPARK LEARNING HUB : DAY - 20

```
+-----+
|min(Salary)|
+-----+
| 480000.0|
+-----+
```

```
+-----+-----+-----+-----+-----+-----+
|EmployeeID|First_Name|Last_Name|Salary|Joining_Date|Department|Gender|
+-----+-----+-----+-----+-----+-----+
|1|Vikas|Ahlawat|600000.0|15 Feb 2013|IT|Male|
|2|nikita|Jain|530000.0|09 Jan 2014|HR|Female|
|3|Ashish|Kumar|1000000.0|09 Jan 2014|IT|Male|
|4|Nikhil|Sharma|480000.0|09 Jan 2014|HR|Male|
|5|anish|kadian|500000.0|09 Jan 2014|Payroll|Male|
+-----+-----+-----+-----+-----+-----+
```

```
+-----+-----+-----+-----+-----+-----+
|EmployeeID|First_Name|Last_Name|Salary|Joining_Date|Department|Gender|
+-----+-----+-----+-----+-----+-----+
|1|Vikas|Ahlawat|600000.0|2013/16/15|IT|Male|
|2|nikita|Jain|530000.0|2014/31/09|HR|Female|
|3|Ashish|Kumar|1000000.0|2014/05/09|IT|Male|
|4|Nikhil|Sharma|480000.0|2014/00/09|HR|Male|
|5|anish|kadian|500000.0|2014/31/09|Payroll|Male|
+-----+-----+-----+-----+-----+-----+
```

PYSPARK L



Save

**Was it
helpful?**
follow for more!



Akash Mahindrakar

Data Engineer

akashsjce8050@gmail.com



Comment

**SHARE YOUR THOUGHTS
IN COMMENT BELOW**



Share