


# Latex in Examples



Thanks to me

Examples in this book is updated  
every week.

# Contents

<b>1</b>	<b>Math Tips</b>	<b>2</b>
1.1	Auto-resizing equation . . . . .	2
<b>2</b>	<b>Symbols</b>	<b>3</b>
2.1	New section symbol . . . . .	3
<b>3</b>	<b>Code, listings, minted ...</b>	<b>4</b>
<b>4</b>	<b>Tables, boxes and so on</b>	<b>6</b>
<b>5</b>	<b>Figures</b>	<b>9</b>
<b>6</b>	<b>Numbering</b>	<b>11</b>
<b>7</b>	<b>Plots, tikz, pie charts ...</b>	<b>12</b>

<pre>\begin{equation*}\label{eq1} \resizebox{.4\textwidth}{!}{ \$\dot{\rho}=\dfrac{x^3}{45a ,\rightarrow ^9-23b}\$} \end{equation*}</pre>	<pre>\begin{equation*}\label{eq1} \resizebox{.4\textwidth}{!}{ \$\dot{\rho}=\dfrac{x^3}{45a ,\rightarrow ^9-23b}\$} \end{equation*}</pre>	<pre>\begin{equation*}\label{eq1} \resizebox{.4\textwidth}{!}{ \$\dot{\rho}=\dfrac{x^3}{45a ^9-23b}\$} \end{equation*}</pre>
---	---	--

Figure 1: how CORRECT paste code from example

# Chapter 1

## Math Tips

### 1.1 Auto-resizing equation

$$\dot{\rho} = \frac{x^3}{45a^9 - 23b}$$

```
\begin{equation*}\label{eq1}  
\resizebox{.4\textwidth}{!}{  
$\dot{\rho}=\dfrac{x^3}{45a^9-23b}$}  
\end{equation*}
```

# Chapter 2

## Symbols

### 2.1 New section symbol



```
\usepackage[object=vectorian]{pgfornament}  
\usepackage{lipsum,tikz}  
\newcommand{\sectionlinetwo}[2]{%  
\nointerlineskip \vspace{.5\baselineskip}\hspace{\fill}  
\color{#1}\resizebox{0.5\linewidth}{2ex}  
{\begin{tikzpicture}  
node (C) at (0,0) {}; \node (D) at (9,0) {};  
\path (C) to [ornament=#2] (D);  
end{tikzpicture}}}%  
\hspace{\fill}\par\nointerlineskip  
\vspace{.5\baselineskip}  
%usage----> \sectionlinetwo{orange}{88}
```

# Chapter 3

## Code, listings, minted ...

Code listing using *minted* in beamer

```
Python Code Example
1 import glob
2
```

```
\documentclass{beamer}
\usepackage{amsmath}
\usepackage{tcolorbox}
\tcbuselibrary{minted,skins,breakable}
\newtcblisting{pythoncode}[2][]{
  listing engine=minted, breakable, colback=bg,
  colframe=black!70, listing only,
  minted style=colorful, minted language=python,
  minted options={numbersep=3mm,texcl=true,#1},
  left=5mm,enhanced,
  overlay={\begin{tcbclipinterior}\fill[black!25] (frame.south west)
rectangle ([xshift=5mm]frame.north west);\end{tcbclipinterior}},
#2,}
\begin{document}
\begin{frame}[fragile]
  \frametitle{Premature Optimization}
  \begin{pythoncode}[linenos=true,]{title=Python Code
    ↪ Example}
    import glob
  \end{pythoncode}
\end{frame}
\end{document}
```

```

/**
 * Prints Hello World.
 **/
#include <stdio.h>

int main(void) {
    printf("Hello World!");
    return 0;
}

```

```

\documentclass{article}

\usepackage[T1]{fontenc}
\usepackage{beramono}
\usepackage{listings}
\usepackage{xcolor}

\newcommand\realnumberstyle[1]{}

\makeatletter
\newcommand{\zebra}[3]{%
    {\realnumberstyle{#3}}%
    \begingroup
    \lst@basicstyle
    \ifodd\value{lstnumber}%
        \color{#1}%
    \else
        \color{#2}%
    \fi
    \rlap{\hspace*{\lst@numbersep}}%
    \color@block{\linewidth}{\ht\strutbox}{\dp\strutbox}%
    }%
    \endgroup
}
\makeatother
\begin{document}

\begin{lstlisting}[language=C,basicstyle=\ttfamily,
numberstyle=\zebra{green!35}{yellow!35},numbers=left]
/**
 * Prints Hello World.
 **/
#include <stdio.h>

int main(void) {
    printf("Hello World!");
    return 0;
}
\end{lstlisting}

\end{document}

```

# Chapter 4

## Tables, boxes and so on

1	22
333	
Source	

```
\PassOptionsToPackage{svgnames}{xcolor}
\documentclass[twocolumn,a4paper]{article}
\usepackage{tcolorbox}
\tcbuselibrary{skins,breakable}
\usetikzlibrary{shadings,shadows}%preamble
\begin{tcolorbox}[colback=white!100,colframe=red!75!black,width
  ↳ =7cm,righttitle=0.5cm, subtitle style={boxrule=0.4pt,
  ↳ colback=yellow!50!red!25!white},title= \bf{1}\hfill \bf{22}]
  \begin{center}\bf{333}\end{center}
  \tcblower
  \href{https://tools.ietf.org/doc/texlive-doc/latex/
    ↳ tcolorbox/tcolorbox.pdf}{URL}
\end{tcolorbox}
```

The quick brown fox jumps over the lazy dog.

The quick brown fox jumps over the lazy dog.

```
\usepackage{tcolorbox}
\newtcbbox{\mybox}[1][red]{on line,
arc=0pt,outer arc=0pt,colback=#1!10!white,colframe=#1!50!black,
boxsep=0pt,left=1pt,right=1pt,top=2pt,bottom=2pt,
boxrule=0pt,bottomrule=1pt,toprule=1pt}
\newtcbbox{\xmybox}[1][red]{on line,
arc=7pt,colback=#1!10!white,colframe=#1!50!black,
before upper={\rule[-3pt]{0pt}{10pt}},boxrule=1pt,
boxsep=0pt,left=6pt,right=6pt,top=2pt,bottom=2pt}
%usage----> \xmybox[YOUR_colour]{YOUR_text}
% \mybox[YOUR_colour]{YOUR_text}
```

Here You can see  
TYP more examples  
 something new. and learn

Table 1: **Caption**

Variant	res	Variaty of waters $f_0$ , res	C, res	L, res
5	1	2	1.26	5

table with the desired length, a command  
 was also created to create a new cell view  
 in the table.



```
\usepackage[many]{tcolorbox}
\newtcbbox{\mylib}{enhanced,nobeforeafter,tcbbox raise base,
  ↳ boxrule=0.4pt,top=0mm,bottom=0mm,
  right=0mm,left=4mm,arc=1pt,boxsep=2pt,before upper={\
  ↳ vphantom{dlg}},
  colframe=green!50!black,coltext=green!25!black,colback=green
  ↳ !10!white,
  overlay={\begin{tcbclipinterior}\fill[green!75!blue!50!white] (
  ↳ frame.south west)
  rectangle node[text=white,font=\sffamily\bfseries\tiny,rotate
  ↳ =90] {TYP} ([xshift=4mm]frame.north west);\end{
  ↳ tcbclipinterior}}}}
\begin{document}


\mylib{recieve}
```

```
\usepackage{graphicx}
\usepackage{tabularx}
\newcolumntype{Y}{>{\centering\arraybackslash}X}
\begin{document}
\begin{table}[h!]
\begin{center}
\caption{\textbf{Caption}}
\begin{tabularx}{14cm}{|Y|Y|c|Y|Y|}
\hline
Variant & res & Veriaty of waters  $f_0$ , res & C, res & L, res\\
\hline
5 & 1 & 2 & 1.26 & 5\\
\hline
\end{tabularx}
\end{center}
\end{table}
```

```
\usepackage{tikz}
\usepackage[framemethod=TikZ]{mdframed}
\usepackage{xcolor}
\usetikzlibrary{calc}
\makeatletter
\newlength{\mylength}
\xdef\CircleFactor{1.1}
\setlength{\mylength}{\dimexpr\fontdimen2\font\size pt}
\newsavebox{\mybox}
\newcommand*\circled[2][draw=blue]{\savebox\mybox{\vbox{\
  ↳ vphantom{WL1/}\#1}}\setlength{\mylength}{\dimexpr\
  ↳ CircleFactor\dimexpr\ht\mybox+\dp\mybox\relax\relax
  ↳ }\tikzset{mystyle/.style={circle,\#1,minimum height={\
  ↳ mylength}}}\tikz[baseline=(char.base)]
\node[mystyle] (char) {\#2};}
\makeatother
\definecolor{amber}{rgb}{1.0, 0.75, 0.0}
\definecolor{babyblue}{rgb}{0.54, 0.81, 0.94}
usage ---> \circled[fill=amber,draw=black]{1}
```

```
\usepackage[utf8]{inputenc}
\usepackage[T1]{fontenc}
\usepackage[most]{tcolorbox}
\definecolor{orang}{RGB}{255,155,0}
\newtcolorbox[auto counter,number within=section]{caja}[1][\
enhanced,jigsaw,colback=white,colframe=orang,coltitle=orang,
fonttitle=\bfseries\sffamily,
```





all	in	cells
are	centered	vertically
and	horisontally	$\Sigma$

$$d_{n+1} \begin{vmatrix} a_{1,1} & \dots, a_{1,n} & 0 \\ a_{1,1} & \dots, a_{1,n} & 0 \\ \dots & \dots & \dots \\ a_{1,1} & \dots, a_{1,n} & 0 \\ a_{1,1} & \dots, a_{1,n} & 0 \\ a_{1,1} & \dots, a_{1,n} & 0 \\ \dots & \dots & \dots \\ a_{1,1} & \dots, a_{1,n} & 0 \end{vmatrix} = 0$$

```
\documentclass{article}
\usepackage[most]{tcolorbox}
\usepackage{graphicx}
\begin{document}
\begin{tcolorbox}[enhanced,sharp corners,
width={5cm},
colback=white,
overlay={\node at (frame.south east) {\includegraphics[scale=0.1]{
  → example-image-a}};}]
Sample text here.
\end{tcolorbox}
\end{document}
```

```
\documentclass{article}
\usepackage{float}
\usepackage{array, makecell}
\setcellgapes{5pt}

\begin{document}
\begin{table}[H]
\center
\makegapedcells
\begin{tabular}{|c|c|c|c|}
\hline
1&1&1&1\\ \hline
1&1&1&1\\ \hline
1&1&1&1\\ \hline

\end{tabular}
\end{table}

\end{document}
```

```
\documentclass[a4paper,14pt]{extreport}
\begin{document}
\begin{table}[]
\begin{tabular}{|l|l c r|l}
& \$a_{1,1}\$ & \$\dots, a_{1,n}\$ & 0 & \\
& \$a_{1,1}\$ & \$\dots, a_{1,n}\$ & 0 & \\
& \multicolumn{3}{|l|}{\dotfill} & \\
& \$a_{1,1}\$ & \$\dots, a_{1,n}\$ & 0 & \\
& \$d_{n+1}\$ & & & = \$\pm 2ad_n\$ = 0 \\
& \$a_{1,1}\$ & \$\dots, a_{1,n}\$ & 0 & \\
& \$a_{1,1}\$ & \$\dots, a_{1,n}\$ & 0 & \\
& \multicolumn{3}{|l|}{\dotfill} & \\
& \$a_{1,1}\$ & \$\dots, a_{1,n}\$ & 0 & \\
\end{tabular}
\end{table}
\end{document}
```

# Chapter 5

## Figures

---

5.1



This is an example.

```
\usepackage{tikz}
\usepackage[framemethod=TikZ]{mdframed}
\usepackage{xcolor}
\usetikzlibrary{calc}
\makeatletter
\newlength{\mylength}
\xdef\CircleFactor{1.1}
\setlength\mylength{\dimexpr\f@size pt}
\newsavebox{\mybox}
\newcommand*\circled[2][draw=blue]{\savebox\mybox{\vbox{\hbox{\vphantom{WL1/}}#1}}\setlength\mylength{\dimexpr\ht\mybox+\dp\mybox\relax\relax}\tikzset{mystyle/.style={circle,#1,minimum height={\mylength}}}}
\tikz[baseline=(char.base)]
\node[mystyle] (char) {\#2};}
\makeatother
\definecolor{amber}{rgb}{1.0, 0.75, 0.0}
\definecolor{babyblue}{rgb}{0.54, 0.81, 0.94}
```

---

5.2





Figure 1: Caution.

```

\documentclass{article}
\usepackage{graphicx}
\usepackage{subfig}
\begin{document}
\begin{figure}[htp]
\centering
\begin{tabular}{@{}c@{}}
\subfloat{\includegraphics[width=0.5\linewidth]{example-image-
→ a.png}}\\ (a)
\end{tabular} \quad % some space
\begin{tabular}{@{}c@{}}
\subfloat{\includegraphics[width=0.3\linewidth]{example-image-
→ b.png}}\\ (b)
\\[0.1cm]
\subfloat{\includegraphics[width=0.3\linewidth]{example-image-
→ c.png}}\\ (c)
\end{tabular}
\caption{Caution.}
\end{figure}
\end{document}

```

### 5.3



```

\usepackage{graphicx}
\usepackage{tikz}
\begin{document}
\begin{tikzpicture}[overlay, remember picture]
\node[anchor=north west,xshift=4cm,yshift=-11cm]
at (current page.north west)
{\includegraphics[width=5.5cm]{example-image-a.png}};
\end{tikzpicture}
\end{document}

```

place image anywhere You want


### 5.4

# Chapter 6

## Numbering

# Chapter 7

## Plots, tikz, pie charts ...



```
\documentclass[border=0.2cm]{standalone}
\usepackage{pgf-pie}

\begin{document}

\begin{tikzpicture}
\pie{22.97/Los Angeles Lakers,
22.97/Boston Celtics,
8.11/Golden State Warriors,
8.11/Chicago Bulls,
6.76/San Antonio Spurs,
31.07/Other Teams}
\end{tikzpicture}

\end{document}
```