

An AnYong Analytics, LLC Technical Document

Configuring Windows® 10 as an Open-Source Data Science Environment

Patrick Williams, President February 15, 2021

Contents:

Introduction

- 1. Pin the Command Icon to Taskbar
- 2. Create C:\Python Projects Directory
- 3. Download and Move Software to Python Projects Directory

Python® PyCharm® Git® GitHub® Desktop® R® RStudio® Moving the Downloaded Files

4. Installing Python-related Software in the Python Projects Directory

Python® PyCharm®

5. Installing Non-Python Software in Default Directories

Git® GitHub® Desktop® R® RStudio®

- 6. Reboot the Machine
- 7. Verify Python® and PIP® Versions

Python® PIP®

8. Installing Jupyter® Notebook

Opening Jupyter® Notebook

Trademark Notices:

Software Organization to which registered

Windows® Microsoft, Inc.

Python®, PIP® Python Software Foundation

GitHub® GitHub, Inc.

Git® Software Freedom Conservancy

R® The R Foundation for Statistical Computing

RStudio® RStudio, PBC

Jupyter® NUmFOCUS Foundation Linux® Linus Thorvalds



Introduction

The purpose of this document is to describe how to configure a Windows® 10 environment to engage in data science. This includes the use of the following open-source or free software:

- **Python**® a powerful and popular language used in data science to access, transform, explore, model and visualize data, with many other applications outside of data science.
- **PyCharm® Community Version** a robust project-based integrated development environment (IDE) from which the user can edit and directly submit Python code, view results, etc. This free version includes a code editor, a Python console and a Terminal console for the operating system on which it is installed. The non-free version of this software (PyCharm Professional) has expanded capabilities to connect to other machines, databases, clouds, etc. It also offers the ability to write and submit R code, having an R console.
- **Git**® a browser-based code version control program that interacts with GitHub, in which code repositories can be placed on the internet. Git also includes Git Bash, which allows the user to execute Linux commands on a Windows environment, thus giving users with little or no Linux exposure the opportunity to learn and use Linux commands on this Windows system.
- **GitHub® Desktop®** A more robust non-browser-based Windows application that interacts with GitHub for code version control.
- **R**[®] a very powerful and popular language and environment for statistical computing and graphics/visualization.
- **RStudio**® a desktop integrated development environment for R to edit and directly submit R code, etc.
- **Jupyter® Notebook** a simple open-source browser-based application that comes with Python. It allows the creation and sharing of Python code, visualizations, narrative text and comments, etc.

Data science work often involves using Windows (DOS) and Linux operating system commands on those systems' terminal command lines. Here are some recommended free resources for looking up command syntax for both operating systems:

- Windows® https://www.computerhope.com/msdos.htm#commands
- Linux® https://www.computerhope.com/unix.htm#commands

Installing and configuring a data science system as described in this document should give even novice users the ability to jump right into the many educational services available for learning data science, including Udemy®, Cousera®, Data Camp®, etc.

Good luck and good learning!



1. Pin the Command Icon to Taskbar

Because we may be using the Windows DOS Command Prompt frequently, we will pin it to the taskbar for convenience. To do this:

Click the Windows Start icon on your taskbar and scroll to the Command Prompt program.



• Right click on the Command Prompt program, then choose More > Pin to taskbar.



• The Command Prompt icon appears on your taskbar. You can reposition it to your liking.



2. Create C:\Python_Projects Directory

In this step we create a directory for all of your Python-related software and work.


Click on the Command Prompt you just added to the taskbar.



- At the command prompt (>), type the following four commands, using Enter after each (you can copy from commands from this document and paste into the command line):
 - o cd C:\
 - mkdir Python_Projects
 - dir
 - o cd Py*_* (uses wildcards so we do not have to type out Pthyon_Projects)

Date: February 15, 2021





The "dir" command shows that the Python_Projects directory was created without showing all of the other directories on C, and the final command takes us to the just-created directory, where we will work. At this point we will be working from the C:\Python_Projects directory, so can minimize this window for later use , but don't close it.

3. Download and Move Software to Python_Projects Directory

Now we use your browser to download Python, PyCharm, Git, GitHub, R and RStudio software.


• **Python** – go to https://www.python.org/downloads/ and click on Download Python. The software will download to your Downloads directory, which is C:\Users\<USER>\Downloads,\Users\<USER>\Downloads,\Users\<USER>\text{is your Windows user name.} The file name will be python-3.9.1-amd64.exe



PyCharm – go to https://www.jetbrains.com/pycharm/download/#section=Windows and click on the Community (free) download button. This drops the file pycharm-community-2020.3.3.exe into your Download directory.

Date: February 15, 2021





• **Git** – go to https://git-scm.com/download/win. In the **Downloading Git** section, click on **64-bit Git for Windows Setup**. This downloads the **Git-2.30.1-64-bit.exe** file.



GitHub Desktop – go to https://desktop.github.com/ and choose the Download for Windows (64-bit) button. The file GitHubDesktopSetup.exe is downloaded.






R – go to https://cran.r-project.org/bin/windows/base/ and choose the Download R 4.0.3 for Windows hypertext. The R-4.0.3-win.exe file will be downloaded.



 RStudio – go to https://rstudio.com/products/rstudio/download/#download. Then choose the DOWNLOAD RSTUDIO FOR WINDOWS button. This downloads the RStudio-1.4.1103.exe file.



- Moving the Downloaded Files Open the Windows Command Prompt and issue the following commands, each followed by Enter:
 - o **cls** (This just clears the screen of previous text. Use it as needed.)
 - o move C:\Users\Patrick\Downloads\python-3.9.1-amd64.exe C:\Python_Projects
 - move C:\Users\Patrick\Downloads\pycharm-community-2020.3.3.exe
 C:\Python Projects
 - move C:\Users\Patrick\Downloads\Git-2.30.1-64-bit.exe C:\Python Projects
 - move C:\Users\Patrick\Downloads\GitHubDesktopSetup.exe C:\Python Projects
 - move C:\Users\Patrick\Downloads\R-4.0.3-win.exe C:\Python Projects
 - move C:\Users\Patrick\Downloads\RStudio-1.4.1103.exe C:\Python_Projects
 - cd C:\Python_Projects



```
Command Prompt
C:\>move C:\Users\Patrick\Downloads\python-3.9.1-amd64.exe C:\Pyth
on_Projects
       1 file(s) moved.
C:\>move C:\Users\Patrick\Downloads\pycharm-community-2020.3.3.exe
C:\Python_Projects
       1 file(s) moved.
C:\>move C:\Users\Patrick\Downloads\Git-2.30.1-64-bit.exe C:\Pytho
n_Projects
       1 file(s) moved.
C:\>move C:\Users\Patrick\Downloads\GitHubDesktopSetup.exe C:\Pyth
on_Projects
       1 file(s) moved.
C:\>move C:\Users\Patrick\Downloads\R-4.0.3-win.exe C:\Python
_Projects
        1 file(s) moved.
C:\>move C:\Users\Patrick\DownLoads\RStudio-1.4.1103.exe C:\P
ython_Projects
        1 file(s) moved.
C:\>cd C:\Python_Projects
C:\Python_Projects>
```

4. Installing Python-related Software in the Python_Projects Directory

In this section we install Python-related software in the C:\Python_Prjects directory. We do this purely for convenience and to limit the directories in we access as our Python work proceeds.

(NOTE: When installing any software, Windows most always asks in a screen "Do you want to allow this app to make changes to your machine?" Always choose **Yes**.)

• **Python** – from the Command Prompt in the C:\Python_Projects directory, execute the following command: **python-3.9.1-amd64.exe**




The following screens appear in the order of the graphics shown below. Please follow all instruction on these graphics. *Check all boxes as shown in each graphic before choosing Next*. This will ensure that Python is installed in a consistent manner, and that the Windows PATH and Environment variable are properly revised during installation.

















PyCharm – from the Command Prompt in the C:\Python_Projects directory, execute the
following command: pycharm-community-2020.3.3.exe, and follow the instructions in the
graphics below.













AnYong Analytics, LLC
Date: February 15, 2021








(We will reboot after we install the additional software below.)





After PyCharm is installed, pin it to the taskbar, as you did for the Command Prompt.




5. Installing Non-Python Software in Default Directories


In this section we install non-Python related software in their default install directories. These include Git, GitHub, R and RStudio.

• **Git** – from the Command Prompt in the C:\Python_Projects directory, execute the following command: **Git-2.30.1-64-bit.exe**, and follow the instructions in the graphics below.















































AnYong Analytics, LLC
















Notice that when using the Start button to verify installation, Git has installed a number of applications.





For now, pin only the **Git Bash** application to the taskbar, and move it next to PyCharm.

• **GitHub Desktop Studio** – from the Command Prompt in the C:\Python_Projects directory, execute the following command: **GitHubDesktopSetup.exe**.



The following screen will appear, and the software will be installed with no further input from you. (Nice, huh?)




After installation is complete, you will see the following screen which prompts you to sign in to GitHub if you have an account, or sign up for one. If you do not have an account, sign up for one by choosing the **Create your free account** hypertext. The account signup process is straightforward and not shown here.





 R – from the Command Prompt in the C:\Python_Projects directory, execute the following command: R-4.0.3-win.exe.




On the screens that appear next, do the following:

- On the first Select Setup Language screen, choose the OK button to use the default language, English;
- Choose the **Next** button on all of the screens that follow, except for the last screen, which confirms that setup is complete;
- o On the final screen, choose the **Finish** button.

Pin the 64-bit version of R to the taskbar, next to Git Bash.



 RStudio – from the Command Prompt in the C:\Python_Projects directory, execute the following command: RStudio-1.4.1103.exe.





On the screens that appear next, choose the:

- Next button on the first two screens;
- Install on the third screen:
- o Finish on the final screen, which indicates that setup is complete.

Pin RStudio to the taskbar, next to R.




6. Reboot the Machine

Now, restart your machine so that any environment variables and the PATH, which were revised in the installation process, are functional. To restart your machine, enter the following DOS command: shutdown /r.



When the machine restarts, open another DOS command line, and go to the Python Projects directory.



7. Verify Python and PIP Versions

Now we perform two verifications: the Python version and the version of software called PIP, which is installed with Python.

 Python Version - Now we verify the Python version by invoking it in the DOS Command Line by issuing the command python. This starts Python and returns the Python version information, and the Python command line appears, as below. Now issue the Python command exit() on the Python command line to return to DOS. We will be invoking Python in this manner.

File: Data_Science_Configuration_Windows_10.pdf AnYong Analytics, LLC





[Note: Python can be invoked in this manner from any directory. Also, we can just type command **python** --version at the DOS command line to see the Python version without going into Python.

You can also invoke Python by using the **Start** icon and choosing **Python 3.9 (64-bit),** as shown below, and the Python command line will appear in a DOS window. However, we will be using command lines frequently for other purposes, so this Start method will not be used start Python. This is because when Python is invoked via the Start icon, typing **exit()** on the Python command line will not take you back to a DOS command line, which we often want.]

 PIP Version – PIP is installed with Python. Python is installed with a standard set of libraries (a.k.a., packages or modules) and functionality. However, there are many additional libraries that offer functionality far beyond the standard packages, and PIP allows users to install and manage those.

To check the PIP version, enter the DOS command **pip -V**. The version information appears and you are returned to the DOS Command Prompt.



8. Installing Jupyter Notebook

Now let's use PIP to install Jupyter Notebook. Make sure you are at the **C:\Python_Proojects** directory, and enter the command **pip install notebook** on the DOS command line. The command will cause text related to the progress of the installation process, as seen in the graphic below.



```
Command Prompt
c:\Python_Projects;pip install notebook
Collecting notebook
 Using cached notebook-6.2.0-py3-none-any.whl (9.5 MB)
Collecting tornado>=6.1
 Using cached tornado-6.1-cp39-cp39-win amd64.whl (422 kB)
Collecting jupyter-core>=4.6.1
 Using cached jupyter_core-4.7.1-py3-none-any.whl (82 kB)
Collecting jupyter-client>=5.3.4
 Using cached jupyter_client-6.1.11-py3-none-any.whl (108 kB)
Collecting nbconvert
 Using cached nbconvert-6.0.7-py3-none-any.whl (552 kB)
Collecting prometheus-client
 Using cached prometheus_client-0.9.0-py2.py3-none-any.whl (53 kB)
Collecting terminado>=0.8.3
 Using cached terminado-0.9.2-py3-none-any.whl (14 kB)
Collecting jinja2
 Downloading Jinja2-2.11.3-py2.py3-none-any.whl (125 kB)
                                      | 125 kB 1.3 MB/s
Collecting argon2-cffi
```

When the installation of Jupyter Notebook is complete, you will be returned to the DOS command line. We will also use pip frequently to install additional Python libraries as the need to use them arises.

[Note: When using PIP to install software, occasionally, as happened to me in writing this, your return to the DOS command line will be preceded by a warning that a newer version of PIP is available, as below.

```
O.5.7 pyzmq-22.0.3 six-1.15.0 terminado-0.9.2 testpath-0.4.4 tornado-6.1 traitlets-5.0.5 wcwidth-0.2.5 webencodings-0.5.1

WARNING: You are using pip version 20.2.3; however, version 21.0.1 is available.

You should consider upgrading via the 'c:\python_projects\python.exe-m pip install --upgrade pip' command.

c:\Python_Projects>pip install --upgrade pip
```


To upgrade pip, and since you are already in the Python install directory, simply enter the DOS command **pip install –upgrade pip**.

```
c:\Python_Projects>pip install --upgrade pip
Collecting pip
Using cached pip-21.0.1-py3-none-any.whl (1.5 MB)
Installing collected packages: pip
Attempting uninstall: pip
Found existing installation: pip 20.2.3
Uninstalling pip-20.2.3:
Successfully uninstalled pip-20.2.3
```

]



Opening Jupyter Notebook - Now let's start Jupyter Notebook from the C:\Python_Projects
directory by entering the DOS command jupyter notebook.



(Note: While you are working with Jupyter Notebook, do not close the Command Prompt window from which you started Jupyter, which will shut down the Jupyter server.)

This starts a Jupyter server and opens a browser with the address http://localhost:8888/tree. 8888 is the port through which this browser session operates, and tree refers to the relative path of C:\Python_Projects, the directory from which the invocation was made. Looking at the directory with the browser, we can see that the contents of the C:\Python_Projects directory are visible.



In fact, Jupyter Notebook can be invoked from **any** directory, and **the contents of that directory and everything below it will be accessible** in the browser. This allows us to navigate to whichever directory where our code resides, invoke Jupyter Notebook, and work from there.

To quit Jupyter fully, choose the **Quit** button on the upper right, which stops the Jupyter server, and **close the browser** window.

At this point an excellent collection of Data Science tools has been installed on your machine. Congratulations!