

# **PREMIUM AUDIT**

NAME OF PROJECT	World Cup Fi
TOKEN BEP20 ADDRESS	0xaa4061bfeeba74fc3a5f5a159406df89bc3f77b0
WEBSITE / TELEGRAM	Worldcupfi.com



DISCLAIMER: PLEASE READ FULL AUDIT



#### **IMPORTANT DISCLAIMER**

NOT RESPONSIBLE Analytix Audit holds no responsibility for any actions from the project in this audit.

II. NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

III. INFORMATION

Analytix Audit researches and provides public information about the project in an easy-to-understand format for the common person.

IV.

**AUDIT AGREEMENT** This audit agreement does not guarantee ANY illicit actions by the project team and does not serve as an advocation for the project.

٧.

NO ADVICE


Analytix Audit in no way takes responsibility for any losses, not does Analytix Audit encourage any speculative investments.

۷١.

DISCLAIMER

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

# **TOKENOMICS - OVERVIEW**



### \*More than 15% tokens are unlocked

(This comment refers to when the audit was carried out maybe team locked tokens later)

### **CONTRACT CODE - PRIVILEGES**

```
* Requirements:

* The calling contract must have an ETH balance of at least 'value'.

* The calling contract must be 'payable'.

* Available since v3.1._

* Available since v3.1._

* Jeturn function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value

* Teturn functionCallWithValue(target, data, value, "Address: low-level call with value failed");

* Billion of the call with 'errorMessage' as a fallback revert reason when 'target' reverts.

* Available since v3.1._

* Jeturn functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value

* Jinction functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value,

* Jinction functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value,

* String memory errorMessage

* Jinternal returns (bytes memory) {
    require(address(this).balance >= value, "Address: insufficient balance for call");
    require(address(this).balance >= value, "Address: insufficient balance for call");
    require(isContract(target), "Address: call to non-contract");

* Chool success, bytes memory returndata) = target.call{value: value}(data);
```

- Mint: Owner can't mint new tokens
- **Fees:** Owner can't change fees over 20%
- **Trading:** Owner can't change trading status
- Max Tx: Owner can change maxTx with limits
- Max Wallet: Owner can change max wallet with
- Blacklist: Owner can't blacklist wallet

## **Owner Privileges:**


# **Issue Checking:**

N°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

## **Audit Result:**

**PASSED** 

### **WEBSITE - OVERVIEW**



## **Domain Registration:**

1 years (2023-11-14)

#### **SSL CERTIFICATE: A**

(https://www.ssllabs.com)

## **SOCIAL MEDIA - OVERVIEW**



WORLDCUPFIBSC



WORLDCUPFIBSC



WORLDCUPFI.COM