




PREMIUM AUDIT

NAME OF PROJECT	King Shiba 2.0
BEP20 ADDRESS	0xeFbD17007f93BeF78b9E7C2bBFf340FDb0250dA0
WEBSITE / TELEGRAM	https://kingshiba2.com/



DISCLAIMER: PLEASE READ FULL AUDIT



IMPORTANT DISCLAIMER

I.

NOT RESPONSIBLE

Analytix Audit holds no responsibility for any actions from the project in this audit.

II.

NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

III.

INFORMATION

Analytix Audit researches and provides public information about the project in an easy-to-understand format for the common person.

IV.

AUDIT AGREEMENT

This audit agreement does not guarantee ANY illicit actions by the project team and does not serve as an advocacy for the project.

V.

NO ADVICE


Analytix Audit in no way takes responsibility for any losses, nor does Analytix Audit encourage any speculative investments.

VI.

DISCLAIMER

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW



(This comment refers to when the audit was carried out maybe team locked tokens later)

CONTRACT CODE - OVERVIEW

```
520 * Requirements:
521 *
522 * - the calling contract must have an ETH balance of at least 'value'.
523 * - the called Solidity function must be 'payable'.
524 *
525 * _Available since v3.1._
526 */
527 function functionCallWithValue(
528     address target,
529     bytes memory data,
530     uint256 value
531 ) internal returns (bytes memory) {
532     return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533 }
534
535 /**
536 * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[functionCallWithValue], but
537 * with 'errorMessage' as a fallback revert reason when 'target' reverts.
538 *
539 * _Available since v3.1._
540 */
541 function functionCallWithValue(
542     address target,
543     bytes memory data,
544     uint256 value,
545     string memory errorMessage
546 ) internal returns (bytes memory) {
547     require(address(this).balance >= value, "Address: insufficient balance for call");
548     require(isContract(target), "Address: call to non-contract");
549
550     (bool success, bytes memory returndata) = target.call{value: value}(data);
```

QUICK REVIEW

- Owner can set maxTx
- Owner can change fees up to 100%

Owner Privileges:

```
520 * Requirements:
521 *
522 * - the calling contract must have an ETH balance of at least 'value'.
523 * - the called Solidity function must be 'payable'.
524 *
525 * Available since v3.1.
526 */
527 function functionCallWithValue(
528     address target,
529     bytes memory data,
530     uint256 value
531 ) internal returns (bytes memory) {
532     return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533 }
534
535 /**
536 * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[functionCallWithValue], but
537 * with 'errorMessage' as a fallback revert reason when 'target' reverts.
538 *
539 * Available since v3.1.
540 */
541 function functionCallWithValue(
542     address target,
543     bytes memory data,
544     uint256 value,
545     string memory errorMessage
546 ) internal returns (bytes memory) {
547     require(address(this).balance >= value, "Address: insufficient balance for call");
548     require(isContract(target), "Address: call to non-contract");
549
550     (bool success, bytes memory returndata) = target.call(value: value)(data);
```

```
function renounceOwnership() public virtual onlyOwner {
function transferOwnership(address newOwner) public virtual onlyOwner {
function setAuth(address account) external onlyOwner {
function distributeDividends(uint256 amount) public onlyOwner {
function setDividendTokenAddress(address newToken) external virtual onlyOwner {
function setDividendTokenAddress(address newToken) external override onlyOwner {
function updateMinimumTokenBalanceForDividends(uint256 _newMinimumBalance) external onlyOwner {
function excludeFromDividends(address account) external onlyOwner {
function updateClaimWait(uint256 newClaimWait) external onlyOwner {
function setBalance(address payable account, uint256 newBalance) external onlyOwner {
function processAccount(address payable account, bool automatic) public onlyOwner returns (bool) {
function setProcessDividendStatus(bool _active) external onlyOwner {
function setSwapAndLiquify(bool _state, uint _intervalSecondsForSwap, uint _minimumTokensBeforeSwap) external onlyOwner {
function setSwapSend(bool _marketing, bool _liq) external onlyOwner {
function setMultiBlock(bool _state) external onlyOwner {
function setFeesDetails(bool _feeStatus, bool _buyFeeStatus, bool _sellFeeStatus) external onlyOwner {
function setMaxTxAmount(uint _buy, uint _sell) external onlyOwner {
function setBuySecondLimits(uint buy) external onlyOwner {
function activateMarket(bool active) external onlyOwner {
function editLimits(bool buy, bool sell) external onlyOwner {
function setMinimumWeiForTokenomics(uint _value) external onlyOwner {
function editPreMarketUser(address _address, bool active) external onlyOwner {
function transferForeignToken(address _token, address _to, uint256 _value) external onlyOwner returns (bool _sent) {
function Sweep() external onlyOwner {
function edit_excludeFromFees(address account, bool excluded) public onlyOwner {
function excludeMultipleAccountsFromFees(address[] calldata accounts, bool excluded) public onlyOwner {
function setMarketingWallet(address payable wallet) external onlyOwner {
function setMaxWallet(uint max) public onlyOwner {
function setLiqWallet(address newWallet) external onlyOwner {
function setFees(uint256 _reward_buy, uint256 _liq_buy, uint256 _marketing_buy,
uint256 _reward_sell, uint256 _liq_sell, uint256 _marketing_sell) external onlyOwner {
function KKMigration(address[] memory _address, uint256[] memory _amount) external onlyOwner {
function prepareForPartnerOrExchangeListing(address _partnerOrExchangeAddress) external onlyOwner {
function updateMarketingWallet(address _newWallet) external onlyOwner {
function updateLiqWallet(address _newWallet) external onlyOwner {
function setAuthOnDividends(address account) public onlyOwner {
function set_SHIBDividendEnabled(bool _enabled) external onlyOwner {
function updateUniswapV2Router(address newAddress) external onlyOwner {
function excludeFromFees(address account, bool excluded) public onlyOwner {
function excludeFromDividend(address account) public onlyOwner {
function setAutomatedMarketMakerPair(address pair, bool value) public onlyOwner {
function _setAutomatedMarketMakerPair(address pair, bool value) private onlyOwner {
function updateGasForProcessing(uint256 newValue) external onlyOwner {
function updateMinimumBalanceForDividends(uint256 newMinimumBalance) external onlyOwner {
function updateClaimWait(uint256 claimWait) external onlyOwner {
function processDividendTracker(uint256 gas) public onlyOwner {
function update_SHIBDividendToken(address _newContract, uint gas) external onlyOwner {
```


Issue Checking:

N°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

Audit Result:

PASSED

WEBSITE - OVERVIEW



🕒 **Domain Registration: 2022-06-27**

3 days old

SSL CERTIFICATE: A

(<https://www.ssllabs.com>)

SOCIAL MEDIA - OVERVIEW



KINGSHIBA_TWO



KINGSHIBATWO



KINGSHIBA2.COM