

PREMIUM AUDIT

| NAME OF PROJECT | WIFI | |
|---------------------|--|--|
| TOKEN BEP20 ADDRESS | 0xeA70fbF30aD3A9760eaAfE43c84C0cf76aBd5797 | |
| WEBSITE / TELEGRAM | N/A | |

Logo

N/A

DISCLAIMER: PLEASE READ FULL AUDIT



IMPORTANT DISCLAIMER

NOT RESPONSABLE

Our audit report is not responsible for anything if the project audited turn into a scam.

II. NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

INFORMATION

Analytix Audit do a research and provides public information about the project in an easy-to-understand format for the common person.

IV.

AUDIT AGREE

Agreeing to an audit in no way guarantees that a team will not remove all liquidity ("Rug Pull"), remove liquidity slowly, sell off tokens, quit the project, or completely exit scam

٧.


ENCOURAGE INVESTMENT Analytix Audit in no way takes responsibility for any losses, nor does Analytix Audit encourage any speculative investments

۷١.

INFORMATION

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW



More than 15% of the tokens are unlocked

(This comment refers to when the audit was carried out maybe team locked tokens later)

CONTRACT CODE - OVERVIEW

QUICK REVIEW

- Owner can't modify fees
- Owner can set Tx Limits.
- Owner can set numTokensForLPfenhong

Owner Privileges:

```
* Requirements:

* - the calling contract must have an ETH balance of at least `value`.

* - the called Solidity function must be `payable`.

* - the called Solidity function must be `payable`.

* Available since v3.1._

*/

* function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value

* jinternal returns (bytes memory) {
    return functionCallWithValue(target, data, value, "Address: low-level call with value failed");

* deev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue'], but

* with `errorWessage` as a fallback revert reason when `target` reverts.

* _Available since v3.1._

*/

* function functionCallWithValue(
    address target,
    bytes memory data,
    uint256 value,

* string memory errorMessage

* jinternal returns (bytes memory) {
    require(address(this).balance >= value, "Address: insufficient balance for call");
    require(isContract(target), "Address: call to non-contract");

* (bool success, bytes memory returndata) = target.call{value: value}(data);
```

function renounceOwnership() public virtual onlyOwner {
function transferOwnership(address newOwner) public virtual onlyOwner {
 function excludeFromFee(address account) public onlyOwner {
 function includeInFee(address account) public onlyOwner {
 function setTxAmount(uint256 maxTxAmount) public onlyOwner {
 function setFundAddress(address _fundAddress) public onlyOwner {
 function includeBlacklist(address account) public onlyOwner() {
 function excludeBlacklist(address account) public excludeBlacklist(address account) {
 function excludeBlacklist(address account) public excludeBlacklist(address account) {
 function excludeBlacklist(address account) {
 function excludeBlacklist(address account) {
 function excludeBlacklist(address account) {

(Owner can blacklist wallet address)

function setPair(address pair_address) public onlyOwner {
function withdrawToken(address _token, address payable to,uint256 amount) public onlyOwner{
function setnumTokensForLPfenhong(uint256 _numTokensForLPfenhong) public onlyOwner{

Issue Checking:

| Ν° | Issue description. | Checking Status. |
|----|---|------------------|
| 1 | Compiler Errors | Passed |
| 2 | Race conditions and Reentrancy. Cross-function race conditions. | Passed |
| 3 | Possible delays in data delivery. | Passed |
| 4 | Oracle calls. | Passed |
| 5 | Front running. | Passed |
| 6 | Timestamp dependence. | Passed |
| 7 | Integer Overflow and Underflow. | Passed |
| 8 | DoS with Revert. | Passed |
| 9 | DoS with block gas limit. | Passed |
| 10 | Methods execution permissions. | Passed |
| 11 | Economy model. | Passed |
| 12 | The impact of the exchange rate on the logic. | Passed |
| 13 | Private user data leaks. | Passed |
| 14 | Malicious Event log | Passed |
| 15 | Scoping and Declarations. | Passed |
| 16 | Uninitialized storage pointers. | Passed |
| 17 | Arithmetic accuracy. | Passed |
| 18 | Design Logic. | Passed |
| 19 | Cross-function race conditions. | Passed |
| 20 | Safe Zeppelin module | Passed |
| 21 | Fallback function security. | Passed |

Audit Result:

PASSED

WEBSITE - OVERVIEW



Domain Registration: N/A N/A

SSL CERTIFICATE: N/A

(https://www.ssllabs.com)

SOCIAL MEDIA - OVERVIEW

N/A