

!!!!!!! DO NOT EDIT THIS FILE !!!!!!! # This file is machine-generated by lib/unicore/mktables from the Unicode # database, Version 9.0.0. Any changes made here will be lost!

To change this file, edit lib/unicore/mktables instead.

NAME

perluniprops - Index of Unicode Version 9.0.0 character properties in Perl

DESCRIPTION

This document provides information about the portion of the Unicode database that deals with character properties, that is the portion that is defined on single code points. (*Other information in the Unicode data base* below briefly mentions other data that Unicode provides.)

Perl can provide access to all non-provisional Unicode character properties, though not all are enabled by default. The omitted ones are the Unihan properties (accessible via the CPAN module *Unicode::Unihan*) and certain deprecated or Unicode-internal properties. (An installation may choose to recompile Perl's tables to change this. See *Unicode character properties that are NOT accepted by Perl*.)

For most purposes, access to Unicode properties from the Perl core is through regular expression matches, as described in the next section. For some special purposes, and to access the properties that are not suitable for regular expression matching, all the Unicode character properties that Perl handles are accessible via the standard *Unicode::UCD* module, as described in the section *Properties accessible through Unicode::UCD*.

Perl also provides some additional extensions and short-cut synonyms for Unicode properties.

This document merely lists all available properties and does not attempt to explain what each property really means. There is a brief description of each Perl extension; see "Other Properties" in perlunicode for more information on these. There is some detail about Blocks, Scripts, General_Category, and Bidi_Class in perlunicode, but to find out about the intricacies of the official Unicode properties, refer to the Unicode standard. A good starting place is http://www.unicode.org/reports/tr44/.

Note that you can define your own properties; see "User-Defined Character Properties" in perlunicode

Properties accessible through \p{} and \P{}

The Perl regular expression $\parbox{$\mathbb{P}$}{}$ and $\parbox{$\mathbb{P}$}{}$ constructs give access to most of the Unicode character properties. The table below shows all these constructs, both single and compound forms.

Compound forms consist of two components, separated by an equals sign or a colon. The first component is the property name, and the second component is the particular value of the property to match against, for example, $p\{Script: Greek\}$ and $p\{Script=Greek\}$ both mean to match characters whose Script property value is Greek.

Single forms, like $p\{Greek\}$, are mostly Perl-defined shortcuts for their equivalent compound forms. The table shows these equivalences. (In our example, $p\{Greek\}$ is a just a shortcut for $p\{Script=Greek\}$.) There are also a few Perl-defined single forms that are not shortcuts for a compound form. One such is $p\{Word\}$. These are also listed in the table.

In parsing these constructs, Perl always ignores Upper/lower case differences everywhere within the {braces}. Thus $p\{Greek\}$ means the same thing as $p\{greek\}$. But note that changing the case of the "p" or "P" before the left brace completely changes the meaning of the construct, from "match" (for $p\{\}$) to "doesn't match" (for $p\{\}$). Casing in this document is for improved legibility.

Also, white space, hyphens, and underscores are normally ignored everywhere between the {braces}, and hence can be freely added or removed even if the /x modifier hasn't been specified on the regular expression. But in the table below a 'T' at the beginning of an entry means that tighter (stricter)



rules are used for that entry:

Single form (\p{name}) tighter rules:

White space, hyphens, and underscores ARE significant except for:

- * white space adjacent to a non-word character
- * underscores separating digits in numbers

That means, for example, that you can freely add or remove white space adjacent to (but within) the braces without affecting the meaning.

Compound form (\p{name=value} or \p{name:value}) tighter rules:

The tighter rules given above for the single form apply to everything to the right of the colon or equals; the looser rules still apply to everything to the left.

That means, for example, that you can freely add or remove white space adjacent to (but within) the braces and the colon or equal sign.

Some properties are considered obsolete by Unicode, but still available. There are several varieties of obsolescence:

Stabilized

A property may be stabilized. Such a determination does not indicate that the property should or should not be used; instead it is a declaration that the property will not be maintained nor extended for newly encoded characters. Such properties are marked with an 'S' in the table.

Deprecated

A property may be deprecated, perhaps because its original intent has been replaced by another property, or because its specification was somehow defective. This means that its use is strongly discouraged, so much so that a warning will be issued if used, unless the regular expression is in the scope of a no warnings 'deprecated' statement. A 'D' flags each such entry in the table, and the entry there for the longest, most descriptive version of the property will give the reason it is deprecated, and perhaps advice. Perl may issue such a warning, even for properties that aren't officially deprecated by Unicode, when there used to be characters or code points that were matched by them, but no longer. This is to warn you that your program may not work like it did on earlier Unicode releases.

A deprecated property may be made unavailable in a future Perl version, so it is best to move away from them.

A deprecated property may also be stabilized, but this fact is not shown.

Obsolete

Properties marked with an 'O' in the table are considered (plain) obsolete. Generally this designation is given to properties that Unicode once used for internal purposes (but not any longer).

Discouraged

This is not actually a Unicode-specified obsolescence, but applies to certain Perl extensions that are present for backwards compatibility, but are discouraged from being used. These are not obsolete, but their meanings are not stable. Future Unicode versions could force any of these extensions to be removed without warning, replaced by another property with the same name that means something different. An 'X' flags each such entry in the table. Use the equivalent shown instead.

In particular, matches in the Block property have single forms defined by Perl that begin with "In_", "Is_, or even with no prefix at all, Like all **DISCOURAGED** forms,



these are not stable. For example, $\p{Block=Deseret}$ can currently be written as $\p{In_Deseret}$, $\p{Is_Deseret}$, or $\p{Deseret}$. But, a new Unicode version may come along that would force Perl to change the meaning of one or more of these, and your program would no longer be correct. Currently there are no such conflicts with the form that begins "In_", but there are many with the other two shortcuts, and Unicode continues to define new properties that begin with "In", so it's quite possible that a conflict will occur in the future. The compound form is guaranteed to not become obsolete, and its meaning is clearer anyway. See "Blocks" in perlunicode for more information about this.

The table below has two columns. The left column contains the $\protect\prote$

If braces are not needed to specify a property (e.g., \plue{pl}), the left column contains both forms, with and without braces.

The right column will also caution you if a property means something different than what might normally be expected.

All single forms are Perl extensions; a few compound forms are as well, and are noted as such.

Numbers in (parentheses) indicate the total number of Unicode code points matched by the property. For emphasis, those properties that match no code points at all are listed as well in a separate section following the table.

Most properties match the same code points regardless of whether "/i" case-insensitive matching is specified or not. But a few properties are affected. These are shown with the notation (/i= $other_property$) in the second column. Under case-insensitive matching they match the same code pode points as the property $other_property$.

There is no description given for most non-Perl defined properties (See http://www.unicode.org/reports/tr44/ for that).

For compactness, '*' is used as a wildcard instead of showing all possible combinations. For example, entries like:

mean that 'Gc' is a synonym for 'General_Category', and anything that is valid for the latter is also valid for the former. Similarly,

means that if and only if, for example, \p{Foo} exists, then $\p{Is_{Foo}}$ and \p{IsFoo} are also valid and all mean the same thing. And similarly, $\p{Foo=Bar}$ means the same as $\p{Is_{Foo=Bar}}$ and $\p{Is_{Foo=Bar}}$. "*" here is restricted to something not beginning with an underscore.

Also, in binary properties, 'Yes', 'T', and 'True' are all synonyms for 'Y'. And 'No', 'F', and 'False' are all synonyms for 'N'. The table shows 'Y*' and 'N*' to indicate this, and doesn't have separate entries for the other possibilities. Note that not all properties which have values 'Yes' and 'No' are binary, and they have all their values spelled out without using this wild card, and a NOT clause in their description that highlights their not being binary. These also require the compound form to match them, whereas true binary properties have both single and compound forms available.



Note that all non-essential underscores are removed in the display of the short names below.

Legend summary:

* is a wild-card

(\d+) in the info column gives the number of Unicode code points matched by this property.

D means this is deprecated.

O means this is obsolete.

S means this is stabilized.

T means tighter (stricter) name matching applies.

X means use of this form is discouraged, and may not be stable.

```
NAME
                                     INFO
  \p{Adlam}
                          \p{Script_Extensions=Adlam} (Short:
                            \p{Adlm}; NOT \p{Block=Adlam}) (88)
  \p{Adlm}
                          \p{Adlam} (= \p{Script_Extensions=Adlam})
                            (NOT \p{Block=Adlam}) (88)
X \p{Aegean_Numbers}
                          \p{Block=Aegean_Numbers} (64)
T \p{Age: 1.1}
                          p{Age=V1_1} (33_979)
T \p{Age: 2.0}
                          \p{Age=V2_0} (144_521)
T \p{Age: 2.1}
                          p{Age=V2_1} (2)
T \p{Age: 3.0}
                          p{Age=V3_0} (10_307)
T \p{Age: 3.1}
                          p{Age=V3_1} (44_978)
T \p{Age: 3.2}
                          p{Age=V3_2} (1016)
T \p{Age: 4.0}
                          p{Age=V4_0} (1226)
T \neq Age: 4.1
                          p{Age=V4_1} (1273)
T \neq \{Age: 5.0\}
                          p{Age=V5 0} (1369)
T \p{Age: 5.1}
                          p{Age=V5_1} (1624)
T \p{Age: 5.2}
                          p{Age=V5_2} (6648)
T \p{Age: 6.0}
                          p{Age=V6_0} (2088)
T \p{Age: 6.1}
                          p{Age=V6_1} (732)
T \p{Age: 6.2}
                          p{Age=V6_2} (1)
T \p{Age: 6.3}
                          p{Age=V6_3} (5)
T \p{Age: 7.0}
                          p{Age=V7_0} (2834)
T \p{Age: 8.0}
                          p{Age=V8_0} (7716)
                          \p{Age=V9_0} (7500)
T \p{Age: 9.0}
  \p{Age: NA}
                          \p{Age=Unassigned} (846_293 plus all
                            above-Unicode code points)
  \p{Age: Unassigned}
                          Code point's usage has not been assigned
                            in any Unicode release thus far. (Short:
                            p{Age=NA}) (846_293 plus all above-
                            Unicode code points)
                          Code point's usage introduced in version
  \p{Age: V1_1}
                            1.1 (33_979)
  \p{Age: V2_0}
                         Code point's usage was introduced in
                            version 2.0; See also Property
                            'Present_In' (144_521)
  \p{Age: V2_1}
                          Code point's usage was introduced in
                            version 2.1; See also Property
                            'Present_In' (2)
  \p{Age: V3_0}
                          Code point's usage was introduced in
                            version 3.0; See also Property
                            'Present_In' (10_307)
  \p{Age: V3_1}
                          Code point's usage was introduced in
```



```
version 3.1; See also Property
                            'Present_In' (44_978)
  \p{Age: V3_2}
                          Code point's usage was introduced in
                            version 3.2; See also Property
                            'Present_In' (1016)
  \p{Age: V4_0}
                          Code point's usage was introduced in
                            version 4.0; See also Property
                            'Present_In' (1226)
  \p{Age: V4_1}
                          Code point's usage was introduced in
                            version 4.1; See also Property
                            'Present_In' (1273)
  \p{Age: V5 0}
                          Code point's usage was introduced in
                            version 5.0; See also Property
                            'Present_In' (1369)
  \p{Age: V5_1}
                          Code point's usage was introduced in
                            version 5.1; See also Property
                            'Present_In' (1624)
  \p{Age: V5_2}
                          Code point's usage was introduced in
                           version 5.2; See also Property
                            'Present_In' (6648)
  \p{Age: V6_0}
                          Code point's usage was introduced in
                            version 6.0; See also Property
                            'Present_In' (2088)
  \p{Age: V6_1}
                          Code point's usage was introduced in
                            version 6.1; See also Property
                            'Present_In' (732)
  \p{Age: V6_2}
                          Code point's usage was introduced in
                            version 6.2; See also Property
                            'Present_In' (1)
  \p{Age: V6_3}
                          Code point's usage was introduced in
                            version 6.3; See also Property
                            'Present_In' (5)
  \p{Age: V7_0}
                          Code point's usage was introduced in
                            version 7.0; See also Property
                            'Present_In' (2834)
  \p{Age: V8_0}
                          Code point's usage was introduced in
                            version 8.0; See also Property
                            'Present_In' (7716)
  \p{Age: V9_0}
                          Code point's usage was introduced in
                            version 9.0; See also Property
                            'Present In' (7500)
  \p{Aqhb}
                          \p{Caucasian Albanian} (=
                            \p{Script_Extensions=
                            Caucasian_Albanian}) (NOT \p{Block=
                            Caucasian_Albanian}) (53)
                          \p{PosixXDigit} (= \p{ASCII_Hex_Digit=Y})
  \p{AHex}
                            (22)
  \p{AHex: *}
                          \p{ASCII_Hex_Digit: *}
  \p{Ahom}
                          \p{Script_Extensions=Ahom} (NOT \p{Block=
                            Ahom}) (57)
                          \p{Alchemical_Symbols} (= \p{Block=
X \p{Alchemical}
                            Alchemical Symbols (128)
X \p{Alchemical_Symbols} \p{Block=Alchemical_Symbols} (Short:
                            \p{InAlchemical}) (128)
  \p{All}
                          All code points, including those above
                            Unicode. Same as qr/./s (1_114_112 plus
```



```
all above-Unicode code points)
  \p{Alnum}
                          p{XPosixAlnum} (118_820)
  \p{Alpha}
                          \p{XPosixAlpha} (= \p{Alphabetic=Y})
                            (118_240)
  \p{Alpha: *}
                          \p{Alphabetic: *}
                          \p{XPosixAlpha} (= p{Alphabetic=Y})
  \p{Alphabetic}
                            (118_240)
  \p{Alphabetic: N*}
                          (Short: p{Alpha=N}, P{Alpha}) (995_872
                            plus all above-Unicode code points)
  \p{Alphabetic: Y*}
                          (Short: p{Alpha=Y}, p{Alpha}) (118_240)
X \p{Alphabetic_PF}
                          \p{Alphabetic_Presentation_Forms} (=
                            \p{Block=Alphabetic_Presentation_Forms})
                            (80)
X \p{Alphabetic_Presentation_Forms} \p{Block=
                            Alphabetic_Presentation_Forms (Short:
                            \p{InAlphabeticPF}) (80)
  \p{Anatolian_Hieroglyphs} \p{Script_Extensions=
                            Anatolian_Hieroglyphs} (Short: \p{Hluw};
                            NOT \p{Block=Anatolian_Hieroglyphs})
                            (583)
X \p{Ancient_Greek_Music} \p{Ancient_Greek_Musical_Notation} (=
                            \p{Block=
                            Ancient_Greek_Musical_Notation}) (80)
X \p{Ancient_Greek_Musical_Notation} \p{Block=
                            Ancient_Greek_Musical_Notation} (Short:
                            \p{InAncientGreekMusic}) (80)
X \p{Ancient_Greek_Numbers} \p{Block=Ancient_Greek_Numbers} (80)
X \p{Ancient_Symbols}
                          \p{Block=Ancient_Symbols} (64)
  \p{Any}
                          All Unicode code points: [\x{0000}]-
                            \x{10FFFF}] (1_114_112)
  \p{Arab}
                          \p{Arabic} (= \p{Script_Extensions=
                            Arabic}) (NOT \p{Block=Arabic}) (1323)
  \p{Arabic}
                          \p{Script_Extensions=Arabic} (Short:
                            \p{Arab}; NOT \p{Block=Arabic}) (1323)
X \p{Arabic_Ext_A}
                          \p{Arabic_Extended_A} (= \p{Block=
                            Arabic_Extended_A}) (96)
X \p{Arabic_Extended_A}
                          \p{Block=Arabic_Extended_A} (Short:
                            \p{InArabicExtA}) (96)
X \p{Arabic_Math}
                          \p{Arabic_Mathematical_Alphabetic_Symbols}
                            (= \p{Block}=
                            Arabic Mathematical Alphabetic Symbols })
                            (256)
X \p{Arabic_Mathematical_Alphabetic_Symbols} \p{Block=
                            Arabic_Mathematical_Alphabetic_Symbols}
                            (Short: \p{InArabicMath}) (256)
                          \p{Arabic_Presentation_Forms_A} (=
X \p{Arabic_PF_A}
                            \p{Block=Arabic_Presentation_Forms_A})
                            (688)
X \p{Arabic_PF_B}
                          \p{Arabic_Presentation_Forms_B} (=
                            \p{Block=Arabic_Presentation_Forms_B})
                            (144)
X \p{Arabic_Presentation_Forms_A} \p{Block=
                            Arabic_Presentation_Forms_A} (Short:
                            \p{InArabicPFA}) (688)
X \p{Arabic_Presentation_Forms_B} \p{Block=
                            Arabic_Presentation_Forms_B} (Short:
```



```
\p{InArabicPFB}) (144)
X \p{Arabic_Sup}
                           \p{Arabic_Supplement} (= \p{Block=
                             Arabic_Supplement}) (48)
X \p{Arabic_Supplement}
                           \p{Block=Arabic_Supplement} (Short:
                             \p{InArabicSup}) (48)
                           \p{Script\_Extensions=Armenian} \ (Short:
  \p{Armenian}
                             \p{Armn}; NOT \p{Block=Armenian}) (94)
  \p{Armi}
                           \p{Imperial_Aramaic} (=
                             \p{Script_Extensions=Imperial_Aramaic})
                             (NOT \p{Block=Imperial_Aramaic}) (31)
                           \p{Armenian} (= \p{Script_Extensions=
  \p{Armn}
                             Armenian}) (NOT \p{Block=Armenian}) (94)
X \p{Arrows}
                           p\{Block=Arrows\} (112)
  \p{ASCII}
                           \p{Block=Basic_Latin} [[:ASCII:]] (128)
                           \p{PosixXDigit} (= \p{ASCII_Hex_Digit=Y})
  \p{ASCII_Hex_Digit}
                             (22)
  p{ASCII\_Hex\_Digit: N*} (Short: p{AHex=N}, P{AHex}) (1_114_090)
                             plus all above-Unicode code points)
  \p{ASCII\_Hex\_Digit: Y*} (Short: \p{AHex=Y}, \p{AHex}) (22)
                           All assigned code points (267_753)
  \p{Assigned}
  \p{Avestan}
                           \p{Script_Extensions=Avestan} (Short:
                             \p{Avst}; NOT \p{Block=Avestan}) (61)
  \p{Avst}
                           \p{Avestan} (= \p{Script_Extensions=
                             Avestan) (NOT \p{Block=Avestan}) (61)
  \p{Bali}
                           \p{Balinese} (= \p{Script_Extensions=
                             Balinese}) (NOT \p{Block=Balinese}) (121)
  \p{Balinese}
                           \p{Script_Extensions=Balinese} (Short:
                             \p{Bali}; NOT \p{Block=Balinese}) (121)
  \p{Bamu}
                           \p{Bamum} (= \p{Script_Extensions=Bamum})
                             (NOT \p{Block=Bamum}) (657)
  \p{Bamum}
                           \p{Script_Extensions=Bamum} (Short:
                             \p{Bamu}; NOT \p{Block=Bamum}) (657)
X \p{Bamum_Sup}
                           \p{Bamum_Supplement} (= \p{Block=
                             Bamum_Supplement } ) (576)
X \p{Bamum_Supplement}
                           \p{Block=Bamum_Supplement} (Short:
                             p{InBamumSup}) (576)
X \p{Basic_Latin}
                           \p{ASCII} (= \p{Block=Basic\_Latin}) (128)
  \p{Bass}
                           \p{Bassa\_Vah} (= \p{Script\_Extensions} = \p{Bassa\_Vah})
                             Bassa_Vah}) (NOT \p{Block=Bassa_Vah})
                             (36)
  \p{Bassa Vah}
                           \p{Script Extensions=Bassa Vah} (Short:
                             \p{Bass}; NOT \p{Block=Bassa_Vah}) (36)
  \p{Batak}
                           \p{Script_Extensions=Batak} (Short:
                             \p{Batk}; NOT \p{Block=Batak}) (56)
  \p{Batk}
                           \p{Batak} (= \p{Script_Extensions=Batak})
                             (NOT \p{Block=Batak}) (56)
  \p{Bc: *}
                           \p{Bidi_Class: *}
  \p{Beng}
                           \p{Bengali} (= \p{Script_Extensions=
                             Bengali}) (NOT \p{Block=Bengali}) (98)
  \p{Bengali}
                           \p{Script_Extensions=Bengali} (Short:
                             \p{Beng}; NOT \p{Block=Bengali}) (98)
  \p{Bhaiksuki}
                           \p{Script Extensions=Bhaiksuki} (Short:
                             \p{Bhks}; NOT \p{Block=Bhaiksuki}) (97)
  \p{Bhks}
                           \p{Bhaiksuki} (= \p{Script_Extensions=
                             Bhaiksuki}) (NOT \p{Block=Bhaiksuki})
                             (97)
```



```
\p{Bidi_C}
                        \p{Bidi_Control} (= \p{Bidi_Control=Y})
                          (12)
\p{Bidi_C: *}
                        \p{Bidi_Control: *}
\p{Bidi_Class: AL}
                        \p{Bidi_Class=Arabic_Letter} (1420)
\p{Bidi_Class: AN}
                        \p{Bidi_Class=Arabic_Number} (51)
\p{Bidi_Class: Arabic_Letter} (Short: \p{Bc=AL}) (1420)
\p{Bidi_Class: Arabic_Number} (Short: \p{Bc=AN}) (51)
\p{Bidi_Class: B}
                        \p{Bidi_Class=Paragraph_Separator} (7)
\p{Bidi_Class: BN}
                        \p{Bidi_Class=Boundary_Neutral} (4016)
\p{Bidi_Class: Boundary_Neutral} (Short: \p{Bc=BN}) (4016)
\p{Bidi_Class: Common_Separator} (Short: \p{Bc=CS}) (15)
\p{Bidi Class: CS}
                        \p{Bidi Class=Common Separator} (15)
\p{Bidi_Class: EN}
                        \p{Bidi_Class=European_Number} (158)
\p{Bidi_Class: ES}
                        \p{Bidi_Class=European_Separator} (12)
\p{Bidi_Class: ET}
                        \p{Bidi_Class=European_Terminator} (87)
\p{Bidi_Class: European_Number} (Short: \p{Bc=EN}) (158)
\p{Bidi_Class: European_Separator} (Short: \p{Bc=ES}) (12)
\p{Bidi_Class: European_Terminator} (Short: \p{Bc=ET}) (87)
\p{Bidi_Class: First_Strong_Isolate} (Short: \p{Bc=FSI}) (1)
                        \p{Bidi_Class=First_Strong_Isolate} (1)
\p{Bidi_Class: FSI}
                        \p{Bidi_Class=Left_To_Right} (1_097_280
\p{Bidi_Class: L}
                          plus all above-Unicode code points)
\p{Bidi_Class: Left_To_Right} (Short: \p{Bc=L}) (1_097_280 plus
                          all above-Unicode code points)
\p{Bidi_Class: Left_To_Right_Embedding} (Short: \p{Bc=LRE}) (1)
\p{Bidi_Class: Left_To_Right_Isolate} (Short: \p{Bc=LRI}) (1)
\p{Bidi_Class: Left_To_Right_Override} (Short: \p{Bc=LRO}) (1)
\p{Bidi_Class: LRE}
                        \p{Bidi_Class=Left_To_Right_Embedding} (1)
\p{Bidi_Class: LRI}
                        \p{Bidi_Class=Left_To_Right_Isolate} (1)
                        \p{Bidi_Class=Left_To_Right_Override} (1)
\p{Bidi_Class: LRO}
\p{Bidi\_Class: Nonspacing\_Mark} (Short: \p{Bc=NSM}) (1700)
\p{Bidi_Class: NSM}
                        \p{Bidi_Class=Nonspacing_Mark} (1700)
\p{Bidi_Class: ON}
                        \p{Bidi_Class=Other_Neutral} (5267)
\p{Bidi Class: Other Neutral} (Short: \p{Bc=ON}) (5267)
\p{Bidi_Class: Paragraph_Separator} (Short: \p{Bc=B}) (7)
\p{Bidi_Class: PDF}
                        \p{Bidi_Class=Pop_Directional_Format} (1)
                        \p{Bidi_Class=Pop_Directional_Isolate} (1)
\p{Bidi_Class: PDI}
\p{Bidi_Class: Pop_Directional_Format} (Short: \p{Bc=PDF}) (1)
\p{Bidi\_Class: Pop\_Directional\_Isolate} (Short: \p{Bc=PDI}) (1)
\p{Bidi_Class: R}
                        \p{Bidi_Class=Right_To_Left} (4070)
\p{Bidi Class: Right To Left} (Short: \p{Bc=R}) (4070)
\p{Bidi_Class: Right_To_Left_Embedding} (Short: \p{Bc=RLE}) (1)
\p{Bidi_Class: Right_To_Left_Isolate} (Short: \p{Bc=RLI}) (1)
\p{Bidi_Class: Right_To_Left_Override} (Short: \p{Bc=RLO}) (1)
\p{Bidi_Class: RLE}
                        \p{Bidi_Class=Right_To_Left_Embedding} (1)
\p{Bidi_Class: RLI}
                        \p{Bidi_Class=Right_To_Left_Isolate} (1)
\p{Bidi_Class: RLO}
                        \p{Bidi_Class=Right_To_Left_Override} (1)
\p{Bidi_Class: S}
                        \p{Bidi_Class=Segment_Separator} (3)
\p{Bidi_Class: Segment_Separator} (Short: \p{Bc=S}) (3)
\p{Bidi_Class: White_Space} (Short: \p{Bc=WS}) (17)
\p{Bidi_Class: WS}
                        \p{Bidi_Class=White_Space} (17)
\p{Bidi Control}
                        \p{Bidi_Control=Y} (Short: \p{BidiC}) (12)
\p{Bidi_Control: N*}
                        (Short: p\{BidiC=N\}, P\{BidiC\}) (1_114_100
                          plus all above-Unicode code points)
\p{Bidi_Control: Y*}
                        (Short: p\{BidiC=Y\}, p\{BidiC\}) (12)
                        \p{Bidi_Mirrored} (= \p{Bidi_Mirrored=Y})
\p{Bidi_M}
```



```
(545)
\p{Bidi_M: *}
                        \p{Bidi_Mirrored: *}
\p{Bidi_Mirrored}
                        \p{Bidi_Mirrored=Y} (Short: \p{BidiM})
                          (545)
\p{Bidi_Mirrored: N*}
                        (Short: \P\{BidiM=N\}, \P\{BidiM\}\}) (1_113_567)
                          plus all above-Unicode code points)
                      (Short: p\{BidiM=Y\}, p\{BidiM\}) (545)
\p{Bidi_Mirrored: Y*}
\p{Bidi_Paired_Bracket_Type: C} \p{Bidi_Paired_Bracket_Type=Close}
                          (60)
\p{Bidi_Paired_Bracket_Type: Close} (Short: \p{Bpt=C}) (60)
\p{Bidi_Paired_Bracket_Type: N} \p{Bidi_Paired_Bracket_Type=None}
                          (1 113 992 plus all above-Unicode code
                          points)
\p{Bidi\_Paired\_Bracket\_Type: None} (Short: \p{Bpt=N}) (1\_113\_992
                          plus all above-Unicode code points)
\p{Bidi_Paired_Bracket_Type: 0} \p{Bidi_Paired_Bracket_Type=Open}
                          (60)
\p{Bidi_Paired_Bracket_Type: Open} (Short: \p{Bpt=0}) (60)
\p{Blank}
                        p{XPosixBlank} (18)
\p{Blk: *}
                        \p{Block: *}
\p{Block: Adlam}
                       (NOT \p{Adlam} NOR \p{Is_Adlam}) (96)
\p{Block: Aegean_Numbers} (64)
\p{Block: Ahom}
                        (NOT p\{Ahom\} NOR p\{Is Ahom\}) (64)
\p{Block: Alchemical} \p{Block=Alchemical_Symbols} (128)
\p{Block: Alchemical_Symbols} (Short: \p{Blk=Alchemical}) (128)
\p{Block: Alphabetic_PF} \p{Block=Alphabetic_Presentation_Forms}
                          (80)
\p{Block: Alphabetic_Presentation_Forms} (Short: \p{Blk=
                          AlphabeticPF}) (80)
\p{Block: Anatolian_Hieroglyphs} (NOT \p{Anatolian_Hieroglyphs}
                          NOR \p{Is_Anatolian_Hieroglyphs}) (640)
\p{Block: Ancient_Greek_Music} \p{Block=
                          Ancient_Greek_Musical_Notation} (80)
\p{Block: Ancient_Greek_Musical_Notation} (Short: \p{Blk=
                          AncientGreekMusic}) (80)
\p{Block: Ancient_Greek_Numbers} (80)
\p{Block: Ancient_Symbols} (64)
\p{Block: Arabic}
                  (NOT p\{Arabic\} NOR p\{Is\_Arabic\}) (256)
\p{Block: Arabic_Ext_A} \p{Block=Arabic_Extended_A} (96)
\p{Block: Arabic_Extended_A} (Short: \p{Blk=ArabicExtA}) (96)
\p{Block: Arabic Math} \p{Block=
                          Arabic Mathematical Alphabetic Symbols}
                          (256)
\p{Block: Arabic_Mathematical_Alphabetic_Symbols} (Short: \p{Blk=
                          ArabicMath}) (256)
\p{Block: Arabic_PF_A} \p{Block=Arabic_Presentation_Forms_A} (688)
\p{Block: Arabic_PF_B} \p{Block=Arabic_Presentation_Forms_B} (144)
\p{Block: Arabic_Presentation_Forms_A} (Short: \p{Blk=ArabicPFA})
                          (688)
\p{Block: Arabic_Presentation_Forms_B} (Short: \p{Blk=ArabicPFB})
                          (144)
\p{Block: Arabic Sup} \p{Block=Arabic Supplement} (48)
\p{Block: Arabic_Supplement} (Short: \p{Blk=ArabicSup}) (48)
\p{Block: Armenian} (NOT \p{Armenian} NOR \p{Is_Armenian}) (96)
\p{Block: Arrows}
                        (112)
\p{Block: ASCII}
                        \p{Block=Basic_Latin} (128)
```



```
\p{Block: Avestan}
                        (NOT \p{Avestan} NOR \p{Is_Avestan}) (64)
\p{Block: Balinese}
                        (NOT \p{Balinese} NOR \p{Is_Balinese})
                          (128)
\p{Block: Bamum}
                        (NOT p\{Bamum\} NOR p\{Is\_Bamum\}) (96)
\p{Block: Bamum_Sup}
                        \p{Block=Bamum_Supplement} (576)
\p{Block: Bamum_Supplement} (Short: \p{Blk=BamumSup}) (576)
\p{Block: Basic\_Latin} (Short: \p{Blk=ASCII}) (128)
\p{Block: Bassa_Vah}
                        (NOT \p{Bassa_Vah} NOR \p{Is_Bassa_Vah})
                          (48)
\p{Block: Batak}
                        (NOT \p{Batak} NOR \p{Is_Batak}) (64)
                        (NOT \p{Bengali} NOR \p{Is_Bengali}) (128)
\p{Block: Bengali}
\p{Block: Bhaiksuki}
                        (NOT \p{Bhaiksuki} NOR \p{Is Bhaiksuki})
                          (112)
\p{Block: Block_Elements} (32)
                        (NOT p\{Bopomofo\}\ NOR \ p\{Is\_Bopomofo\}\ (48)
\p{Block: Bopomofo}
\p{Block: Bopomofo_Ext} \p{Block=Bopomofo_Extended} (32)
\p{Block: Bopomofo_Extended} (Short: \p{Blk=BopomofoExt}) (32)
\p{Block: Box_Drawing} (128)
\p{Block: Brahmi}
                        (NOT \p{Brahmi} NOR \p{Is_Brahmi}) (128)
\p{Block: Braille}
                        \p{Block=Braille_Patterns} (256)
\p{Block: Braille_Patterns} (Short: \p{Blk=Braille}) (256)
                       (NOT \p{Buginese} NOR \p{Is_Buginese}) (32)
\p{Block: Buginese}
                        (NOT \p{Buhid} NOR \p{Is_Buhid}) (32)
\p{Block: Buhid}
\p{Block: Byzantine_Music} \p{Block=Byzantine_Musical_Symbols}
                          (256)
\p{Block: Byzantine_Musical_Symbols} (Short: \p{Blk=
                          ByzantineMusic}) (256)
\p{Block: Canadian_Syllabics} \p{Block=
                          Unified_Canadian_Aboriginal_Syllabics}
                          (640)
                        (NOT \p{Carian} NOR \p{Is_Carian}) (64)
\p{Block: Carian}
\p{Block: Caucasian_Albanian} (NOT \p{Caucasian_Albanian} NOR
                          \p{Is_Caucasian_Albanian}) (64)
\p{Block: Chakma}
                        (NOT \p{Chakma} NOR \p{Is_Chakma}) (80)
                        (NOT p\{Cham\} NOR p\{Is\_Cham\}) (96)
\p{Block: Cham}
                        (NOT \p{Cherokee} NOR \p{Is_Cherokee}) (96)
\p{Block: Cherokee}
\p{Block: Cherokee_Sup} \p{Block=Cherokee_Supplement} (80)
\p{Block: Cherokee_Supplement} (Short: \p{Blk=CherokeeSup}) (80)
\p{Block: CJK}
                        \p{Block=CJK_Unified_Ideographs} (20_992)
\p{Block: CJK_Compat} \p{Block=CJK_Compatibility} (256)
\p{Block: CJK Compat Forms} \p{Block=CJK Compatibility Forms} (32)
\p{Block: CJK_Compat_Ideographs} \p{Block=
                          CJK_Compatibility_Ideographs { (512)
\p{Block: CJK_Compat_Ideographs_Sup} \p{Block=
                          CJK_Compatibility_Ideographs_Supplement}
                          (544)
\p{Block: CJK\_Compatibility} (Short: \p{Blk=CJKCompat}) (256)
\p{Block: CJK_Compatibility_Forms} (Short: \p{Blk=CJKCompatForms})
                          (32)
\p{Block: CJK_Compatibility_Ideographs} (Short: \p{Blk=
                          CJKCompatIdeographs } ) (512)
\p{Block: CJK Compatibility Ideographs Supplement} (Short: \p{Blk=
                          CJKCompatIdeographsSup}) (544)
\p{Block: CJK_Ext_A}
                        \p{Block=
                          CJK_Unified_Ideographs_Extension_A}
                          (6592)
```



```
\p{Block=
\p{Block: CJK_Ext_B}
                          CJK_Unified_Ideographs_Extension_B}
                          (42_720)
\p{Block: CJK_Ext_C}
                        \p{Block=
                          CJK_Unified_Ideographs_Extension_C}
                          (4160)
\p{Block: CJK_Ext_D}
                        \p{Block=
                          CJK_Unified_Ideographs_Extension_D} (224)
\p{Block: CJK_Ext_E}
                        \p{Block=
                          CJK_Unified_Ideographs_Extension_E}
                          (5776)
\p{Block: CJK Radicals Sup} \p{Block=CJK Radicals Supplement} (128)
\p{Block: CJK_Radicals_Supplement} (Short: \p{Blk=CJKRadicalsSup})
                          (128)
\p{Block: CJK_Strokes}
                        (48)
\p{Block: CJK_Symbols} \p{Block=CJK_Symbols_And_Punctuation} (64)
\p{Block: CJK_Symbols_And_Punctuation} (Short: \p{Blk=CJKSymbols})
                          (64)
\p{Block: CJK_Unified_Ideographs} (Short: \p{Blk=CJK}) (20_992)
\p{Block: CJK_Unified_Ideographs_Extension_A} (Short: \p{Blk=
                          CJKExtA}) (6592)
\p{Block: CJK_Unified_Ideographs_Extension_B} (Short: \p{Blk=
                          CJKExtB)) (42_720)
\p{Block: CJK_Unified_Ideographs_Extension_C} (Short: \p{Blk=
                          CJKExtC}) (4160)
\p{Block: CJK_Unified_Ideographs_Extension_D} (Short: \p{Blk=
                          CJKExtD}) (224)
\p{Block: CJK_Unified_Ideographs_Extension_E} (Short: \p{Blk=
                          CJKExtE}) (5776)
\p{Block: Combining_Diacritical_Marks} (Short: \p{Blk=
                          Diacriticals (112)
\p{Block: Combining_Diacritical_Marks_Extended} (Short: \p{Blk=
                          DiacriticalsExt}) (80)
\p{Block: Combining_Diacritical_Marks_For_Symbols} (Short: \p{Blk=
                          DiacriticalsForSymbols (48)
\p{Block: Combining_Diacritical_Marks_Supplement} (Short: \p{Blk=
                          DiacriticalsSup}) (64)
\p{Block: Combining_Half_Marks} (Short: \p{Blk=HalfMarks}) (16)
\p{Block: Combining_Marks_For_Symbols} \p{Block=
                          Combining_Diacritical_Marks_For_Symbols}
\p{Block: Common_Indic_Number_Forms} (Short: \p{Blk=
                          IndicNumberForms}) (16)
\p{Block: Compat_Jamo} \p{Block=Hangul_Compatibility_Jamo} (96)
\p{Block: Control_Pictures} (64)
                        (NOT \p{Coptic} NOR \p{Is_Coptic}) (128)
\p{Block: Coptic}
\p{Block: Coptic_Epact_Numbers} (32)
\p{Block: Counting_Rod} \p{Block=Counting_Rod_Numerals} (32)
\p{Block: Counting_Rod_Numerals} (Short: \p{Blk=CountingRod}) (32)
                        (NOT \p{Cuneiform} NOR \p{Is_Cuneiform})
\p{Block: Cuneiform}
                          (1024)
\p{Block: Cuneiform_Numbers} \p{Block=
                          Cuneiform_Numbers_And_Punctuation} (128)
\p{Block: Cuneiform_Numbers_And_Punctuation} (Short: \p{Blk=
                          CuneiformNumbers (128)
\p{Block: Currency_Symbols} (48)
```



```
\p{Block: Cypriot_Syllabary} (64)
                        (NOT \p{Cyrillic} NOR \p{Is_Cyrillic})
\p{Block: Cyrillic}
                          (256)
\p{Block: Cyrillic_Ext_A} \p{Block=Cyrillic_Extended_A} (32)
\p{Block: Cyrillic_Ext_B} \p{Block=Cyrillic_Extended_B} (96)
\p{Block: Cyrillic_Ext_C} \p{Block=Cyrillic_Extended_C} (16)
\p{Block: Cyrillic_Extended_A} (Short: \p{Blk=CyrillicExtA}) (32)
\p{Block: Cyrillic_Extended_B} (Short: \p{Blk=CyrillicExtB}) (96)
\p{Block: Cyrillic_Extended_C} (Short: \p{Blk=CyrillicExtC}) (16)
\p{Block: Cyrillic_Sup} \p{Block=Cyrillic_Supplement} (48)
\p{Block: Cyrillic_Supplement} (Short: \p{Blk=CyrillicSup}) (48)
\p{Block: Cyrillic_Supplementary} \p{Block=Cyrillic_Supplement}
                          (48)
\p{Block: Deseret}
                        (80)
                        (NOT \p{Devanagari} NOR \p{Is_Devanagari})
\p{Block: Devanagari}
                          (128)
\p{Block: Devanagari_Ext} \p{Block=Devanagari_Extended} (32)
\p{Block: Devanagari_Extended} (Short: \p{Blk=DevanagariExt}) (32)
\p{Block: Diacriticals} \p{Block=Combining_Diacritical_Marks} (112)
\p{Block: Diacriticals_Ext} \p{Block=
                          Combining_Diacritical_Marks_Extended}
                          (80)
\p{Block: Diacriticals_For_Symbols} \p{Block=
                          Combining_Diacritical_Marks_For_Symbols}
                          (48)
\p{Block: Diacriticals_Sup} \p{Block=
                          Combining_Diacritical_Marks_Supplement}
                          (64)
\p{Block: Dingbats}
                        (192)
\p{Block: Domino}
                        \p{Block=Domino_Tiles} (112)
\p{Block: Domino_Tiles} (Short: \p{Blk=Domino}) (112)
                        (NOT \p{Duployan} NOR \p{Is_Duployan})
\p{Block: Duployan}
                          (160)
\p{Block: Early_Dynastic_Cuneiform} (208)
\p{Block: Egyptian_Hieroglyphs} (NOT \p{Egyptian_Hieroglyphs} NOR
                          \p{Is_Egyptian_Hieroglyphs}) (1072)
                        (NOT \p{Elbasan} NOR \p{Is_Elbasan}) (48)
\p{Block: Elbasan}
\p{Block: Emoticons}
                        (80)
\p{Block: Enclosed_Alphanum} \p{Block=Enclosed_Alphanumerics} (160)
\p{Block: Enclosed_Alphanum_Sup} \p{Block=
                          Enclosed Alphanumeric Supplement (256)
\p{Block: Enclosed_Alphanumeric_Supplement} (Short: \p{Blk=
                          EnclosedAlphanumSup}) (256)
\p{Block: Enclosed_Alphanumerics} (Short: \p{Blk=
                          EnclosedAlphanum } (160)
\p{Block: Enclosed_CJK} \p{Block=Enclosed_CJK_Letters_And_Months}
                          (256)
\p{Block: Enclosed_CJK_Letters_And_Months} (Short: \p{Blk=
                          EnclosedCJK}) (256)
\p{Block: Enclosed_Ideographic_Sup} \p{Block=
                          Enclosed_Ideographic_Supplement { (256)
\p{Block: Enclosed_Ideographic_Supplement} (Short: \p{Blk=
                          EnclosedIdeographicSup}) (256)
\p{Block: Ethiopic}
                      (NOT \p{Ethiopic} NOR \p{Is_Ethiopic})
                          (384)
\p{Block: Ethiopic_Ext} \p{Block=Ethiopic_Extended} (96)
```



```
\p{Block: Ethiopic_Ext_A} \p{Block=Ethiopic_Extended_A} (48)
\p{Block: Ethiopic_Extended} (Short: \p{Blk=EthiopicExt}) (96)
\p{Block: Ethiopic_Extended_A} (Short: \p{Blk=EthiopicExtA}) (48)
\p{Block: Ethiopic_Sup} \p{Block=Ethiopic_Supplement} (32)
\p{Block: Ethiopic_Supplement} (Short: \p{Blk=EthiopicSup}) (32)
\p{Block: General_Punctuation} (Short: \p{Blk=Punctuation}; NOT
                          \P\{Punct\} NOR \P\{Is\_Punctuation\}\) (112)
\p{Block: Geometric_Shapes} (96)
\p{Block: Geometric_Shapes_Ext} \p{Block=
                          Geometric_Shapes_Extended} (128)
\p{Block: Geometric_Shapes_Extended} (Short: \p{Blk=
                          GeometricShapesExt}) (128)
\p{Block: Georgian}
                        (NOT \p{Georgian} NOR \p{Is_Georgian}) (96)
\p{Block: Georgian_Sup} \p{Block=Georgian_Supplement} (48)
\p{Block: Georgian_Supplement} (Short: \p{Blk=GeorgianSup}) (48)
\p{Block: Glagolitic}
                        (NOT \p{Glagolitic} NOR \p{Is_Glagolitic})
                          (96)
\p{Block: Glagolitic_Sup} \p{Block=Glagolitic_Supplement} (48)
\p{Block: Glagolitic_Supplement} (Short: \p{Blk=GlagoliticSup})
                          (48)
                        (NOT \p{Gothic} NOR \p{Is_Gothic}) (32)
\p{Block: Gothic}
                        (NOT \p{Grantha} NOR \p{Is_Grantha}) (128)
\p{Block: Grantha}
\p{Block: Greek}
                        \p{Block=Greek_And_Coptic} (NOT \p{Greek}
                          NOR p\{Is\_Greek\}) (144)
\p{Block: Greek_And_Coptic} (Short: \p{Blk=Greek}; NOT \p{Greek}
                          NOR p\{Is\_Greek\}) (144)
                        \p{Block=Greek_Extended} (256)
\p{Block: Greek_Ext}
\p{Block: Greek_Extended} (Short: \p{Blk=GreekExt}) (256)
\p{Block: Gujarati}
                        (NOT \p{Gujarati} NOR \p{Is_Gujarati})
\p{Block: Gurmukhi}
                        (NOT \p{Gurmukhi} NOR \p{Is_Gurmukhi})
                          (128)
\p{Block: Half_And_Full_Forms} \p{Block=
                          Halfwidth_And_Fullwidth_Forms \ (240)
\p{Block: Half_Marks}
                        \p{Block=Combining_Half_Marks} (16)
\p{Block: Halfwidth_And_Fullwidth_Forms} (Short: \p{Blk=
                          HalfAndFullForms}) (240)
\p{Block: Hangul}
                        \p{Block=Hangul_Syllables} (NOT \p{Hangul}
                          NOR p\{Is\_Hangul\}) (11_184)
\p{Block: Hangul_Compatibility_Jamo} (Short: \p{Blk=CompatJamo})
                          (96)
\p{Block: Hangul_Jamo} (Short: \p{Blk=Jamo}) (256)
\p{Block: Hangul_Jamo_Extended_A} (Short: \p{Blk=JamoExtA}) (32)
\p{Block: Hangul_Jamo_Extended_B} (Short: \p{Blk=JamoExtB}) (80)
\p{Block: Hangul_Syllables} (Short: \p{Blk=Hangul}; NOT \p{Hangul}
                          NOR p\{Is\_Hangul\}) (11_184)
                        (NOT p\{Hanunoo\}\ NOR \p\{Is\_Hanunoo\}\) (32)
\p{Block: Hanunoo}
\p{Block: Hatran}
                        (NOT \p{Hatran} NOR \p{Is_Hatran}) (32)
\p{Block: Hebrew}
                        (NOT \p{Hebrew} NOR \p{Is_Hebrew}) (112)
\p{Block: High_Private_Use_Surrogates} (Short: \p{Blk=
                          HighPUSurrogates (128)
\p{Block: High_PU_Surrogates} \p{Block=
                          High_Private_Use_Surrogates (128)
\p{Block: High_Surrogates} (896)
\p{Block: Hiragana} (NOT \p{Hiragana} NOR \p{Is_Hiragana}) (96)
\p{Block: IDC}
                        \p{Block=
```



```
Ideographic_Description_Characters} (NOT
                          \p{ID\_Continue} NOR \p{Is\_IDC}) (16)
\p{Block: Ideographic_Description_Characters} (Short: \p{Blk=IDC};
                          NOT p\{ID\_Continue\}\ NOR \p\{Is\_IDC\}\ (16)
\p{Block: Ideographic_Symbols} \p{Block=
                          Ideographic_Symbols_And_Punctuation} (32)
\p{Block: Ideographic_Symbols_And_Punctuation} (Short: \p{Blk=
                          IdeographicSymbols (32)
\p{Block: Imperial_Aramaic} (NOT \p{Imperial_Aramaic} NOR
                          \p{Is_Imperial_Aramaic}) (32)
\p{Block: Indic_Number_Forms} \p{Block=Common_Indic_Number_Forms}
\p{Block: Inscriptional_Pahlavi} (NOT \p{Inscriptional_Pahlavi}
                          NOR \p{Is_Inscriptional_Pahlavi}) (32)
\p{Block: Inscriptional_Parthian} (NOT \p{Inscriptional_Parthian}
                          NOR \p{Is_Inscriptional_Parthian}) (32)
\p{Block: IPA_Ext}
                        \p{Block=IPA_Extensions} (96)
\p{Block: IPA_Extensions} (Short: \p{Blk=IPAExt}) (96)
\p{Block: Jamo}
                        \p{Block=Hangul_Jamo} (256)
\p{Block: Jamo_Ext_A}
                        \p{Block=Hangul_Jamo_Extended_A} (32)
\p{Block: Jamo_Ext_B}
                        \p{Block=Hangul_Jamo_Extended_B} (80)
                        (NOT \p{Javanese} NOR \p{Is_Javanese}) (96)
\p{Block: Javanese}
                        (NOT \p{Kaithi} NOR \p{Is_Kaithi}) (80)
\p{Block: Kaithi}
\p{Block: Kana_Sup}
                        \p{Block=Kana_Supplement} (256)
\p{Block: Kana_Supplement} (Short: \p{Blk=KanaSup}) (256)
\p{Block: Kanbun}
                       (16)
\p{Block: Kangxi}
                        \p{Block=Kangxi_Radicals} (224)
\p{Block: Kangxi_Radicals} (Short: \p{Blk=Kangxi}) (224)
\p{Block: Kannada}
                      (NOT \p{Kannada} NOR \p{Is_Kannada}) (128)
                        (NOT \p{Katakana} NOR \p{Is_Katakana}) (96)
\p{Block: Katakana}
\p{Block: Katakana_Ext} \p{Block=Katakana_Phonetic_Extensions} (16)
\p{Block: Katakana_Phonetic_Extensions} (Short: \p{Blk=
                          KatakanaExt}) (16)
\p{Block: Kayah Li}
                        (48)
                        (NOT \p{Kharoshthi} NOR \p{Is_Kharoshthi})
\p{Block: Kharoshthi}
                          (96)
                        (NOT p\{Khmer\} NOR p\{Is\_Khmer\}) (128)
\p{Block: Khmer}
\p{Block: Khmer_Symbols} (32)
\p{Block: Khojki}
                       (NOT p\{Khojki\} NOR p\{Is\_Khojki\}) (80)
                        (NOT \p{Khudawadi} NOR \p{Is_Khudawadi})
\p{Block: Khudawadi}
                        (NOT p\{Lao\} NOR p\{Is\_Lao\}) (128)
\p{Block: Lao}
                        \p{Block=Latin_1_Supplement} (128)
\p{Block: Latin_1}
\p{Block: Latin_1_Sup} \p{Block=Latin_1_Supplement} (128)
\p{Block: Latin_1_Supplement} (Short: \p{Blk=Latin1}) (128)
\p{Block: Latin_Ext_A} \p{Block=Latin_Extended_A} (128)
\p{Block: Latin_Ext_Additional} \p{Block=
                         Latin_Extended_Additional \ (256)
\p{Block: Latin_Ext_B} \p{Block=Latin_Extended_B} (208)
\p{Block: Latin_Ext_C} \p{Block=Latin_Extended_C} (32)
\p{Block: Latin_Ext_D}
                        \p{Block=Latin_Extended_D} (224)
\p{Block: Latin_Ext_E} \p{Block=Latin_Extended_E} (64)
\p{Block: Latin_Extended_A} (Short: \p{Blk=LatinExtA}) (128)
\p{Block: Latin_Extended_Additional} (Short: \p{Blk=
                          LatinExtAdditional (256)
\p{Block: Latin_Extended_B} (Short: \p{Blk=LatinExtB}) (208)
```



```
\p{Block: Latin_Extended_C} (Short: \p{Blk=LatinExtC}) (32)
\p{Block: Latin_Extended_D} (Short: \p{Blk=LatinExtD}) (224)
\p{Block: Latin_Extended_E} (Short: \p{Blk=LatinExtE}) (64)
\p{Block: Lepcha}
                        (NOT \p{Lepcha} NOR \p{Is_Lepcha}) (80)
\p{Block: Letterlike_Symbols} (80)
                        (NOT \p{Limbu} NOR \p{Is_Limbu}) (80)
\p{Block: Limbu}
                        (NOT \p{Linear_A} NOR \p{Is_Linear_A})
\p{Block: Linear_A}
                          (384)
\p{Block: Linear_B_Ideograms} (128)
\p{Block: Linear_B_Syllabary} (128)
\p{Block: Lisu}
                       (48)
\p{Block: Low Surrogates} (1024)
                        (NOT \p{Lycian} NOR \p{Is_Lycian}) (32)
\p{Block: Lycian}
\p{Block: Lydian}
                        (NOT \p{Lydian} NOR \p{Is_Lydian}) (32)
                        (NOT \p{Mahajani} NOR \p{Is_Mahajani}) (48)
\p{Block: Mahajani}
\p{Block: Mahjong}
                        \p{Block=Mahjong_Tiles} (48)
\p{Block: Mahjong_Tiles} (Short: \p{Blk=Mahjong}) (48)
\p{Block: Malayalam}
                        (NOT \p{Malayalam} NOR \p{Is_Malayalam})
                          (128)
\p{Block: Mandaic}
                        (NOT \p{Mandaic} NOR \p{Is_Mandaic}) (32)
\p{Block: Manichaean}
                        (NOT \p{Manichaean} NOR \p{Is_Manichaean})
                          (64)
\p{Block: Marchen}
                        (NOT \p{Marchen} NOR \p{Is_Marchen}) (80)
\p{Block: Math_Alphanum} \p{Block=
                          Mathematical_Alphanumeric_Symbols (1024)
\p{Block: Math_Operators} \p{Block=Mathematical_Operators} (256)
\p{Block: Mathematical_Alphanumeric_Symbols} (Short: \p{Blk=
                          MathAlphanum } ) (1024)
\p{Block: Mathematical_Operators} (Short: \p{Blk=MathOperators})
                          (256)
\p{Block: Meetei_Mayek} (NOT \p{Meetei_Mayek} NOR
                          \p{Is_Meetei_Mayek}) (64)
\p{Block: Meetei_Mayek_Ext} \p{Block=Meetei_Mayek_Extensions} (32)
\p{Block: Meetei_Mayek_Extensions} (Short: \p{Blk=MeeteiMayekExt})
                          (32)
\p{Block: Mende_Kikakui} (NOT \p{Mende_Kikakui} NOR
                          \p{Is_Mende_Kikakui}) (224)
\p{Block: Meroitic_Cursive} (NOT \p{Meroitic_Cursive} NOR
                          \p{Is_Meroitic_Cursive}) (96)
\p{Block: Meroitic_Hieroglyphs} (32)
\p{Block: Miao}
                        (NOT \p{Miao} NOR \p{Is Miao}) (160)
\p{Block: Misc_Arrows} \p{Block=Miscellaneous_Symbols_And_Arrows}
                          (256)
\p{Block: Misc_Math_Symbols_A} \p{Block=
                          Miscellaneous_Mathematical_Symbols_A}
                          (48)
\p{Block: Misc_Math_Symbols_B} \p{Block=
                          Miscellaneous_Mathematical_Symbols_B}
                          (128)
\p{Block: Misc_Pictographs} \p{Block=
                          Miscellaneous_Symbols_And_Pictographs}
                          (768)
\p{Block: Misc_Symbols} \p{Block=Miscellaneous_Symbols} (256)
\p{Block: Misc_Technical} \p{Block=Miscellaneous_Technical} (256)
\p{Block: Miscellaneous_Mathematical_Symbols_A} (Short: \p{Blk=
                          MiscMathSymbolsA}) (48)
```



```
\p{Block: Miscellaneous_Mathematical_Symbols_B} (Short: \p{Blk=
                          MiscMathSymbolsB}) (128)
\p{Block: Miscellaneous_Symbols} (Short: \p{Blk=MiscSymbols}) (256)
\p{Block: Miscellaneous_Symbols_And_Arrows} (Short: \p{Blk=
                          MiscArrows (256)
\p{Block: Miscellaneous_Symbols_And_Pictographs} (Short: \p{Blk=
                          MiscPictographs (768)
\p{Block: Miscellaneous_Technical} (Short: \p{Blk=MiscTechnical})
                          (256)
\p{Block: Modi}
                        (NOT \p{Modi} NOR \p{Is_Modi}) (96)
\p{Block: Modifier_Letters} \p{Block=Spacing_Modifier_Letters} (80)
\p{Block: Modifier Tone Letters} (32)
                        (NOT \p{Mongolian} NOR \p{Is_Mongolian})
\p{Block: Mongolian}
                          (176)
\p{Block: Mongolian_Sup} \p{Block=Mongolian_Supplement} (32)
\p{Block: Mongolian_Supplement} (Short: \p{Blk=MongolianSup}) (32)
\p{Block: Mro}
                       (NOT p\{Mro\} NOR p\{Is\_Mro\}) (48)
\p{Block: Multani}
                        (NOT \p{Multani} NOR \p{Is_Multani}) (48)
\p{Block: Music}
                       \p{Block=Musical_Symbols} (256)
\p{Block: Musical_Symbols} (Short: \p{Blk=Music}) (256)
\p{Block: Myanmar} (NOT \p{Myanmar} NOR \p{Is_Myanmar}) (160)
\p{Block: Myanmar_Ext_A} \p{Block=Myanmar_Extended_A} (32)
\p{Block: Myanmar_Ext_B} \p{Block=Myanmar_Extended_B} (32)
\p{Block: Myanmar_Extended_A} (Short: \p{Blk=MyanmarExtA}) (32)
\p{Block: Myanmar_Extended_B} (Short: \p{Blk=MyanmarExtB}) (32)
                        (NOT \p{Nabataean} NOR \p{Is_Nabataean})
\p{Block: Nabataean}
                          (48)
\p{Block: NB}
                        \p{Block=No_Block} (842_320 plus all
                          above-Unicode code points)
                        (NOT \p{New_Tai_Lue} NOR
\p{Block: New_Tai_Lue}
                          p\{Is_New_Tai_Lue\}) (96)
                        (NOT p\{Newa\} NOR p\{Is\_Newa\}) (128)
\p{Block: Newa}
                        (NOT p\{Nko\} NOR p\{Is_NKo\}) (64)
\p{Block: NKo}
\p{Block: No Block}
                        (Short: p\{Blk=NB\}) (842 320 plus all
                          above-Unicode code points)
\p{Block: Number_Forms} (64)
                        \p{Block=Optical_Character_Recognition}
\p{Block: OCR}
                          (32)
\p{Block: Ogham}
                        (NOT p\{Ogham\}\ NOR \ p\{Is\_Ogham\}\ (32)
\p{Block: Ol_Chiki}
                        (48)
\p{Block: Old Hungarian} (NOT \p{Old Hungarian} NOR
                          \p{Is Old Hungarian}) (128)
                        (NOT \p{Old_Italic} NOR \p{Is_Old_Italic})
\p{Block: Old_Italic}
                          (48)
\p{Block: Old_North_Arabian} (32)
                        (NOT \p{Old_Permic} NOR \p{Is_Old_Permic})
\p{Block: Old_Permic}
                          (48)
\p{Block: Old_Persian}
                        (NOT \p{Old_Persian} NOR
                          \p{Is_Old_Persian}) (64)
\p{Block: Old_South_Arabian} (32)
                        (\verb"NOT \p{Old\_Turkic}) \ \verb"NOR \p{Is\_Old\_Turkic})
\p{Block: Old_Turkic}
                          (80)
\p{Block: Optical_Character_Recognition} (Short: \p{Blk=OCR}) (32)
                       (NOT p{Oriya} NOR p{Is\_Oriya}) (128)
\p{Block: Oriya}
\p{Block: Ornamental_Dingbats} (48)
\p{Block: Osage}
                       (NOT p\{Osage\}\ NOR \ p\{Is\_Osage\}\) (80)
```



```
(NOT \p{Osmanya} NOR \p{Is_Osmanya}) (48)
\p{Block: Osmanya}
\p{Block: Pahawh_Hmong} (NOT \p{Pahawh_Hmong} NOR
                          \p{Is_Pahawh_Hmong}) (144)
\p{Block: Palmyrene}
                        (32)
\p{Block: Pau_Cin_Hau} (NOT \p{Pau_Cin_Hau} NOR
                          p\{Is\_Pau\_Cin\_Hau\} (64)
                        (NOT \p{Phags_Pa} NOR \p{Is_Phags_Pa}) (64)
\p{Block: Phags_Pa}
\p{Block: Phaistos}
                        \p{Block=Phaistos_Disc} (48)
\p{Block: Phaistos_Disc} (Short: \p{Blk=Phaistos}) (48)
\p{Block: Phoenician}
                        (NOT \p{Phoenician} NOR \p{Is_Phoenician})
                          (32)
\p{Block: Phonetic Ext} \p{Block=Phonetic Extensions} (128)
\p{Block: Phonetic_Ext_Sup} \p{Block=
                          Phonetic_Extensions_Supplement \ (64)
\p{Block: Phonetic_Extensions} (Short: \p{Blk=PhoneticExt}) (128)
\p{Block: Phonetic_Extensions_Supplement} (Short: \p{Blk=
                          PhoneticExtSup}) (64)
\p{Block: Playing_Cards} (96)
\p{Block: Private_Use} \p{Block=Private_Use_Area} (NOT
                          \p{Private_Use} NOR \p{Is_Private_Use})
                          (6400)
\p{Block: Private_Use_Area} (Short: \p{Blk=PUA}; NOT
                          \p{Private_Use} NOR \p{Is_Private_Use})
                          (6400)
\p{Block: Psalter_Pahlavi} (NOT \p{Psalter_Pahlavi} NOR
                          \p{Is_Psalter_Pahlavi}) (48)
\p{Block: PUA}
                        \p{Block=Private_Use_Area} (NOT
                          \p{Private_Use} NOR \p{Is_Private_Use})
                          (6400)
\p{Block: Punctuation}
                        \p{Block=General_Punctuation} (NOT
                          \p{Punct} NOR \p{Is_Punctuation}) (112)
                        (NOT \p{Rejang} NOR \p{Is_Rejang}) (48)
\p{Block: Rejang}
\p{Block: Rumi}
                        \p{Block=Rumi_Numeral_Symbols} (32)
\p{Block: Rumi_Numeral_Symbols} (Short: \p{Blk=Rumi}) (32)
\p{Block: Runic}
                        (NOT \p{Runic} NOR \p{Is_Runic}) (96)
                        (NOT \p{Samaritan} NOR \p{Is_Samaritan})
\p{Block: Samaritan}
                        (NOT \p{Saurashtra} NOR \p{Is_Saurashtra})
\p{Block: Saurashtra}
                          (96)
                        (NOT \p{Sharada} NOR \p{Is_Sharada}) (96)
\p{Block: Sharada}
\p{Block: Shavian}
                        (48)
\p{Block: Shorthand Format Controls} (16)
\p{Block: Siddham}
                        (NOT \p{Siddham} NOR \p{Is_Siddham}) (128)
                        (NOT \p{Sinhala} NOR \p{Is_Sinhala}) (128)
\p{Block: Sinhala}
\p{Block: Sinhala_Archaic_Numbers} (32)
\p{Block: Small_Form_Variants} (Short: \p{Blk=SmallForms}) (32)
\p{Block: Small_Forms} \p{Block=Small_Form_Variants} (32)
\p{Block: Sora_Sompeng} (NOT \p{Sora_Sompeng} NOR
                          \p{Is_Sora_Sompeng}) (48)
\p{Block: Spacing_Modifier_Letters} (Short: \p{Blk=
                          ModifierLetters}) (80)
\p{Block: Specials}
                        (16)
                        (NOT \p{Sundanese} NOR \p{Is_Sundanese})
\p{Block: Sundanese}
                          (64)
\p{Block: Sundanese_Sup} \p{Block=Sundanese_Supplement} (16)
\p{Block: Sundanese_Supplement} (Short: \p{Blk=SundaneseSup}) (16)
```



```
\p{Block: Sup_Arrows_A} \p{Block=Supplemental_Arrows_A} (16)
\p{Block: Sup_Arrows_B} \p{Block=Supplemental_Arrows_B} (128)
\p{Block: Sup_Arrows_C} \p{Block=Supplemental_Arrows_C} (256)
\p{Block: Sup_Math_Operators} \p{Block=
                          Supplemental_Mathematical_Operators}
                          (256)
\p{Block: Sup_PUA_A}
                        \p{Block=Supplementary_Private_Use_Area_A}
                          (65_536)
\p{Block: Sup_PUA_B}
                        \p{Block=Supplementary_Private_Use_Area_B}
                          (65_536)
\p{Block: Sup_Punctuation} \p{Block=Supplemental_Punctuation} (128)
\p{Block: Sup_Symbols_And_Pictographs} \p{Block=
                          Supplemental_Symbols_And_Pictographs}
                          (256)
\p{Block: Super_And_Sub} \p{Block=Superscripts_And_Subscripts} (48)
\p{Block: Superscripts_And_Subscripts} (Short: \p{Blk=
                          SuperAndSub}) (48)
\p{Block: Supplemental_Arrows_A} (Short: \p{Blk=SupArrowsA}) (16)
\p{Block: Supplemental_Arrows_B} (Short: \p{Blk=SupArrowsB}) (128)
\p{Block: Supplemental_Arrows_C} (Short: \p{Blk=SupArrowsC}) (256)
\p{Block: Supplemental_Mathematical_Operators} (Short: \p{Blk=
                          SupMathOperators (256)
\p{Block: Supplemental_Punctuation} (Short: \p{Blk=
                          SupPunctuation (128)
\p{Block: Supplemental_Symbols_And_Pictographs} (Short: \p{Blk=
                          SupSymbolsAndPictographs (256)
\p{Block: Supplementary_Private_Use_Area_A} (Short: \p{Blk=
                          SupPUAA ) (65_536)
\p{Block: Supplementary_Private_Use_Area_B} (Short: \p{Blk=
                          SupPUAB}) (65_536)
\p{Block: Sutton_SignWriting} (688)
\p{Block: Syloti_Nagri} (NOT \p{Syloti_Nagri} NOR
                          \p{Is_Syloti_Nagri}) (48)
\p{Block: Syriac}
                        (NOT \p{Syriac} NOR \p{Is_Syriac}) (80)
                        (NOT \p{Tagalog} NOR \p{Is_Tagalog}) (32)
\p{Block: Tagalog}
                        (NOT p\{Tagbanwa\} NOR p\{Is\_Tagbanwa\}) (32)
\p{Block: Tagbanwa}
\p{Block: Tags}
                        (128)
\p{Block: Tai_Le}
                        (NOT \p{Tai_Le} NOR \p{Is_Tai_Le}) (48)
\p{Block: Tai_Tham}
                        (NOT \p{Tai_Tham} NOR \p{Is_Tai_Tham})
                          (144)
\p{Block: Tai Viet}
                        (NOT \p{Tai Viet} NOR \p{Is Tai Viet}) (96)
\p{Block: Tai_Xuan_Jing} \p{Block=Tai_Xuan_Jing_Symbols} (96)
\p{Block: Tai_Xuan_Jing_Symbols} (Short: \p{Blk=TaiXuanJing}) (96)
\p{Block: Takri}
                        (NOT \p{Takri} NOR \p{Is_Takri}) (80)
                        (NOT p\{Tamil\} NOR p\{Is\_Tamil\}) (128)
\p{Block: Tamil}
\p{Block: Tangut}
                        (NOT \p{Tangut} NOR \p{Is_Tangut}) (6144)
\p{Block: Tangut_Components} (768)
\p{Block: Telugu}
                      (NOT p\{Telugu\} NOR p\{Is\_Telugu\}) (128)
\p{Block: Thaana}
                        (NOT \p{Thaana} NOR \p{Is_Thaana}) (64)
\p{Block: Thai}
                        (NOT p\{Thai\}\ NOR \p\{Is\_Thai\}\) (128)
                        (NOT \p{Tibetan} NOR \p{Is_Tibetan}) (256)
\p{Block: Tibetan}
                        (NOT \p{Tifinagh} NOR \p{Is_Tifinagh}) (80)
\p{Block: Tifinagh}
                        (NOT \p{Tirhuta} NOR \p{Is_Tirhuta}) (96)
\p{Block: Tirhuta}
\p{Block: Transport_And_Map} \p{Block=Transport_And_Map_Symbols}
                          (128)
\p{Block: Transport_And_Map_Symbols} (Short: \p{Blk=
```



```
TransportAndMap}) (128)
  \p{Block: UCAS}
                          \p{Block=
                            Unified_Canadian_Aboriginal_Syllabics}
                            (640)
  \p{Block: UCAS_Ext}
                          \p{Block=
                            Unified_Canadian_Aboriginal_Syllabics_-
                            Extended (80)
  \p{Block: Ugaritic}
                          (NOT \p{Ugaritic} NOR \p{Is_Ugaritic}) (32)
  \p{Block: Unified_Canadian_Aboriginal_Syllabics} (Short: \p{Blk=
                            UCAS}) (640)
  \p{Block: Unified_Canadian_Aboriginal_Syllabics_Extended} (Short:
                            \p{Blk=UCASExt}) (80)
  \p{Block: Vai}
                          (NOT p{Vai} NOR p{Is_Vai}) (320)
  \p{Block: Variation\_Selectors} (Short: \p{Blk=VS}; NOT)
                            \p{Variation_Selector} NOR \p{Is_VS})
                            (16)
  \p{Block: Variation_Selectors_Supplement} (Short: \p{Blk=VSSup})
                            (240)
  \p{Block: Vedic_Ext}
                          \p{Block=Vedic_Extensions} (48)
  \p{Block: Vedic_Extensions} (Short: \p{Blk=VedicExt}) (48)
  \p{Block: Vertical_Forms} (16)
                          \p{Block=Variation_Selectors} (NOT
  \p{Block: VS}
                            \p{Variation_Selector} NOR \p{Is_VS})
  \p{Block: VS_Sup}
                          \p{Block=Variation_Selectors_Supplement}
                            (240)
  \p{Block: Warang_Citi}
                          (NOT \p{Warang_Citi} NOR
                            \p{Is_Warang_Citi}) (96)
  \p{Block: Yi_Radicals}
                          (64)
  \p{Block: Yi_Syllables} (1168)
  \p{Block: Yijing}
                          \p{Block=Yijing_Hexagram_Symbols} (64)
  \p{Block: Yijing_Hexagram_Symbols} (Short: \p{Blk=Yijing}) (64)
X \p{Block_Elements}
                          \p{Block=Block_Elements} (32)
  \p{Bopo}
                          \p{Bopomofo} (= \p{Script_Extensions=
                            Bopomofo\}) (NOT p\{Block=Bopomofo\}) (110)
                          \p{Script_Extensions=Bopomofo} (Short:
  \p{Bopomofo}
                            \p{Bopo}; NOT \p{Block=Bopomofo}) (110)
X \p{Bopomofo_Ext}
                          \p{Bopomofo\_Extended} (= \p{Block=}
                            Bopomofo_Extended}) (32)
X \p{Bopomofo_Extended}
                          \p{Block=Bopomofo_Extended} (Short:
                            \p{InBopomofoExt}) (32)
X \p{Box_Drawing}
                          \p{Block=Box_Drawing} (128)
                          \p{Bidi_Paired_Bracket_Type: *}
  \p{Bpt: *}
  \p{Brah}
                          \p{Brahmi} (= \p{Script_Extensions=
                            Brahmi}) (NOT \p{Block=Brahmi}) (109)
  \p{Brahmi}
                          \p{Script_Extensions=Brahmi} (Short:
                            \p{Brah}; NOT \p{Block=Brahmi}) (109)
  \p{Brai}
                          \p{Braille} (= \p{Script_Extensions=
                            Braille}) (256)
  \p{Braille}
                          \p{Script_Extensions=Braille} (Short:
                            \p{Brai}) (256)
X \p{Braille Patterns}
                          \p{Block=Braille_Patterns} (Short:
                            p{InBraille}) (256)
  \p{Bugi}
                          \p{Buginese} (= \p{Script_Extensions=
                            Buginese}) (NOT \p{Block=Buginese}) (31)
  \p{Buginese}
                          \p{Script_Extensions=Buginese} (Short:
```



```
\p{Bugi}; NOT \p{Block=Buginese}) (31)
  \p{Buhd}
                           \p{Buhid} (= \p{Script_Extensions=Buhid})
                             (NOT \p{Block=Buhid}) (22)
  \p{Buhid}
                           \p{Script_Extensions=Buhid} (Short:
                             \p{Buhd}; NOT \p{Block=Buhid}) (22)
X \p{Byzantine_Music}
                           \p{Byzantine\_Musical\_Symbols} (= \p{Block=}
                             Byzantine_Musical_Symbols}) (256)
X \p{Byzantine_Musical_Symbols} \p{Block=Byzantine_Musical_Symbols}
                             (Short: \p{InByzantineMusic}) (256)
  \p{C} \pC
                           \p{Other} (= \p{General_Category=Other})
                             (986 091 plus all above-Unicode code
                             points)
  \p{Cakm}
                           \p{Chakma} (= \p{Script\_Extensions} = \p{Chakma})
                             Chakma}) (NOT \p{Block=Chakma}) (87)
  \p{Canadian_Aboriginal} \p{Script_Extensions=Canadian_Aboriginal}
                             (Short: p\{Cans\}) (710)
X \neq Canadian\_Syllabics  \p{Unified_Canadian_Aboriginal_Syllabics}
                             (= \p{Block}=
                             Unified_Canadian_Aboriginal_Syllabics})
                             (640)
T \p{Canonical_Combining_Class: 0} \p{Canonical_Combining_Class=
                             Not_Reordered } (1_113_298 plus all
                             above-Unicode code points)
T \p{Canonical_Combining_Class: 1} \p{Canonical_Combining_Class=
                             Overlay (32)
T \p{Canonical_Combining_Class: 7} \p{Canonical_Combining_Class=
                             Nukta} (22)
T \p{Canonical_Combining_Class: 8} \p{Canonical_Combining_Class=
                             Kana_Voicing} (2)
T \p{Canonical_Combining_Class: 9} \p{Canonical_Combining_Class=
                             Virama} (47)
T \p{Canonical_Combining_Class: 10} \p{Canonical_Combining_Class=
                             CCC10} (1)
T \p{Canonical_Combining_Class: 11} \p{Canonical_Combining_Class=
                             CCC11} (1)
T \p{Canonical_Combining_Class: 12} \p{Canonical_Combining_Class=
                             CCC12 (1)
 \verb|T \P{Canonical\_Combining\_Class: 13} \P{Canonical\_Combining\_Class= 13} \\
                             CCC13} (1)
T \p{Canonical_Combining_Class: 14} \p{Canonical_Combining_Class=
                             CCC14} (1)
T \p{Canonical_Combining_Class: 15} \p{Canonical_Combining_Class=
                             CCC15} (1)
T \p{Canonical_Combining_Class: 16} \p{Canonical_Combining_Class=
                             CCC16 (1)
T \p{Canonical_Combining_Class: 17} \p{Canonical_Combining_Class=
                             CCC17 (1)
T \p{Canonical_Combining_Class: 18} \p{Canonical_Combining_Class=
                             CCC18} (2)
T \p{Canonical_Combining_Class: 19} \p{Canonical_Combining_Class=
                             CCC19 (2)
T \p{Canonical_Combining_Class: 20} \p{Canonical_Combining_Class=
                             CCC20} (1)
 \verb|T \P{Canonical\_Combining\_Class: 21} \P{Canonical\_Combining\_Class= 21} \\
                             CCC21 (1)
T \p{Canonical_Combining_Class: 22} \p{Canonical_Combining_Class=
```



```
CCC22} (1)
T \p{Canonical_Combining_Class: 23} \p{Canonical_Combining_Class=
                              CCC23 (1)
T \p{Canonical_Combining_Class: 24} \p{Canonical_Combining_Class=
                              CCC24 (1)
 \label{thm:combining_Class: 25} $$ \p{Canonical\_Combining\_Class= 25} \p{Canonical\_Combining\_Class= 25} $$
                              CCC25 (1)
T \p{Canonical_Combining_Class: 26} \p{Canonical_Combining_Class=
                              CCC26} (1)
T \p{Canonical_Combining_Class: 27} \p{Canonical_Combining_Class=
                              CCC27 (2)
T \p{Canonical_Combining_Class: 28} \p{Canonical_Combining_Class=
                              CCC28} (2)
T \p{Canonical_Combining_Class: 29} \p{Canonical_Combining_Class=
                              CCC29 (2)
 \label{thm:combining_Class: 30} $$ \p{Canonical\_Combining\_Class= 30} \p{Canonical\_Combining\_Class= 30} $$
                              CCC30 (2)
 \verb|T \P{Canonical\_Combining\_Class: 31} \P{Canonical\_Combining\_Class= 31} \\
                              CCC31 (2)
T \p{Canonical_Combining_Class: 32} \p{Canonical_Combining_Class=
                              CCC32 (2)
T \p{Canonical_Combining_Class: 33} \p{Canonical_Combining_Class=
                              CCC33} (1)
T \p{Canonical_Combining_Class: 34} \p{Canonical_Combining_Class=
                              CCC34 (1)
T \p{Canonical_Combining_Class: 35} \p{Canonical_Combining_Class=
                              CCC35 (1)
T \p{Canonical_Combining_Class: 36} \p{Canonical_Combining_Class=
                              CCC36 (1)
T \p{Canonical_Combining_Class: 84} \p{Canonical_Combining_Class=
                              CCC84} (1)
T \p{Canonical_Combining_Class: 91} \p{Canonical_Combining_Class=
                              CCC91 (1)
T \p{Canonical_Combining_Class: 103} \p{Canonical_Combining_Class=
                              CCC103} (2)
 T \p{Canonical\_Combining\_Class: 107} \p{Canonical\_Combining\_Class=} 
                              CCC107 (4)
 \label{thm:combining_Class: 118} $$ \P{Canonical\_Combining\_Class= 118} $$ $$ $$
                              CCC118} (2)
T \p{Canonical_Combining_Class: 122} \p{Canonical_Combining_Class=
                              CCC122} (4)
T \p{Canonical_Combining_Class: 129} \p{Canonical_Combining_Class=
                              CCC129} (1)
T \p{Canonical_Combining_Class: 130} \p{Canonical_Combining_Class=
                              CCC130 (6)
T \p{Canonical_Combining_Class: 132} \p{Canonical_Combining_Class=
                              CCC132 (1)
T \p{Canonical_Combining_Class: 133} \p{Canonical_Combining_Class=
                              CCC133} (0)
T \p{Canonical_Combining_Class: 200} \p{Canonical_Combining_Class=
                              Attached_Below_Left} (0)
T \p{Canonical_Combining_Class: 202} \p{Canonical_Combining_Class=
                             Attached_Below} (5)
 \verb|T \P{Canonical\_Combining\_Class: 214} \P{Canonical\_Combining\_Class= 214} \\
                              Attached_Above} (1)
T \p{Canonical_Combining_Class: 216} \p{Canonical_Combining_Class=
```



```
Attached_Above_Right \ (9)
T \p{Canonical_Combining_Class: 218} \p{Canonical_Combining_Class=
                            Below_Left (1)
T \p{Canonical_Combining_Class: 220} \p{Canonical_Combining_Class=
                            Below} (153)
 \label{thm:combining_Class: 222} $$ T \simeq Combining_Class= 222 
                            Below_Right (4)
T \p{Canonical_Combining_Class: 224} \p{Canonical_Combining_Class=
                            Left (2)
T \p{Canonical_Combining_Class: 226} \p{Canonical_Combining_Class=
                            Right \ (1)
T \p{Canonical_Combining_Class: 228} \p{Canonical_Combining_Class=
                            Above_Left \ (3)
T \p{Canonical_Combining_Class: 230} \p{Canonical_Combining_Class=
                            Above \ (461)
 T \p{Canonical\_Combining\_Class: 232} \p{Canonical\_Combining\_Class=} 
                            Above_Right \ (4)
 T \p{Canonical\_Combining\_Class: 233} \p{Canonical\_Combining\_Class=} 
                            Double_Below \ (4)
T \p{Canonical_Combining_Class: 234} \p{Canonical_Combining_Class=
                            Double_Above \ (5)
T \p{Canonical_Combining_Class: 240} \p{Canonical_Combining_Class=
                            \p{Canonical_Combining_Class: A} \p{Canonical_Combining_Class=
                            Above} (461)
  \p{Canonical_Combining_Class: Above} (Short: \p{Ccc=A}) (461)
  \p{Canonical_Combining_Class: Above_Left} (Short: \p{Ccc=AL}) (3)
  \p{Canonical_Combining_Class: Above_Right} (Short: \p{Ccc=AR}) (4)
  \p{Canonical_Combining_Class: AL} \p{Canonical_Combining_Class=
                            Above_Left \ (3)
  \p{Canonical_Combining_Class: AR} \p{Canonical_Combining_Class=
                            Above_Right \ (4)
  \p{Canonical_Combining_Class: ATA} \p{Canonical_Combining_Class=
                            Attached_Above} (1)
  \p{Canonical_Combining_Class: ATAR} \p{Canonical_Combining_Class=
                            Attached_Above_Right} (9)
  \p{Canonical_Combining_Class: ATB} \p{Canonical_Combining_Class=
                            Attached_Below} (5)
  \p{Canonical_Combining_Class: ATBL} \p{Canonical_Combining_Class=
                            Attached_Below_Left (0)
  \p{Canonical_Combining_Class: Attached_Above} (Short: \p{Ccc=ATA})
  \p{Canonical_Combining_Class: Attached_Above_Right} (Short:
                            p\{Ccc=ATAR\}) (9)
  \p{Canonical_Combining_Class: Attached_Below} (Short: \p{Ccc=ATB})
                            (5)
  \p{Canonical_Combining_Class: Attached_Below_Left} (Short: \p{Ccc=
                            ATBL \ ) (0)
  \p{Canonical_Combining_Class: B} \p{Canonical_Combining_Class=
                            Below} (153)
  \p{Canonical_Combining_Class: Below} (Short: \p{Ccc=B}) (153)
  \p{Canonical_Combining_Class: Below_Left} (Short: \p{Ccc=BL}) (1)
  \p{Canonical\_Combining\_Class: Below\_Right} (Short: \p{Ccc=BR}) (4)
  \p{Canonical_Combining_Class: BL} \p{Canonical_Combining_Class=
                            Below_Left \ (1)
  \p{Canonical_Combining_Class: BR} \p{Canonical_Combining_Class=
```



```
Below_Right \ (4)
\p{Canonical_Combining_Class: CCC10} (Short: \p{Ccc=CCC10}) (1)
\p{Canonical_Combining_Class: CCC103} (Short: \p{Ccc=CCC103}) (2)
\p{Canonical_Combining_Class: CCC107} (Short: \p{Ccc=CCC107}) (4)
\p{Canonical_Combining_Class: CCC11} (Short: \p{Ccc=CCC11}) (1)
\p{Canonical_Combining_Class: CCC118} (Short: \p{Ccc=CCC118}) (2)
\p{Canonical_Combining_Class: CCC12} (Short: \p{Ccc=CCC12}) (1)
\p{Canonical_Combining_Class: CCC122} (Short: \p{Ccc=CCC122}) (4)
\p{Canonical_Combining_Class: CCC129} (Short: \p{Ccc=CCC129}) (1)
\p{Canonical_Combining_Class: CCC13} (Short: \p{Ccc=CCC13}) (1)
\p{Canonical_Combining_Class: CCC130} (Short: \p{Ccc=CCC130}) (6)
\p{Canonical Combining Class: CCC132} (Short: \p{Ccc=CCC132}) (1)
\p{Canonical_Combining_Class: CCC133} (Short: \p{Ccc=CCC133}) (0)
\p{Canonical_Combining_Class: CCC14} (Short: \p{Ccc=CCC14}) (1)
\p{Canonical_Combining_Class: CCC15} (Short: \p{Ccc=CCC15}) (1)
\p{Canonical_Combining_Class: CCC16} (Short: \p{Ccc=CCC16}) (1)
\p{Canonical_Combining_Class: CCC17} (Short: \p{Ccc=CCC17}) (1)
\p{Canonical_Combining_Class: CCC18} (Short: \p{Ccc=CCC18}) (2)
\p{Canonical_Combining_Class: CCC19} (Short: \p{Ccc=CCC19}) (2)
\p{Canonical_Combining_Class: CCC20} (Short: \p{Ccc=CCC20}) (1)
\p{Canonical_Combining_Class: CCC21} (Short: \p{Ccc=CCC21}) (1)
\p{Canonical_Combining_Class: CCC22} (Short: \p{Ccc=CCC22}) (1)
\p{Canonical_Combining_Class: CCC23} (Short: \p{Ccc=CCC23}) (1)
\p{Canonical_Combining_Class: CCC24} (Short: \p{Ccc=CCC24}) (1)
\p{Canonical_Combining_Class: CCC25} (Short: \p{Ccc=CCC25}) (1)
\p{Canonical_Combining_Class: CCC26} (Short: \p{Ccc=CCC26}) (1)
\p{Canonical_Combining_Class: CCC27} (Short: \p{Ccc=CCC27}) (2)
\p{Canonical_Combining_Class: CCC28} (Short: \p{Ccc=CCC28}) (2)
\p{Canonical_Combining_Class: CCC29} (Short: \p{Ccc=CCC29}) (2)
\p{Canonical_Combining_Class: CCC30} (Short: \p{Ccc=CCC30}) (2)
\p{Canonical_Combining_Class: CCC32} (Short: \p{Ccc=CCC32}) (2)
\p{Canonical_Combining_Class: CCC33} (Short: \p{Ccc=CCC33}) (1)
\p{Canonical_Combining_Class: CCC34} (Short: \p{Ccc=CCC34}) (1)
\p{Canonical_Combining_Class: CCC35} (Short: \p{Ccc=CCC35}) (1)
\p{Canonical_Combining_Class: CCC36} (Short: \p{Ccc=CCC36}) (1)
\p{Canonical_Combining_Class: CCC84} (Short: \p{Ccc=CCC84}) (1)
\p{Canonical_Combining_Class: CCC91} (Short: \p{Ccc=CCC91}) (1)
\p{Canonical_Combining_Class: DA} \p{Canonical_Combining_Class=
                         Double_Above (5)
\p{Canonical Combining Class: DB} \p{Canonical Combining Class=
                         Double Below \ (4)
\p{Canonical_Combining_Class: Double_Above} (Short: \p{Ccc=DA}) (5)
\p{Canonical_Combining_Class: Double_Below} (Short: \p{Ccc=DB}) (4)
\p{Canonical_Combining_Class: Iota_Subscript} (Short: \p{Ccc=IS})
                         (1)
\p{Canonical_Combining_Class: IS} \p{Canonical_Combining_Class=
                         \p{Canonical_Combining_Class: Kana_Voicing} (Short: \p{Ccc=KV}) (2)
\p{Canonical_Combining_Class: KV} \p{Canonical_Combining_Class=
                         Kana_Voicing} (2)
\p{Canonical_Combining_Class: L} \p{Canonical_Combining_Class=
                         Left\} (2)
\p{Canonical_Combining_Class: Left} (Short: \p{Ccc=L}) (2)
\p{Canonical_Combining_Class: NK} \p{Canonical_Combining_Class=
                         Nukta} (22)
```



```
\p{Canonical_Combining_Class: Not_Reordered} (Short: \p{Ccc=NR})
                           (1_113_298 plus all above-Unicode code
                           points)
\p{Canonical_Combining_Class: NR} \p{Canonical_Combining_Class=
                           Not_Reordered } (1_113_298 plus all
                           above-Unicode code points)
\p{Canonical_Combining_Class: Nukta} (Short: \p{Ccc=NK}) (22)
\p{Canonical_Combining_Class: OV} \p{Canonical_Combining_Class=
                           Overlay (32)
\p{Canonical_Combining_Class: Overlay} (Short: \p{Ccc=OV}) (32)
\p{Canonical_Combining_Class: R} \p{Canonical_Combining_Class=
                           Right \ (1)
\p{Canonical_Combining_Class: Right} (Short: \p{Ccc=R}) (1)
\p{Canonical_Combining_Class: Virama} (Short: \p{Ccc=VR}) (47)
\label{lem:combining_Class: VR} $$ \p{Canonical\_Combining\_Class=} $$ $$ \p{Canonical\_Combining\_Class=} $$
                           Virama} (47)
\p{Cans}
                         \p{Canadian_Aboriginal} (=
                           \p{Script_Extensions=
                           Canadian_Aboriginal \} (710)
\p{Cari}
                         \p{Carian} (= \p{Script_Extensions=
                           Carian}) (NOT \p{Block=Carian}) (49)
                         \p{Script_Extensions=Carian} (Short:
\p{Carian}
                           \p{Cari}; NOT \p{Block=Carian}) (49)
\p{Case_Ignorable}
                         \p{Case\_Ignorable=Y} (Short: \p{CI}) (2240)
\p{Case_Ignorable: N*}
                        (Short: p{CI=N}, P{CI}) (1_111_872 plus
                           all above-Unicode code points)
\p{Case\_Ignorable: Y*} (Short: \p{CI=Y}, \p{CI}) (2240)
\p{Cased}
                         p{Cased=Y} (4105)
\p{Cased: N*}
                         (Single: \P\{Cased\}) (1_110_007 plus all
                           above-Unicode code points)
\p{Cased: Y*}
                         (Single: p\{Cased\}) (4105)
                         \p{General_Category=Cased_Letter} (Short:
\p{Cased_Letter}
                           \p{LC}) (3796)
\p{Category: *}
                         \p{General_Category: *}
\p{Caucasian_Albanian}
                        \p{Script_Extensions=Caucasian_Albanian}
                           (Short: \p{Aghb}; NOT \p{Block=
                           Caucasian_Albanian}) (53)
\p{Cc}
                         \p{XPosixCntrl} (= \p{General_Category=
                           Control (65)
\p{Ccc: *}
                         \p{Canonical_Combining_Class: *}
\p{CE}
                         \p{Composition Exclusion} (=
                           \p{Composition_Exclusion=Y}) (81)
\p{CE: *}
                         \p{Composition_Exclusion: *}
\p{Cf}
                         \p{Format} (= \p{General_Category=Format})
\p{Chakma}
                         \p{Script_Extensions=Chakma} (Short:
                           \p{Cakm}; NOT \p{Block=Chakma}) (87)
\p{Cham}
                         \p{Script_Extensions=Cham} (NOT \p{Block=
                           Cham (83)
\p{Changes\_When\_Casefolded} \p{Changes\_When\_Casefolded=Y} (Short:
                           \p{CWCF}) (1377)
\p{Changes_When_Casefolded: N*} (Short: \p{CWCF=N}, \P{CWCF})
                           (1_112_735 plus all above-Unicode code
                           points)
\p{Changes_When_Casefolded: Y*} (Short: \p{CWCF=Y}, \p{CWCF})
                           (1377)
```



```
\p{Changes_When_Casemapped} \p{Changes_When_Casemapped=Y} (Short:
                                                     p\{CWCM\}) (2669)
    \p{Changes\_When\_Casemapped: N*} (Short: \p{CWCM=N}, \P{CWCM})
                                                     (1_111_443 plus all above-Unicode code
                                                     points)
    \p{Changes\_When\_Casemapped: Y*} (Short: \p{CWCM=Y}, \p{CWCM})
                                                     (2669)
    \label{lowercased} $$ \P{Changes\_When\_Lowercased=Y} (Short: $$
                                                     p\{CWL\}) (1304)
    \p{Changes\_When\_Lowercased: N*} (Short: \p{CWL=N}, \P{CWL})
                                                     (1_112_808 plus all above-Unicode code
                                                     points)
    \p{Changes_When_Lowercased: Y*} (Short: \p{CWL=Y}, \p{CWL}) (1304)
    \p{Changes_When_NFKC_Casefolded} \p{Changes_When_NFKC_Casefolded=
                                                     Y} (Short: \p{CWKCF}) (10_227)
    \p{Changes\_When\_NFKC\_Casefolded: N*} (Short: \p{CWKCF=N}, 
                                                     \P{CWKCF}) (1_103_885 plus all above-
                                                     Unicode code points)
    \p{Changes_When_NFKC_Casefolded: Y*} (Short: \p{CWKCF=Y},
                                                     \p{CWKCF}) (10_227)
   \p{Changes_When_Titlecased} \p{Changes_When_Titlecased=Y} (Short:
                                                     \p{CWT}) (1369)
    \p{Changes\_When\_Titlecased: N*} (Short: \p{CWT=N}, \P{CWT})
                                                     (1_112_743 plus all above-Unicode code
                                                     points)
    \p{Changes\_When\_Titlecased: Y*} (Short: \p{CWT=Y}, \p{CWT}) (1369)
    \p{Changes_When_Uppercased} \p{Changes_When_Uppercased=Y} (Short:
                                                     \p{CWU}) (1396)
   (1_112_716 plus all above-Unicode code
                                                     points)
    \p{Changes_When_Uppercased: Y*} (Short: \p{CWU=Y}, \p{CWU}) (1396)
   \p{Cher}
                                                 \p{Cherokee} (= \p{Script_Extensions=
                                                     Cherokee}) (NOT \p{Block=Cherokee}) (172)
    \p{Cherokee}
                                                  \p{Script_Extensions=Cherokee} (Short:
                                                     \p{Cher}; NOT \p{Block=Cherokee}) (172)
X \p{Cherokee_Sup}
                                                 \p{Cherokee_Supplement} (= \p{Block=
                                                     Cherokee_Supplement \ ) (80)
X \neq Cherokee\_Supplement  \p{Block=Cherokee_Supplement} (Short:
                                                     \p{InCherokeeSup}) (80)
   \p{CI}
                                                 \p{Case_Ignorable} (= \p{Case_Ignorable=
                                                     Y}) (2240)
    \p{CI: *}
                                                  \p{Case_Ignorable: *}
X \p{CJK}
                                                  \p{CJK_Unified_Ideographs} (= \p{Block=
                                                     CJK_Unified_Ideographs } ) (20_992)
X \p{CJK_Compat}
                                                  \p{CJK\_Compatibility} (= \p{Block=}
                                                     CJK_Compatibility (256)
X \p{CJK_Compat_Forms}
                                                  \p{CJK_Compatibility_Forms} (= \p{Block=
                                                     CJK_Compatibility_Forms}) (32)
X \neq CJK\_Compat\_Ideographs  \p{CJK\_Compatibility_Ideographs} (=
                                                     \p{Block=CJK_Compatibility_Ideographs})
X \p{CJK_Compat_Ideographs_Sup}
                                                     \p{CJK_Compatibility_Ideographs_-
                                                     Supplement \{ (= \p{Block} = 
                                                     CJK_Compatibility_Ideographs_-
```



```
Supplement (544)
X \p{CJK_Compatibility}
                          \p{Block=CJK_Compatibility} (Short:
                            \p{InCJKCompat}) (256)
X \p{CJK_Compatibility_Forms} \p{Block=CJK_Compatibility_Forms}
                            (Short: \p{InCJKCompatForms}) (32)
X \p{CJK_Compatibility_Ideographs} \p{Block=
                            CJK_Compatibility_Ideographs} (Short:
                            \p{InCJKCompatIdeographs}) (512)
 \label{lem:compatibility_Ideographs_Supplement} $$ \p{Block=} $$
                            CJK_Compatibility_Ideographs_Supplement}
                            (Short: \p{InCJKCompatIdeographsSup})
                            (544)
X \p{CJK_Ext_A}
                          \p{CJK_Unified_Ideographs_Extension_A} (=
                            \p{Block=
                            CJK_Unified_Ideographs_Extension_A})
                            (6592)
X \p{CJK_Ext_B}
                          \p{CJK_Unified_Ideographs_Extension_B} (=
                            \p{Block=
                            CJK_Unified_Ideographs_Extension_B})
                            (42_720)
X \p{CJK_Ext_C}
                          \p{CJK_Unified_Ideographs_Extension_C} (=
                            \p{Block=
                            CJK_Unified_Ideographs_Extension_C})
                             (4160)
X \p{CJK_Ext_D}
                          \p{CJK_Unified_Ideographs_Extension_D} (=
                            \p{Block=
                            CJK_Unified_Ideographs_Extension_D})
                            (224)
X \p{CJK_Ext_E}
                          \p{CJK_Unified_Ideographs_Extension_E} (=
                            \p{Block=
                            CJK Unified Ideographs Extension E})
                            (5776)
X \p{CJK_Radicals_Sup}
                          \p{CJK_Radicals_Supplement} (= \p{Block=
                            CJK Radicals Supplement (128)
X \p{CJK_Radicals_Supplement} \p{Block=CJK_Radicals_Supplement}
                            (Short: \p{InCJKRadicalsSup}) (128)
X \p{CJK_Strokes}
                           \p{Block=CJK_Strokes} (48)
X \neq \{CJK\_Symbols\}
                          \p{CJK_Symbols_And_Punctuation} (=
                            \p{Block=CJK_Symbols_And_Punctuation})
                            (64)
X \p{CJK Symbols And Punctuation} \p{Block=
                            CJK_Symbols_And_Punctuation} (Short:
                            \p{InCJKSymbols}) (64)
X \p{CJK_Unified_Ideographs} \p{Block=CJK_Unified_Ideographs}
                            (Short: p\{InCJK\}) (20_992)
X \p{CJK_Unified_Ideographs_Extension_A} \p{Block=
                            CJK_Unified_Ideographs_Extension_A}
                            (Short: p\{InCJKExtA\}) (6592)
X \p{CJK_Unified_Ideographs_Extension_B} \p{Block=
                            CJK_Unified_Ideographs_Extension_B}
                            (Short: p\{InCJKExtB\}) (42_720)
X \p{CJK_Unified_Ideographs_Extension_C} \p{Block=
                            CJK_Unified_Ideographs_Extension_C}
                            (Short: \p{InCJKExtC}) (4160)
X \p{CJK_Unified_Ideographs_Extension_D} \p{Block=
                            CJK_Unified_Ideographs_Extension_D}
```



```
(Short: \p{InCJKExtD}) (224)
 \label{lem:condition} $$X \neq \{CJK\_Unified\_Ideographs\_Extension\_E\} \neq \{Block=1, CJK\_Unified\_Ideographs\_Extension\_E\} $$
                             CJK_Unified_Ideographs_Extension_E}
                              (Short: \p{InCJKExtE}) (5776)
  \p{Close_Punctuation}
                            \p{General_Category=Close_Punctuation}
                              (Short: p\{Pe\}) (73)
                            \p{Unassigned} (= \p{General_Category=
  p{Cn}
                              Unassigned ) (846_359 plus all above-
                             Unicode code points)
  \p{Cntrl}
                           \p{XPosixCntrl} (= \p{General_Category=
                             Control (65)
  \p{Co}
                            \p{Private_Use} (= \p{General_Category=
                             Private_Use}) (NOT \p{Private_Use_Area})
                              (137_468)
X \p{Combining_Diacritical_Marks} \p{Block=
                             Combining_Diacritical_Marks \ (Short:
                              \p{InDiacriticals}) (112)
X \p{Combining_Diacritical_Marks_Extended} \p{Block=
                             Combining_Diacritical_Marks_Extended}
                              (Short: \p{InDiacriticalsExt}) (80)
X \p{Combining_Diacritical_Marks_For_Symbols} \p{Block=
                             Combining_Diacritical_Marks_For_Symbols}
                              (Short: \p{InDiacriticalsForSymbols})
                              (48)
X \p{Combining_Diacritical_Marks_Supplement} \p{Block=
                             Combining_Diacritical_Marks_Supplement}
                              (Short: \p{InDiacriticalsSup}) (64)
X \p{Combining_Half_Marks} \p{Block=Combining_Half_Marks} (Short:
                              \p{InHalfMarks}) (16)
                           \p{Mark} (= \p{General_Category=Mark})
  \p{Combining_Mark}
                              (2097)
X \p{Combining_Marks_For_Symbols}
                              \p{Combining_Diacritical_Marks_For_-
                              Symbols \{ = p\{Block=
                              Combining_Diacritical_Marks_For_-
                              Symbols (48)
  \p{Common}
                           \p{Script_Extensions=Common} (Short:
                              p{Zyyy} (6864)
 \verb|X \P{Common\_Indic\_Number\_Forms}| \P{Block=Common\_Indic\_Number\_Forms}| 
                              (Short: \p{InIndicNumberForms}) (16)
  \p{Comp Ex}
                           \p{Full Composition Exclusion} (=
                              \p{Full_Composition_Exclusion=Y}) (1120)
                           \p{Full_Composition_Exclusion: *}
  \p{Comp_Ex: *}
X \p{Compat_Jamo}
                            \p{Hangul_Compatibility_Jamo} (= \p{Block=
                             Hangul_Compatibility_Jamo}) (96)
  \p{Composition_Exclusion} \p{Composition_Exclusion=Y} (Short:
                              p\{CE\}) (81)
  \p{Composition\_Exclusion: N*} (Short: \p{CE=N}, \P{CE}) (1_114_031)
                             plus all above-Unicode code points)
  \p{Composition\_Exclusion: Y*} (Short: \p{CE=Y}, \p{CE}) (81)
  \p{Connector_Punctuation} \p{General_Category=
                             Connector Punctuation (Short: \p{Pc})
                              (10)
  \p{Control}
                           \p{XPosixCntrl} (= \p{General_Category=
                             Control (65)
X \p{Control_Pictures}
                           \p{Block=Control_Pictures} (64)
```



```
\p{Copt}
                           \p{Coptic} (= \p{Script_Extensions=
                            Coptic}) (NOT \p{Block=Coptic}) (165)
  \p{Coptic}
                           \p{Script_Extensions=Coptic} (Short:
                             \p{Copt}; NOT \p{Block=Coptic}) (165)
X \p{Coptic_Epact_Numbers} \p{Block=Coptic_Epact_Numbers} (32)
X \p{Counting_Rod}
                           \p{Counting_Rod_Numerals} (= \p{Block=
                            Counting_Rod_Numerals}) (32)
X \p{Counting_Rod_Numerals} \p{Block=Counting_Rod_Numerals} (Short:
                             \p{InCountingRod}) (32)
  \p{Cprt}
                          \p{Cypriot} (= \p{Script_Extensions=
                            Cypriot }) (112)
  \p{Cs}
                           \p{Surrogate} (= \p{General_Category=
                            Surrogate (2048)
  \p{Cuneiform}
                           \p{Script_Extensions=Cuneiform} (Short:
                             \p{Xsux}; NOT \p{Block=Cuneiform}) (1234)
X \p{Cuneiform_Numbers}
                          \p{Cuneiform_Numbers_And_Punctuation} (=
                            \p{Block=
                            Cuneiform_Numbers_And_Punctuation}) (128)
X \p{Cuneiform_Numbers_And_Punctuation} \p{Block=
                            Cuneiform_Numbers_And_Punctuation}
                             (Short: \p{InCuneiformNumbers}) (128)
  \p{Currency_Symbol}
                           \p{General_Category=Currency_Symbol}
                             (Short: p\{Sc\}) (53)
X \p{Currency_Symbols}
                           \p{Block=Currency_Symbols} (48)
  \p{CWCF}
                           \p{Changes_When_Casefolded} (=
                            \p{Changes_When_Casefolded=Y}) (1377)
  \p{CWCF: *}
                           \p{Changes_When_Casefolded: *}
  \p{CWCM}
                           \p{Changes_When_Casemapped} (=
                            \p{Changes_When_Casemapped=Y}) (2669)
  \p{CWCM: *}
                           \p{Changes_When_Casemapped: *}
  \p{CWKCF}
                          \p{Changes_When_NFKC_Casefolded} (=
                             \p{Changes_When_NFKC_Casefolded=Y})
                             (10 227)
  \p{CWKCF: *}
                           \p{Changes_When_NFKC_Casefolded: *}
  \p{CWL}
                           \p{Changes_When_Lowercased} (=
                            \p{Changes_When_Lowercased=Y}) (1304)
  \p{CWL: *}
                           \p{Changes_When_Lowercased: *}
  \p{CWT}
                          \p{Changes_When_Titlecased} (=
                            \p{Changes_When_Titlecased=Y}) (1369)
  \p{CWT: *}
                           \p{Changes_When_Titlecased: *}
  \p{CWU}
                           \p{Changes When Uppercased} (=
                            \p{Changes_When_Uppercased=Y}) (1396)
  \p{CWU: *}
                          \p{Changes_When_Uppercased: *}
  \p{Cypriot}
                           \p{Script_Extensions=Cypriot} (Short:
                             \p{Cprt}) (112)
                           \p{Block=Cypriot_Syllabary} (64)
X \p{Cypriot_Syllabary}
                           \p{Script_Extensions=Cyrillic} (Short:
  \p{Cyrillic}
                             \p{Cyrl}; NOT \p{Block=Cyrillic}) (446)
X \p{Cyrillic_Ext_A}
                           \p{Cyrillic\_Extended\_A} (= \p{Block=}
                            Cyrillic_Extended_A}) (32)
                           \p{Cyrillic_Extended_B} (= \p{Block=
X \p{Cyrillic_Ext_B}
                            Cyrillic_Extended_B}) (96)
X \p{Cyrillic Ext C}
                           \p{Cyrillic_Extended_C} (= \p{Block=
                            Cyrillic_Extended_C}) (16)
X \p{Cyrillic_Extended_A} \p{Block=Cyrillic_Extended_A} (Short:
                            \p{InCyrillicExtA}) (32)
```



```
X \p{Cyrillic_Extended_B} \p{Block=Cyrillic_Extended_B} (Short:
                                                 \p{InCyrillicExtB}) (96)
X \p{Cyrillic_Extended_C} \p{Block=Cyrillic_Extended_C} (Short:
                                                 \p{InCyrillicExtC}) (16)
X \p{Cyrillic_Sup}
                                             \p{Cyrillic_Supplement} (= \p{Block=
                                                Cyrillic_Supplement } ) (48)
X \p{Cyrillic_Supplement} \p{Block=Cyrillic_Supplement} (Short:
                                                 \p{InCyrillicSup}) (48)
Cyrillic_Supplement}) (48)
   \p{Cyrl}
                                             \p{Cyrillic} (= \p{Script_Extensions=
                                                Cyrillic}) (NOT \p{Block=Cyrillic}) (446)
   \p{Dash}
                                             p\{Dash=Y\} (28)
   \p{Dash: N*}
                                             (Single: \P\{Dash\}) (1_114_084 plus all
                                                 above-Unicode code points)
   \p{Dash: Y*}
                                             (Single: p\{Dash\}) (28)
                                             \p{General_Category=Dash_Punctuation}
   \p{Dash_Punctuation}
                                                 (Short: p{Pd}) (24)
   \p{Decimal_Number}
                                             \p{XPosixDigit} (= \p{General_Category=
                                                Decimal_Number}) (580)
   \p{Decomposition_Type: Can} \p{Decomposition_Type=Canonical}
                                                 (13 232)
   \p{Decomposition_Type: Canonical} (Short: \p{Dt=Can}) (13_232)
   \p{Decomposition_Type: Circle} (Short: \p{Dt=Enc}) (240)
   \p{Decomposition_Type: Com} \p{Decomposition_Type=Compat} (720)
   \p{Decomposition_Type: Compat} (Short: \p{Dt=Com}) (720)
   \p{Decomposition_Type: Enc} \p{Decomposition_Type=Circle} (240)
   \p{Decomposition_Type: Fin} \p{Decomposition_Type=Final} (240)
   \p{Decomposition_Type: Final} (Short: \p{Dt=Fin}) (240)
   \label{lem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:problem:p
   \p{Decomposition\_Type: Fra} \p{Decomposition\_Type=Fraction} (20)
   \p{Decomposition_Type: Fraction} (Short: \p{Dt=Fra}) (20)
   \p{Decomposition_Type: Init} \p{Decomposition_Type=Initial} (171)
   \p{Decomposition_Type: Initial} (Short: \p{Dt=Init}) (171)
   \p{Decomposition_Type: Iso} \p{Decomposition_Type=Isolated} (238)
   \p{Decomposition\_Type: Isolated} (Short: \p{Dt=Iso}) (238)
   \p{Decomposition\_Type: Med} \p{Decomposition\_Type=Medial} (82)
   \p{Decomposition\_Type: Medial} (Short: \p{Dt=Med}) (82)
   \p{Decomposition_Type: Nar} \p{Decomposition_Type=Narrow} (122)
   \p{Decomposition_Type: Narrow} (Short: \p{Dt=Nar}) (122)
   \p{Decomposition Type: Nb} \p{Decomposition Type=Nobreak} (5)
   \p{Decomposition_Type: Nobreak} (Short: \p{Dt=Nb}) (5)
   \p{Decomposition_Type: Non_Canon} \p{Decomposition_Type=
                                                Non_Canonical (Perl extension) (3662)
   \p{Decomposition_Type: Non_Canonical} Union of all non-canonical
                                                decompositions (Short: \p{Dt=NonCanon})
                                                 (Perl extension) (3662)
   \p{Decomposition\_Type: None} (Short: \p{Dt=None}) (1_097_218 plus)
                                                all above-Unicode code points)
   \p{Decomposition\_Type: Small} (Short: \p{Dt=Sml}) (26)
   \p{Decomposition_Type: Sml} \p{Decomposition_Type=Small} (26)
\p{Decomposition_Type: Sqr} \p{Decomposition_Type=Square} (285)
   \p{Decomposition_Type: Square} (Short: \p{Dt=Sqr}) (285)
   \p{Decomposition\_Type: Sub} (Short: \p{Dt=Sub}) (38)
   \p{Decomposition_Type: Sup} \p{Decomposition_Type=Super} (152)
   \p{Decomposition_Type: Super} (Short: \p{Dt=Sup}) (152)
```



```
\p{Decomposition_Type: Vert} \p{Decomposition_Type=Vertical} (35)
  \p{Decomposition\_Type: Vertical} (Short: \p{Dt=Vert}) (35)
  \p{Decomposition_Type: Wide} (Short: \p{Dt=Wide}) (104)
  \p{Default_Ignorable_Code_Point} \p{Default_Ignorable_Code_Point=
                             Y} (Short: \p{DI}) (4173)
  \p{Default\_Ignorable\_Code\_Point: N*} (Short: \p{DI=N}, \P{DI})
                             (1_109_939 plus all above-Unicode code
                             points)
  \p{Default\_Ignorable\_Code\_Point: Y*} (Short: \p{DI=Y}, \p{DI})
                             (4173)
  \p{Dep}
                           \p{Deprecated} (= \p{Deprecated=Y}) (15)
  \p{Dep: *}
                           \p{Deprecated: *}
  \p{Deprecated}
                           \p{Deprecated=Y} (Short: \p{Dep}) (15)
  \p{Deprecated: N*}
                           (Short: p\{Dep=N\}, P\{Dep\}) (1_114_097
                             plus all above-Unicode code points)
                           (Short: p\{Dep=Y\}, p\{Dep\}) (15)
  \p{Deprecated: Y*}
  \p{Deseret}
                           \p{Script_Extensions=Deseret} (Short:
                             \p{Dsrt}) (80)
  \p{Deva}
                           \p{Devanagari} (= \p{Script_Extensions=
                             Devanagari}) (NOT \p{Block=Devanagari})
                             (210)
                           \p{Script_Extensions=Devanagari} (Short:
  \p{Devanagari}
                             \p{Deva}; NOT \p{Block=Devanagari}) (210)
X \p{Devanagari_Ext}
                           \p{Devanagari\_Extended} (= \p{Block=}
                             Devanagari_Extended}) (32)
X \p{Devanagari_Extended} \p{Block=Devanagari_Extended} (Short:
                             \p{InDevanagariExt}) (32)
  \p{DI}
                           \p{Default_Ignorable_Code_Point} (=
                             \p{Default_Ignorable_Code_Point=Y})
  \p{DI: *}
                           \p{Default_Ignorable_Code_Point: *}
                           \P\{Diacritic\} (= \P\{Diacritic=Y\}) (782)
  \p{Dia}
  \p{Dia: *}
                           \p{Diacritic: *}
  \p{Diacritic}
                           \p{Diacritic=Y} (Short: \p{Dia}) (782)
  \p{Diacritic: N*}
                           (Short: p\{Dia=N\}, P\{Dia\}) (1_113_330)
                             plus all above-Unicode code points)
  \p{Diacritic: Y*}
                           (Short: p\{Dia=Y\}, p\{Dia\}) (782)
X \p{Diacriticals}
                           \p{Combining_Diacritical_Marks} (=
                             \p{Block=Combining_Diacritical_Marks})
                             (112)
X \p{Diacriticals Ext}
                           \p{Combining Diacritical Marks Extended}
                             (= \p{Block}=
                             Combining_Diacritical_Marks_Extended})
                             (80)
X \p{Diacriticals_For_Symbols}
                             \p{Combining_Diacritical_Marks_For_-
                             Symbols (= p\{Block=
                             Combining_Diacritical_Marks_For_-
                             Symbols}) (48)
X \p{Diacriticals_Sup}
                           \p{Combining_Diacritical_Marks_Supplement}
                             (= \p{Block}=
                             Combining_Diacritical_Marks_Supplement})
                             (64)
  \p{Digit}
                           \p{XPosixDigit} (= \p{General_Category=
                             Decimal_Number}) (580)
X \p{Dingbats}
                           \p{Block=Dingbats} (192)
```



```
X \p{Domino}
                          \p{Domino_Tiles} (= \p{Block=
                            Domino_Tiles}) (112)
X \p{Domino_Tiles}
                          \p{Block=Domino_Tiles} (Short:
                            p{InDomino} (112)
  \p{Dsrt}
                          \p{Deseret} (= \p{Script_Extensions=
                           Deseret (80)
  \p{Dt: *}
                          \p{Decomposition_Type: *}
  \p{Dupl}
                          \p{Duployan} (= \p{Script_Extensions=
                            Duployan}) (NOT \p{Block=Duployan}) (147)
  \p{Duployan}
                          \p{Script_Extensions=Duployan} (Short:
                            \p{Dupl}; NOT \p{Block=Duployan}) (147)
  \p{Ea: *}
                          \p{East Asian Width: *}
X \p{Early_Dynastic_Cuneiform} \p{Block=Early_Dynastic_Cuneiform}
                            (208)
  \p{East_Asian_Width: A} \p{East_Asian_Width=Ambiguous} (138_739)
  \p{East\_Asian\_Width: Ambiguous} (Short: \p{Ea=A}) (138_739)
  \p{East_Asian_Width: F} \p{East_Asian_Width=Fullwidth} (104)
  p{East\_Asian\_Width: Fullwidth} (Short: p{Ea=F}) (104)
  \p{East_Asian_Width: H} \p{East_Asian_Width=Halfwidth} (123)
  \p{East_Asian_Width: Halfwidth} (Short: \p{Ea=H}) (123)
  \p{East_Asian_Width: N} \p{East_Asian_Width=Neutral} (794_146 plus
                            all above-Unicode code points)
  \p{East_Asian_Width: Na} \p{East_Asian_Width=Narrow} (111)
  \p{East_Asian_Width: Narrow} (Short: \p{Ea=Na}) (111)
  \p{East_Asian_Width: Neutral} (Short: \p{Ea=N}) (794_146 plus all
                           above-Unicode code points)
  \p{East_Asian_Width: W} \p{East_Asian_Width=Wide} (180_889)
  p{East\_Asian\_Width: Wide} (Short: p{Ea=W}) (180_889)
  \p{Egyp}
                          \p{Egyptian_Hieroglyphs} (=
                            \p{Script_Extensions=
                            Egyptian_Hieroglyphs}) (NOT \p{Block=
                            Egyptian_Hieroglyphs } ) (1071)
  \p{Egyptian_Hieroglyphs} \p{Script_Extensions=
                            NOT \p{Block=Egyptian_Hieroglyphs})
                            (1071)
                          \p{Elbasan} (= \p{Script_Extensions=
  \p{Elba}
                            Elbasan}) (NOT \p{Block=Elbasan}) (40)
  \p{Elbasan}
                          \p{Script_Extensions=Elbasan} (Short:
                            \p{Elba}; NOT \p{Block=Elbasan}) (40)
X \p{Emoticons}
                          \p{Block=Emoticons} (80)
X \p{Enclosed_Alphanum}
                          \p{Enclosed Alphanumerics} (= \p{Block=
                            Enclosed_Alphanumerics}) (160)
X \p{Enclosed_Alphanum_Sup} \p{Enclosed_Alphanumeric_Supplement} (=
                            \p{Block=
                            Enclosed_Alphanumeric_Supplement}) (256)
X \p{Enclosed_Alphanumeric_Supplement} \p{Block=
                            Enclosed_Alphanumeric_Supplement}
                            (Short: \p{InEnclosedAlphanumSup}) (256)
X \p{Enclosed_Alphanumerics} \p{Block=Enclosed_Alphanumerics}
                            (Short: \p{InEnclosedAlphanum}) (160)
X \p{Enclosed CJK}
                          \p{Enclosed CJK Letters And Months} (=
                            \p{Block=
                            Enclosed_CJK_Letters_And_Months}) (256)
X \p{Enclosed_CJK_Letters_And_Months} \p{Block=
                            Enclosed_CJK_Letters_And_Months} (Short:
```



```
\p{InEnclosedCJK}) (256)
X \p{Enclosed_Ideographic_Sup} \p{Enclosed_Ideographic_Supplement}
                             (= \p{Block}=
                             Enclosed_Ideographic_Supplement } ) (256)
X \p{Enclosed_Ideographic_Supplement} \p{Block=
                             Enclosed_Ideographic_Supplement} (Short:
                             \p{InEnclosedIdeographicSup}) (256)
  \p{Enclosing_Mark}
                           \p{General_Category=Enclosing_Mark}
                             (Short: p\{Me\}) (13)
  \p{Ethi}
                           \p{Ethiopic} (= \p{Script_Extensions=
                             Ethiopic \ (NOT \p{Block=Ethiopic}) (495)
  \p{Ethiopic}
                           \p{Script Extensions=Ethiopic} (Short:
                             \p{Ethi}; NOT \p{Block=Ethiopic}) (495)
X \p{Ethiopic_Ext}
                           \p{Ethiopic_Extended} (= \p{Block=
                             Ethiopic_Extended \ ) (96)
X \p{Ethiopic_Ext_A}
                           \p{Ethiopic\_Extended\_A} (= \p{Block=}
                             Ethiopic_Extended_A}) (48)
X \p{Ethiopic_Extended}
                           \p{Block=Ethiopic_Extended} (Short:
                             \p{InEthiopicExt}) (96)
X \p{Ethiopic_Extended_A} \p{Block=Ethiopic_Extended_A} (Short:
                             \p{InEthiopicExtA}) (48)
X \p{Ethiopic_Sup}
                           \p{Ethiopic_Supplement} (= \p{Block=
                             Ethiopic_Supplement } ) (32)
X \p{Ethiopic_Supplement} \p{Block=Ethiopic_Supplement} (Short:
                             \p{InEthiopicSup}) (32)
  \p{Ext}
                           \p{Extender} (= \p{Extender=Y}) (42)
  \p{Ext: *}
                           \p{Extender: *}
  \p{Extender}
                           \p{Extender=Y} (Short: \p{Ext}) (42)
  \p{Extender: N*}
                           (Short: p{Ext=N}, P{Ext}) (1_114_070
                             plus all above-Unicode code points)
  \p{Extender: Y*}
                           (Short: p{Ext=Y}, p{Ext}) (42)
  \p{Final_Punctuation}
                           \p{General_Category=Final_Punctuation}
                             (Short: p{Pf}) (10)
  \p{Format}
                           \p{General_Category=Format} (Short:
                             p\{Cf\}) (151)
  \p{Full_Composition_Exclusion} \p{Full_Composition_Exclusion=Y}
                             (Short: p\{CompEx\}) (1120)
  \label{eq:partial_composition_exclusion: N*} $$ \left[ \operatorname{CompEx=N} \right], $$
                             \P{CompEx}) (1_112_992 plus all above-
                             Unicode code points)
  \p{Full_Composition_Exclusion: Y*} (Short: \p{CompEx=Y},
                             p\{CompEx\}) (1120)
  \p{Gc: *}
                           \p{General_Category: *}
  \p{GCB: *}
                           \p{Grapheme_Cluster_Break: *}
  \p{General_Category: C} \p{General_Category=Other} (986_091 plus
                             all above-Unicode code points)
  \p{General_Category: Cased_Letter} [\p{Ll}\p{Lu}\p{Lt}] (Short:
                             \p{Gc=LC}, \p{LC}) (3796)
  \p{General_Category: Cc} \p{General_Category=Control} (65)
  \p{General_Category: Cf} \p{General_Category=Format} (151)
  \p{General_Category: Close_Punctuation} (Short: \p{Gc=Pe}, \p{Pe})
                             (73)
  \p{General_Category: Cn} \p{General_Category=Unassigned} (846_359)
                             plus all above-Unicode code points)
  \p{General_Category: Cntrl} \p{General_Category=Control} (65)
  \p{General\_Category: Co} \p{General\_Category=Private\_Use} \ (137\_468)
```



```
\p{General_Category: Combining_Mark} \p{General_Category=Mark}
                            (2097)
  \p{General_Category: Connector_Punctuation} (Short: \p{Gc=Pc},
                            p{Pc} (10)
  \p{General_Category: Control} (Short: \p{Gc=Cc}, \p{Cc}) (65)
  \p{General\_Category: Cs} \p{General\_Category=Surrogate} (2048)
  \label{lem:condition} $$ \p{General\_Category: Currency\_Symbol} (Short: \p{Gc=Sc}, \p{Sc}) $$
                            (53)
  \p{General_Category: Dash_Punctuation} (Short: \p{Gc=Pd}, \p{Pd})
                            (24)
  \p{General_Category: Decimal_Number} (Short: \p{Gc=Nd}, \p{Nd})
                            (580)
  \p{General_Category: Digit} \p{General_Category=Decimal_Number}
                            (580)
  \p{General_Category: Enclosing_Mark} (Short: \p{Gc=Me}, \p{Me})
                            (13)
  \p{General_Category: Final_Punctuation} (Short: \p{Gc=Pf}, \p{Pf})
                            (10)
  \p{General\_Category: Format} (Short: \p{Gc=Cf}, \p{Cf}) (151)
  \p{General_Category: Initial_Punctuation} (Short: \p{Gc=Pi},
                            p{Pi} (12)
  \p{General_Category: L} \p{General_Category=Letter} (116_766)
X \p{General_Category: L_} \p{General_Category=Cased_Letter} Note
                            the trailing '_' matters in spite of
                            loose matching rules. (3796)
  \p{General_Category: LC} \p{General_Category=Cased_Letter} (3796)
  \p{General\_Category: Letter} (Short: \p{Gc=L}, \p{L}) (116_766)
  \p{General\_Category: Letter\_Number} (Short: \p{Gc=Nl}, \p{Nl})
                            (236)
  \p{General\_Category: Line\_Separator} (Short: \p{Gc=Zl}, \p{Zl}) (1)
  \p{General_Category: Ll} \p{General_Category=Lowercase_Letter}
                            (/i= General_Category=Cased_Letter)
                            (2063)
  \p{General_Category: Lm} \p{General_Category=Modifier_Letter} (249)
  \p{General_Category: Lo} \p{General_Category=Other_Letter}
                            (112_{721})
  \p{General_Category: Lowercase_Letter} (Short: \p{Gc=Ll}, \p{Ll};
                            /i= General_Category=Cased_Letter) (2063)
  \p{General_Category: Lt} \p{General_Category=Titlecase_Letter}
                            (/i= General Category=Cased Letter) (31)
  \p{General_Category: Lu} \p{General_Category=Uppercase_Letter}
                            (/i= General_Category=Cased_Letter)
                            (1702)
  \p{General_Category: M} \p{General_Category=Mark} (2097)
  \p{General\_Category: Mark} (Short: \p{Gc=M}, \p{M}) (2097)
  \p{General\_Category: Math\_Symbol} (Short: \p{Gc=Sm}, \p{Sm}) (948)
  \p{General_Category: Mc} \p{General_Category=Spacing_Mark} (394)
  \p{General_Category: Me} \p{General_Category=Enclosing_Mark} (13)
  \p{General_Category: Mn} \p{General_Category=Nonspacing_Mark}
                            (1690)
  \p{General\_Category: Modifier\_Letter} (Short: \p{Gc=Lm}, \p{Lm})
                            (249)
  \p{General_Category: Modifier_Symbol} (Short: \p{Gc=Sk}, \p{Sk})
                            (121)
  \p{General_Category: N} \p{General_Category=Number} (1492)
```



```
\p{General_Category: Nd} \p{General_Category=Decimal_Number} (580)
\p{General_Category: Nl} \p{General_Category=Letter_Number} (236)
\p{General_Category: No} \p{General_Category=Other_Number} (676)
\p{General_Category: Nonspacing_Mark} (Short: \p{Gc=Mn}, \p{Mn})
                          (1690)
\p{General\_Category: Number} (Short: \p{Gc=N}, \p{N}) (1492)
\p{General_Category: Open_Punctuation} (Short: \p{Gc=Ps}, \p{Ps})
                          (75)
\p{General\_Category: Other} (Short: \p{Gc=C}, \p{C}) (986_091 plus)
                          all above-Unicode code points)
\p{General_Category: Other_Letter} (Short: \p{Gc=Lo}, \p{Lo})
                          (112721)
\p{General\_Category: Other\_Number} (Short: \p{Gc=No}, \p{No}) (676)
\p{General_Category: Other_Punctuation} (Short: \p{Gc=Po}, \p{Po})
                          (544)
\p{General_Category: Other_Symbol} (Short: \p{Gc=So}, \p{So})
                          (5777)
\p{General_Category: P} \p{General_Category=Punctuation} (748)
\p{General_Category: Paragraph_Separator} (Short: \p{Gc=Zp},
                          p{Zp} (1)
\p{General_Category: Pc} \p{General_Category=
                          Connector_Punctuation} (10)
\p{General_Category: Pd} \p{General_Category=Dash_Punctuation} (24)
\p{General_Category: Pe} \p{General_Category=Close_Punctuation}
                          (73)
\p{General_Category: Pf} \p{General_Category=Final_Punctuation}
                          (10)
\p{General_Category: Pi} \p{General_Category=Initial_Punctuation}
                          (12)
\p{General_Category: Po} \p{General_Category=Other_Punctuation}
                          (544)
\p{General_Category: Private_Use} (Short: \p{Gc=Co}, \p{Co})
                          (137 468)
\p{General_Category: Ps} \p{General_Category=Open_Punctuation} (75)
\p{General\_Category: Punct} \p{General\_Category=Punctuation} (748)
\p{General\_Category: Punctuation} (Short: \p{Gc=P}, \p{P}) (748)
\p{General_Category: S} \p{General_Category=Symbol} (6899)
\p{General\_Category: Sc} \p{General\_Category=Currency\_Symbol} (53)
\p{General\_Category: Separator} (Short: \p{Gc=Z}, \p{Z}) (19)
\p{General_Category: Sk} \p{General_Category=Modifier_Symbol} (121)
\p{General Category: Sm} \p{General Category=Math Symbol} (948)
\p{General_Category: So} \p{General_Category=Other_Symbol} (5777)
\p{General_Category: Space_Separator} (Short: \p{Gc=Zs}, \p{Zs})
                          (17)
\p{General\_Category: Spacing\_Mark} (Short: \p{Gc=Mc}, \p{Mc}) (394)
\p{General\_Category: Surrogate} (Short: \p{Gc=Cs}, \p{Cs}) (2048)
\p{General\_Category: Symbol} (Short: \p{Gc=S}, \p{S}) (6899)
\p{General_Category: Titlecase_Letter} (Short: \p{Gc=Lt}, \p{Lt};
                          /i= General_Category=Cased_Letter) (31)
\p{General\_Category: Unassigned} (Short: \p{Gc=Cn}, \p{Cn})
                          (846_359 plus all above-Unicode code
                          points)
\p{General_Category: Uppercase_Letter} (Short: \p{Gc=Lu}, \p{Lu};
                          /i= General_Category=Cased_Letter) (1702)
\p{General_Category: Z} \p{General_Category=Separator} (19)
\p{General_Category: Z1} \p{General_Category=Line_Separator} (1)
```



```
\p{General_Category: Zp} \p{General_Category=Paragraph_Separator}
                                                    (1)
    \p{General_Category: Zs} \p{General_Category=Space_Separator} (17)
X \p{General_Punctuation} \p{Block=General_Punctuation} (Short:
                                                    \p{InPunctuation}) (112)
X \p{Geometric_Shapes}
                                                \p{Block=Geometric_Shapes} (96)
X \p{Geometric_Shapes_Ext} \p{Geometric_Shapes_Extended} (=
                                                    \p{Block=Geometric_Shapes_Extended})
                                                    (128)
X \p{Geometric_Shapes_Extended} \p{Block=Geometric_Shapes_Extended}
                                                    (Short: \p{InGeometricShapesExt}) (128)
   \p{Geor}
                                                \p{Georgian} (= \p{Script_Extensions=
                                                    Georgian}) (NOT \p{Block=Georgian}) (129)
   \p{Georgian}
                                                \p{Script_Extensions=Georgian} (Short:
                                                    \p{Geor}; NOT \p{Block=Georgian}) (129)
                                                \p{Georgian\_Supplement} \ (= \p{Block} = \p{Georgian\_Supplement}) \ (= \p{Block} = \p{Bl
X \p{Georgian_Sup}
                                                    Georgian_Supplement } ) (48)
X \neq Georgian\_Supplement  \p{Block=Georgian\_Supplement} (Short:
                                                    \p{InGeorgianSup}) (48)
   \p{Glag}
                                                \p{Glagolitic} (= \p{Script_Extensions=
                                                    Glagolitic}) (NOT \p{Block=Glagolitic})
                                                    (136)
   \p{Glagolitic}
                                                 \p{Script_Extensions=Glagolitic} (Short:
                                                    \p{Glag}; NOT \p{Block=Glagolitic}) (136)
                                                \p{Glagolitic\_Supplement} (= \p{Block=}
X \p{Glagolitic_Sup}
                                                    Glagolitic_Supplement } ) (48)
X \p{Glagolitic_Supplement} \p{Block=Glagolitic_Supplement} (Short:
                                                    \p{InGlagoliticSup}) (48)
   \p{Goth}
                                                \p{Gothic} (= \p{Script_Extensions=
                                                    Gothic \ ) (NOT \p{Block=Gothic}) (27)
   \p{Gothic}
                                                \p{Script_Extensions=Gothic} (Short:
                                                    \p{Goth}; NOT \p{Block=Gothic}) (27)
   \p{Gr_Base}
                                                \p{Grapheme_Base} (= \p{Grapheme_Base=Y})
                                                    (126 288)
   \p{Gr_Base: *}
                                                \p{Grapheme_Base: *}
   \p{Gr_Ext}
                                                \p{Grapheme_Extend} (= \p{Grapheme_Extend=
                                                    Y}) (1828)
   \p{Gr_Ext: *}
                                                \p{Grapheme_Extend: *}
   \p{Gran}
                                                \p{Grantha} (= \p{Script_Extensions=
                                                    Grantha}) (NOT \p{Block=Grantha}) (113)
   \p{Grantha}
                                                \p{Script Extensions=Grantha} (Short:
                                                    \p{Gran}; NOT \p{Block=Grantha}) (113)
                                                \p{XPosixGraph} (265_621)
    \p{Graph}
                                                \p{Grapheme_Base=Y} (Short: \p{GrBase})
   \p{Grapheme_Base}
                                                    (126_{288})
                                                 (Short: p\{GrBase=N\}, P\{GrBase\}) (987_824)
   \p{Grapheme_Base: N*}
                                                    plus all above-Unicode code points)
   \p{Grapheme_Base: Y*}
                                                (Short: p\{GrBase=Y\}, p\{GrBase\}) (126_288)
   \p{Grapheme_Cluster_Break: CN} \p{Grapheme_Cluster_Break=Control}
                                                    (5925)
   \label{lem:control} $$ \P{Grapheme\_Cluster\_Break: Control} (Short: \P{GCB=CN}) (5925) $$
    \p{Grapheme_Cluster_Break: CR} (Short: \p{GCB=CR}) (1)
   \p{Grapheme_Cluster_Break: E_Base} (Short: \p{GCB=EB}) (79)
   \p{Grapheme_Cluster_Break: E_Base_GAZ} (Short: \p{GCB=EBG}) (4)
   \p{Grapheme_Cluster_Break: E_Modifier} (Short: \p{GCB=EM}) (5)
   \p{Grapheme_Cluster_Break: EB} \p{Grapheme_Cluster_Break=E_Base}
```



```
(79)
  \p{Grapheme_Cluster_Break: EBG} \p{Grapheme_Cluster_Break=
                            E_Base_GAZ \ (4)
  \p{Grapheme_Cluster_Break: EM} \p{Grapheme_Cluster_Break=
                            E_Modifier \ (5)
  \p{Grapheme_Cluster_Break: EX} \p{Grapheme_Cluster_Break=Extend}
                            (1828)
  \p{Grapheme_Cluster_Break: Extend} (Short: \p{GCB=EX}) (1828)
  \p{Grapheme_Cluster_Break: GAZ} \p{Grapheme_Cluster_Break=
                            Glue_After_Zwj (3)
  \p{Grapheme_Cluster_Break: Glue_After_Zwj} (Short: \p{GCB=GAZ}) (3)
  \p{Grapheme Cluster Break: L} (Short: \p{GCB=L}) (125)
  \p{Grapheme_Cluster_Break: LF} (Short: \p{GCB=LF}) (1)
  \label{eq:cluster_Break: LV} $$ (Short: \p{GCB=LV}) $$ (399) $$
  \p{Grapheme_Cluster_Break: LVT} (Short: \p{GCB=LVT}) (10_773)
  \p{Grapheme\_Cluster\_Break: Other} (Short: \p{GCB=XX}) (1_094_356)
                            plus all above-Unicode code points)
  \p{Grapheme_Cluster_Break: PP} \p{Grapheme_Cluster_Break=Prepend}
                            (13)
  \p{Grapheme_Cluster_Break: Prepend} (Short: \p{GCB=PP}) (13)
  \p{Grapheme_Cluster_Break: Regional_Indicator} (Short: \p{GCB=RI})
                            (26)
  \p{Grapheme_Cluster_Break: RI} \p{Grapheme_Cluster_Break=
                            Regional_Indicator} (26)
  \p{Grapheme_Cluster_Break: SM} \p{Grapheme_Cluster_Break=
                            SpacingMark (341)
  \p{Grapheme_Cluster_Break: SpacingMark} (Short: \p{GCB=SM}) (341)
  \p{Grapheme\_Cluster\_Break: T} (Short: \p{GCB=T}) (137)
  \p{Grapheme_Cluster_Break: V} (Short: \p{GCB=V}) (95)
  \p{Grapheme_Cluster_Break: XX} \p{Grapheme_Cluster_Break=Other}
                            (1 094 356 plus all above-Unicode code
                            points)
  \p{Grapheme_Cluster_Break: ZWJ} (Short: \p{GCB=ZWJ}) (1)
  \p{Grapheme Extend}
                          \p{Grapheme_Extend=Y} (Short: \p{GrExt})
                            (1828)
  \p{Grapheme_Extend: N*} (Short: \p{GrExt=N}, \P{GrExt}) (1_112_284)
                            plus all above-Unicode code points)
  \p{Grapheme\_Extend: Y*} (Short: \p{GrExt=Y}, \p{GrExt}) (1828)
  \p{Greek}
                          \p{Script_Extensions=Greek} (Short:
                            \p{Grek}; NOT \p{Greek_And_Coptic}) (522)
X \p{Greek And Coptic}
                          \p{Block=Greek And Coptic} (Short:
                            \p{InGreek}) (144)
X \p{Greek_Ext}
                          \p{Greek_Extended} (= \p{Block=
                            Greek_Extended}) (256)
X \p{Greek_Extended}
                          \p{Block=Greek_Extended} (Short:
                            p{InGreekExt}) (256)
                          \p{Greek} (= \p{Script_Extensions=Greek})
  \p{Grek}
                            (NOT \p{Greek_And_Coptic}) (522)
  \p{Gujarati}
                          \p{Script_Extensions=Gujarati} (Short:
                            \p{Gujr}; NOT \p{Block=Gujarati}) (99)
                          \p{Gujarati} (= \p{Script_Extensions=
  \p{Gujr}
                            Gujarati}) (NOT \p{Block=Gujarati}) (99)
  \p{Gurmukhi}
                          \p{Script_Extensions=Gurmukhi} (Short:
                            \p{Guru}; NOT \p{Block=Gurmukhi}) (93)
  \p{Guru}
                          \p{Gurmukhi} (= \p{Script_Extensions=
                            Gurmukhi}) (NOT \p{Block=Gurmukhi}) (93)
```



```
X \p{Half_And_Full_Forms} \p{Halfwidth_And_Fullwidth_Forms} (=
                            \p{Block=Halfwidth_And_Fullwidth_Forms})
                            (240)
X \p{Half_Marks}
                          \p{Combining_Half_Marks} (= \p{Block=
                            Combining_Half_Marks (16)
X \p{Halfwidth_And_Fullwidth_Forms} \p{Block=
                           \p{InHalfAndFullForms}) (240)
                          \p{Script_Extensions=Han} (82_013)
  \p{Han}
                          \p{Hangul} (= \p{Script_Extensions=
  \p{Hang}
                            Hangul (NOT \p{Hangul_Syllables})
                            (11775)
  \p{Hangul}
                          \p{Script_Extensions=Hangul} (Short:
                            \p{Hang}; NOT \p{Hangul_Syllables})
                            (11_775)
X \p{Hangul_Compatibility_Jamo} \p{Block=Hangul_Compatibility_Jamo}
                            (Short: \p{InCompatJamo}) (96)
X \p{Hangul_Jamo}
                          \p{Block=Hangul_Jamo} (Short: \p{InJamo})
                            (256)
X \p{Hangul_Jamo_Extended_A} \p{Block=Hangul_Jamo_Extended_A}
                            (Short: \p{InJamoExtA}) (32)
X \p{Hangul_Jamo_Extended_B} \p{Block=Hangul_Jamo_Extended_B}
                            (Short: \p{InJamoExtB}) (80)
  \p{Hangul_Syllable_Type: L} \p{Hangul_Syllable_Type=Leading_Jamo}
                            (125)
  \p{Hangul_Syllable_Type: Leading_Jamo} (Short: \p{Hst=L}) (125)
  \p{Hangul_Syllable_Type: LV} \p{Hangul_Syllable_Type=LV_Syllable}
                            (399)
  \p{Hangul_Syllable_Type: LV_Syllable} (Short: \p{Hst=LV}) (399)
  \p{Hangul_Syllable_Type: LVT} \p{Hangul_Syllable_Type=
                            LVT_Syllable (10_773)
  \p{Hangul_Syllable_Type: LVT_Syllable} (Short: \p{Hst=LVT})
                            (10_{773})
  \p{Hangul_Syllable_Type: NA} \p{Hangul_Syllable_Type=
                           Not_Applicable { (1_102_583 plus all
                            above-Unicode code points)
  \p{Hangul_Syllable_Type: Not_Applicable} (Short: \p{Hst=NA})
                            (1_102_583 plus all above-Unicode code
                           points)
  \p{Hangul_Syllable_Type: T} \p{Hangul_Syllable_Type=Trailing_Jamo}
                            (137)
  \p{Hangul_Syllable_Type: Trailing_Jamo} (Short: \p{Hst=T}) (137)
  \p{Hangul_Syllable_Type: V} \p{Hangul_Syllable_Type=Vowel_Jamo}
                            (95)
  \p{Hangul\_Syllable\_Type: Vowel\_Jamo} (Short: \p{Hst=V}) (95)
                         \p{Block=Hangul\_Syllables} (Short:
X \p{Hangul_Syllables}
                            \p{InHangul}) (11_184)
  \p{Hani}
                          \p{Han} (= \p{Script\_Extensions=Han})
                            (82_013)
                          \p{Hanunoo} (= \p{Script_Extensions=
  \p{Hano}
                            Hanunoo) (NOT \p{Block=Hanunoo}) (23)
  \p{Hanunoo}
                          \p{Script Extensions=Hanunoo} (Short:
                            \p{Hano}; NOT \p{Block=Hanunoo}) (23)
  \p{Hatr}
                          \p{Hatran} (= \p{Script_Extensions=
                           Hatran \ (NOT \p{Block=Hatran}) (26)
  \p{Hatran}
                          \p{Script_Extensions=Hatran} (Short:
```



```
\p{Hatr}; NOT \p{Block=Hatran}) (26)
      \p{Hebr}
                                                                           \p{Hebrew} (= \p{Script_Extensions=
                                                                                Hebrew}) (NOT \p{Block=Hebrew}) (133)
      \p{Hebrew}
                                                                           \p{Script_Extensions=Hebrew} (Short:
                                                                                 \p{Hebr}; NOT \p{Block=Hebrew}) (133)
                                                                           \p{XPosixXDigit} (= \p{Hex\_Digit=Y}) (44)
      \p{Hex}
      \p{Hex: *}
                                                                           \p{Hex_Digit: *}
      \p{Hex_Digit}
                                                                           \p{XPosixXDigit} (= \p{Hex_Digit=Y}) (44)
      \p{Hex_Digit: N*}
                                                                           (Short: p{Hex=N}, P{Hex}) (1_114_068
                                                                                plus all above-Unicode code points)
      \p{Hex_Digit: Y*}
                                                                           (Short: p{Hex=Y}, p{Hex}) (44)
X \p{High_Private_Use_Surrogates} \p{Block=
                                                                                High_Private_Use_Surrogates} (Short:
                                                                                 \p{InHighPUSurrogates}) (128)
                                                                           \p{High_Private_Use_Surrogates} (=
X \p{High_PU_Surrogates}
                                                                                 \p{Block=High_Private_Use_Surrogates})
                                                                                 (128)
X \p{High_Surrogates}
                                                                           \p{Block=High_Surrogates} (896)
     \p{Hira}
                                                                           \p{Hiragana} (= \p{Script\_Extensions} = \p{Hiragana} (= \p{Script\_Extensions} = \p{Hiragana} =
                                                                                {\tt Hiragana}) \;\; ({\tt NOT} \;\; \\ {\tt p\{Block=Hiragana\}}) \;\; ({\tt 143})
     \p{Hiragana}
                                                                           \p{Script_Extensions=Hiragana} (Short:
                                                                                 \p{Hira}; NOT \p{Block=Hiragana}) (143)
      \p{Hluw}
                                                                           \p{Anatolian_Hieroglyphs} (=
                                                                                 \p{Script_Extensions=
                                                                                 Anatolian_Hieroglyphs) (NOT p\{Block=
                                                                                 Anatolian_Hieroglyphs (583)
      \p{Hmng}
                                                                           \p{Pahawh\_Hmong} (= \p{Script\_Extensions} = \p{Pahawh_Hmong} (= \p{Script_Extensions} = \p{Rayer} = 
                                                                                Pahawh_Hmong ) (NOT \p{Block=
                                                                                 Pahawh_Hmong ) (127)
      \p{HorizSpace}
                                                                           p{XPosixBlank} (18)
      \p{Hst: *}
                                                                           \p{Hangul_Syllable_Type: *}
                                                                           \p{Old\_Hungarian} (= \p{Script\_Extensions} =
      \p{Hung}
                                                                                 Old_Hungarian}) (NOT \p{Block=
                                                                                Old_Hungarian}) (108)
D \p{Hyphen}
                                                                           p{Hyphen=Y} (11)
D \p{Hyphen: N*}
                                                                           Supplanted by Line_Break property values;
                                                                                see www.unicode.org/reports/tr14
                                                                                 (Single: \P\{Hyphen\}) (1_114_101 plus all
                                                                                above-Unicode code points)
D \p{Hyphen: Y*}
                                                                           Supplanted by Line_Break property values;
                                                                                 see www.unicode.org/reports/tr14
                                                                                 (Single: p{Hyphen}) (11)
      \p{ID_Continue}
                                                                           \p{ID\_Continue=Y} (Short: \p{IDC}; NOT)
                                                                                 \p{Ideographic_Description_Characters})
                                                                                 (119_691)
     \p{ID_Continue: N*}
                                                                           (Short: p{IDC=N}, P{IDC}) (994_421 plus
                                                                                 all above-Unicode code points)
     \p{ID_Continue: Y*}
                                                                           (Short: p{IDC=Y}, p{IDC}) (119_691)
                                                                           \p{ID\_Start=Y} (Short: \p{IDS}) (117_007)
      \p{ID_Start}
                                                                           (Short: p{IDS=N}, P{IDS}) (997_105 plus
      \p{ID_Start: N*}
                                                                                 all above-Unicode code points)
      \p{ID_Start: Y*}
                                                                           (Short: p{IDS=Y}, p{IDS}) (117_007)
                                                                           \p{ID\_Continue} (= \p{ID\_Continue=Y}) (NOT
     \p{IDC}
                                                                                 \p{Ideographic_Description_Characters})
                                                                                 (119_691)
      \p{IDC: *}
                                                                           \p{ID_Continue: *}
```



```
\p{Ideo}
                                                   \p{Ideographic} (= \p{Ideographic=Y})
                                                       (88_{284})
    \p{Ideo: *}
                                                   \p{Ideographic: *}
    \p{Ideographic}
                                                   \p{Ideographic=Y} (Short: \p{Ideo})
                                                      (88_{284})
    \p{Ideographic: N*}
                                                   (Short: p\{Ideo=N\}, P\{Ideo\}) (1_025_828)
                                                      plus all above-Unicode code points)
    \p{Ideographic: Y*}
                                                  (Short: p\{Ideo=Y\}, p\{Ideo\}\}) (88_284)
X \neq \{Ideographic\_Description\_Characters\} \neq \{Block=
                                                      Ideographic_Description_Characters}
                                                      (Short: p\{InIDC\}) (16)
X \p{Ideographic_Symbols} \p{Ideographic_Symbols_And_Punctuation} (=
                                                      \p{Block=
                                                      Ideographic_Symbols_And_Punctuation})
X \p{Ideographic_Symbols_And_Punctuation} \p{Block=
                                                      Ideographic_Symbols_And_Punctuation}
                                                      (Short: \p{InIdeographicSymbols}) (32)
    \p{IDS}
                                                   \p{ID\_Start} (= \p{ID\_Start=Y}) (117\_007)
    \p{IDS: *}
                                                   \p{ID_Start: *}
    \p{IDS_Binary_Operator} \p{IDS_Binary_Operator=Y} (Short:
                                                      p\{IDSB\}) (10)
   \p{IDS_Binary_Operator: N*} (Short: \p{IDSB=N}, \P{IDSB})
                                                      (1_114_102 plus all above-Unicode code
                                                      points)
   \p{IDS_Binary_Operator: Y*} (Short: \p{IDSB=Y}, \p{IDSB}) (10)
    \label{loss_trinary_Operator} $$ p{IDS_Trinary_Operator=Y} $$ (Short: Partial or Parti
                                                      \p{IDST}) (2)
   \p{IDS\_Trinary\_Operator: N*} (Short: \p{IDST=N}, \P{IDST})
                                                      (1_114_110 plus all above-Unicode code
                                                      points)
   \p{IDS_Trinary_Operator: Y*} (Short: \p{IDST=Y}, \p{IDST}) (2)
   \p{IDSB}
                                                  \p{IDS_Binary_Operator} (=
                                                      \p{IDS_Binary_Operator=Y}) (10)
                                                   \p{IDS_Binary_Operator: *}
   \p{IDSB: *}
    \p{IDST}
                                                   \p{IDS_Trinary_Operator} (=
                                                      \p{IDS_Trinary_Operator=Y}) (2)
   \p{IDST: *}
                                                   \p{IDS_Trinary_Operator: *}
    \p{Imperial_Aramaic}
                                                   \p{Script_Extensions=Imperial_Aramaic}
                                                      (Short: \p{Armi}; NOT \p{Block=
                                                      Imperial Aramaic (31)
   \p{In: *}
                                                   \p{Present In: *} (Perl extension)
X \p{In_*}
                                                   \p{Block: *}
                                                  \p{Common_Indic_Number_Forms} (= \p{Block=
X \p{Indic_Number_Forms}
                                                      Common_Indic_Number_Forms}) (16)
   \p{Indic_Positional_Category: Bottom} (Short: \p{InPC=Bottom})
                                                      (300)
   \p{Indic_Positional_Category: Bottom_And_Right} (Short: \p{InPC=
                                                      BottomAndRight}) (2)
   \p{Indic_Positional_Category: Left} (Short: \p{InPC=Left}) (57)
    \p{Indic_Positional_Category: Left_And_Right} (Short: \p{InPC=
                                                      LeftAndRight}) (21)
   \p{Indic_Positional_Category: NA} (Short: \p{InPC=NA}) (1_113_069)
                                                      plus all above-Unicode code points)
    \p{Indic_Positional_Category: Overstruck} (Short: \p{InPC=
                                                      Overstruck}) (10)
```



```
\p{Indic_Positional_Category: Right} (Short: \p{InPC=Right}) (258)
\p{Indic_Positional_Category: Top} (Short: \p{InPC=Top}) (342)
\p{Indic_Positional_Category: Top_And_Bottom} (Short: \p{InPC=
                          TopAndBottom (10)
\p{Indic_Positional_Category: Top_And_Bottom_And_Right} (Short:
                          \p{InPC=TopAndBottomAndRight}) (1)
\p{Indic_Positional_Category: Top_And_Left} (Short: \p{InPC=
                          TopAndLeft (6)
\p{Indic_Positional_Category: Top_And_Left_And_Right} (Short:
                          \p{InPC=TopAndLeftAndRight}) (4)
\p{Indic_Positional_Category: Top_And_Right} (Short: \p{InPC=
                          TopAndRight (13)
\p{Indic_Positional_Category: Visual_Order_Left} (Short: \p{InPC=
                          VisualOrderLeft}) (19)
\p{Indic_Syllabic_Category: Avagraha} (Short: \p{InSC=Avagraha})
                          (15)
\p{Indic_Syllabic_Category: Bindu} (Short: \p{InSC=Bindu}) (67)
\p{Indic_Syllabic_Category: Brahmi_Joining_Number} (Short:
                          \p{InSC=BrahmiJoiningNumber}) (20)
\p{Indic_Syllabic_Category: Cantillation_Mark} (Short: \p{InSC=
                          CantillationMark}) (53)
\p{Indic_Syllabic_Category: Consonant} (Short: \p{InSC=Consonant})
                          (1907)
\label{lem:partial} $$ \prod_{s\in S} Consonant\_Dead \ (Short: \p{InSC=} \) $$
                         ConsonantDead}) (10)
\p{Indic_Syllabic_Category: Consonant_Final} (Short: \p{InSC=
                          ConsonantFinal } ) (62)
\p{Indic_Syllabic_Category: Consonant_Head_Letter} (Short:
                          \p{InSC=ConsonantHeadLetter}) (5)
\p{Indic_Syllabic_Category: Consonant_Killer} (Short: \p{InSC=
                          ConsonantKiller}) (2)
\p{Indic_Syllabic_Category: Consonant_Medial} (Short: \p{InSC=
                          ConsonantMedial \} (22)
\p{Indic_Syllabic_Category: Consonant_Placeholder} (Short:
                          \p{InSC=ConsonantPlaceholder}) (16)
\p{Indic_Syllabic_Category: Consonant_Preceding_Repha} (Short:
                          \p{InSC=ConsonantPrecedingRepha}) (1)
\p{Indic_Syllabic_Category: Consonant_Prefixed} (Short: \p{InSC=
                          ConsonantPrefixed}) (2)
\p{Indic_Syllabic_Category: Consonant_Subjoined} (Short: \p{InSC=
                          ConsonantSubjoined (90)
\p{Indic_Syllabic_Category: Consonant_Succeeding_Repha} (Short:
                          \p{InSC=ConsonantSucceedingRepha}) (4)
\p{Indic_Syllabic_Category: Consonant_With_Stacker} (Short:
                          \p{InSC=ConsonantWithStacker}) (4)
\p{Indic_Syllabic_Category: Gemination_Mark} (Short: \p{InSC=
                          GeminationMark (2)
\p{Indic_Syllabic_Category: Invisible_Stacker} (Short: \p{InSC=
                          InvisibleStacker}) (7)
\p{Indic_Syllabic_Category: Joiner} (Short: \p{InSC=Joiner}) (1)
\p{Indic_Syllabic_Category: Modifying_Letter} (Short: \p{InSC=
                          ModifyingLetter (1)
\p{Indic_Syllabic_Category: Non_Joiner} (Short: \p{InSC=
                          NonJoiner (1)
\p{Indic_Syllabic_Category: Nukta} (Short: \p{InSC=Nukta}) (24)
\p{Indic_Syllabic_Category: Number} (Short: \p{InSC=Number}) (459)
```



```
\p{Indic_Syllabic_Category: Number_Joiner} (Short: \p{InSC=
                                                     NumberJoiner}) (1)
   \p{Indic_Syllabic_Category: Other} (Short: \p{InSC=Other})
                                                     (1_110_129 plus all above-Unicode code
                                                     points)
    \p{Indic_Syllabic_Category: Pure_Killer} (Short: \p{InSC=
                                                     PureKiller}) (16)
   \p{Indic_Syllabic_Category: Register_Shifter} (Short: \p{InSC=
                                                     RegisterShifter}) (2)
   \p{Indic_Syllabic_Category: Syllable_Modifier} (Short: \p{InSC=
                                                     SyllableModifier (22)
   \p{Indic_Syllabic_Category: Tone_Letter} (Short: \p{InSC=
                                                     ToneLetter (7)
   \p{Indic_Syllabic_Category: Tone_Mark} (Short: \p{InSC=ToneMark})
   \p{Indic_Syllabic_Category: Virama} (Short: \p{InSC=Virama}) (24)
   \p{Indic_Syllabic_Category: Visarga} (Short: \p{InSC=Visarga}) (31)
    \p{Indic_Syllabic_Category: Vowel} (Short: \p{InSC=Vowel}) (30)
   \p{Indic_Syllabic_Category: Vowel_Dependent} (Short: \p{InSC=
                                                     VowelDependent } ) (602)
   \p{Indic_Syllabic_Category: Vowel_Independent} (Short: \p{InSC=
                                                     VowelIndependent } ) (431)
   \p{Inherited}
                                                  \p{Script_Extensions=Inherited} (Short:
                                                     p{Zinh} (496)
    \p{Initial_Punctuation} \p{General_Category=Initial_Punctuation}
                                                     (Short: p{Pi}) (12)
   \p{InPC: *}
                                                  \p{Indic_Positional_Category: *}
    \p{InSC: *}
                                                  \p{Indic_Syllabic_Category: *}
    \p{Inscriptional_Pahlavi} \p{Script_Extensions=
                                                     Inscriptional_Pahlavi} (Short: \p{Phli};
                                                     NOT \p{Block=Inscriptional_Pahlavi}) (27)
   \p{Inscriptional_Parthian} \p{Script_Extensions=
                                                     \p{Prti}; NOT \p{Block=
                                                     Inscriptional_Parthian (30)
X \p{IPA_Ext}
                                                  \p{IPA\_Extensions} (= \p{Block} = \p{Blo
                                                     IPA_Extensions (96)
X \p{IPA_Extensions}
                                                  \p{Block=IPA_Extensions} (Short:
                                                     p{InIPAExt} (96)
   \p{Is_*}
                                                  p{*} (Any exceptions are individually
                                                     noted beginning with the word NOT.) If
                                                     an entry has flag(s) at its beginning,
                                                     like "D", the "Is_" form has the same
                                                     flag(s)
    \p{Ital}
                                                  \p{Old_Italic} (= \p{Script_Extensions=
                                                     Old_Italic}) (NOT \p{Block=Old_Italic})
X \p{Jamo}
                                                  \p{Hangul_Jamo} (= \p{Block=Hangul_Jamo})
                                                     (256)
                                                 \p{Hangul\_Jamo\_Extended\_A} (= \p{Block=}
X \p{Jamo_Ext_A}
                                                     Hangul_Jamo_Extended_A}) (32)
X \p{Jamo_Ext_B}
                                                 \p{Hangul_Jamo_Extended_B} (= \p{Block=
                                                     Hangul_Jamo_Extended_B}) (80)
   \p{Java}
                                                 \p{Javanese} (= \p{Script_Extensions=
                                                     Javanese}) (NOT \p{Block=Javanese}) (91)
    \p{Javanese}
                                                  \p{Script_Extensions=Javanese} (Short:
```



```
\p{Java}; NOT \p{Block=Javanese}) (91)
                        \p{Joining_Group: *}
\p{Jg: *}
\p{Join_C}
                        \p{Join\_Control} (= \p{Join\_Control=Y}) (2)
\p{Join_C: *}
                        \p{Join_Control: *}
                        \p{Join_Control=Y} (Short: \p{JoinC}) (2)
\p{Join_Control}
                        (Short: p\{JoinC=N\}, P\{JoinC\}) (1_114_110
\p{Join_Control: N*}
                          plus all above-Unicode code points)
\p{Join_Control: Y*}
                       (Short: p\{JoinC=Y\}, p\{JoinC\}) (2)
\p{Joining_Group: African_Feh} (Short: \p{Jg=AfricanFeh}) (1)
\p{Joining_Group: African_Noon} (Short: \p{Jg=AfricanNoon}) (1)
\p{Joining_Group: African_Qaf} (Short: \p{Jg=AfricanQaf}) (1)
\p{Joining Group: Ain} (Short: \p{Jg=Ain}) (8)
\p{Joining_Group: Alaph} (Short: \p{Jg=Alaph}) (1)
\p{Joining_Group: Alef} (Short: \p{Jg=Alef}) (10)
\p{Joining_Group: Beh} (Short: \p{Jg=Beh}) (24)
\p{Joining_Group: Beth} (Short: \p{Jg=Beth}) (2)
\p{Joining_Group: Burushaski_Yeh_Barree} (Short: \p{Jg=
                          BurushaskiYehBarree}) (2)
\p{Joining_Group: Dal} (Short: \p{Jg=Dal}) (15)
\p{Joining_Group: Dalath_Rish} (Short: \p{Jg=DalathRish}) (4)
                       (Short: p{Jg=E}) (1)
\p{Joining_Group: E}
\p{Joining_Group: Farsi_Yeh} (Short: \p{Jg=FarsiYeh}) (7)
\p{Joining\_Group: Fe} (Short: \p{Jg=Fe}) (1)
\p{Joining\_Group: Feh} (Short: \p{Jg=Feh}) (10)
\p{Joining_Group: Final_Semkath} (Short: \p{Jg=FinalSemkath}) (1)
\p{Joining_Group: Gaf} (Short: \p{Jg=Gaf}) (14)
\p{Joining_Group: Gamal} (Short: \p{Jg=Gamal}) (3)
\p{Joining\_Group: Hah} (Short: \p{Jg=Hah}) (18)
\p{Joining_Group: Hamza_On_Heh_Goal} (Short: \p{Jg=
                          HamzaOnHehGoal } ) (1)
                        (Short: p{Jg=He}) (1)
\p{Joining Group: He}
\p{Joining_Group: Heh} (Short: \p{Jg=Heh}) (1)
\p{Joining_Group: Heh_Goal} (Short: \p{Jg=HehGoal}) (2)
\p{Joining_Group: Heth} (Short: \p{Jg=Heth}) (1)
\p{Joining\_Group: Kaf} (Short: \p{Jg=Kaf}) (6)
\p{Joining_Group: Kaph} (Short: \p{Jg=Kaph}) (1)
\p{Joining_Group: Khaph} (Short: \p{Jg=Khaph}) (1)
\p{Joining\_Group: Knotted\_Heh} (Short: \p{Jg=KnottedHeh}) (2)
\p{Joining\_Group: Lam} (Short: \p{Jg=Lam}) (7)
\p{Joining_Group: Lamadh} (Short: \p{Jg=Lamadh}) (1)
\p{Joining Group: Manichaean Aleph} (Short: \p{Jg=
                          ManichaeanAleph}) (1)
\p{Joining_Group: Manichaean_Ayin} (Short: \p{Jg=ManichaeanAyin})
\p{Joining_Group: Manichaean_Beth} (Short: \p{Jg=ManichaeanBeth})
                           (2)
\p{Joining_Group: Manichaean_Daleth} (Short: \p{Jg=
                          ManichaeanDaleth (1)
\p{Joining_Group: Manichaean_Dhamedh} (Short: \p{Jg=
                          ManichaeanDhamedh}) (1)
\p{Joining_Group: Manichaean_Five} (Short: \p{Jg=ManichaeanFive})
                           (1)
\p{Joining_Group: Manichaean_Gimel} (Short: \p{Jg=
                          ManichaeanGimel } ) (2)
\p{Joining_Group: Manichaean_Heth} (Short: \p{Jg=ManichaeanHeth})
                           (1)
```



```
\p{Joining_Group: Manichaean_Hundred} (Short: \p{Jg=
                          ManichaeanHundred }) (1)
\p{Joining_Group: Manichaean_Kaph} (Short: \p{Jg=ManichaeanKaph})
                          (3)
\p{Joining_Group: Manichaean_Lamedh} (Short: \p{Jg=
                          ManichaeanLamedh (1)
\p{Joining_Group: Manichaean_Mem} (Short: \p{Jg=ManichaeanMem}) (1)
\p{Joining\_Group: Manichaean\_Nun} (Short: \p{Jg=ManichaeanNun}) (1)
\p{Joining_Group: Manichaean_One} (Short: \p{Jg=ManichaeanOne}) (1)
\p{Joining_Group: Manichaean_Pe} (Short: \p{Jg=ManichaeanPe}) (2)
\p{Joining_Group: Manichaean_Qoph} (Short: \p{Jg=ManichaeanQoph})
                          (3)
\p{Joining_Group: Manichaean_Resh} (Short: \p{Jg=ManichaeanResh})
                          (1)
\p{Joining_Group: Manichaean_Sadhe} (Short: \p{Jg=
                          ManichaeanSadhe}) (1)
\p{Joining_Group: Manichaean_Samekh} (Short: \p{Jg=
                          ManichaeanSamekh}) (1)
\p{Joining_Group: Manichaean_Taw} (Short: \p{Jg=ManichaeanTaw}) (1)
\p{Joining_Group: Manichaean_Ten} (Short: \p{Jg=ManichaeanTen}) (1)
\p{Joining_Group: Manichaean_Teth} (Short: \p{Jg=ManichaeanTeth})
                          (1)
\p{Joining_Group: Manichaean_Thamedh} (Short: \p{Jg=
                          ManichaeanThamedh}) (1)
\p{Joining_Group: Manichaean_Twenty} (Short: \p{Jg=
                          ManichaeanTwenty}) (1)
\p{Joining_Group: Manichaean_Waw} (Short: \p{Jg=ManichaeanWaw}) (1)
\p{Joining\_Group: Manichaean\_Yodh} (Short: \p{Jg=ManichaeanYodh})
\p{Joining_Group: Manichaean_Zayin} (Short: \p{Jg=
                          ManichaeanZayin}) (2)
\p{Joining\_Group: Meem} (Short: \p{Jg=Meem}) (4)
\p{Joining\_Group: Mim} (Short: \p{Jg=Mim}) (1)
\p{Joining_Group: No_Joining_Group} (Short: \p{Jg=NoJoiningGroup})
                          (1_113_818 plus all above-Unicode code
                          points)
\p{Joining\_Group: Noon} (Short: \p{Jg=Noon}) (8)
\p{Joining\_Group: Nun} (Short: \p{Jg=Nun}) (1)
\p{Joining\_Group: Nya} (Short: \p{Jg=Nya}) (1)
\p{Joining\_Group: Pe} (Short: \p{Jg=Pe}) (1)
\p{Joining Group: Qaf} (Short: \p{Jq=Qaf}) (5)
\p{Joining_Group: Qaph} (Short: \p{Jg=Qaph}) (1)
\p{Joining_Group: Reh} (Short: \p{Jg=Reh}) (19)
\p{Joining_Group: Reversed_Pe} (Short: \p{Jg=ReversedPe}) (1)
\p{Joining\_Group: Rohingya\_Yeh} (Short: \p{Jg=RohingyaYeh}) (1)
\p{Joining\_Group: Sad} (Short: \p{Jg=Sad}) (6)
\p{Joining_Group: Sadhe} (Short: \p{Jg=Sadhe}) (1)
\p{Joining_Group: Seen} (Short: \p{Jg=Seen}) (11)
\p{Joining_Group: Semkath} (Short: \p{Jg=Semkath}) (1)
\p{Joining_Group: Shin} (Short: \p{Jg=Shin}) (1)
\p{Joining_Group: Straight_Waw} (Short: \p{Jg=StraightWaw}) (1)
\p{Joining\_Group: Swash\_Kaf} (Short: \p{Jg=SwashKaf}) (1)
\p{Joining_Group: Syriac_Waw} (Short: \p{Jg=SyriacWaw}) (1)
\p{Joining\_Group: Tah} (Short: \p{Jg=Tah}) (4)
\p{Joining_Group: Taw} (Short: \p{Jg=Taw}) (1)
\p{Joining_Group: Teh_Marbuta} (Short: \p{Jg=TehMarbuta}) (3)
```



```
\p{Joining_Group: Teh_Marbuta_Goal} \p{Joining_Group=
                            Hamza_On_Heh_Goal (1)
  \p{Joining_Group: Teth} (Short: \p{Jg=Teth}) (2)
  \p{Joining_Group: Waw} (Short: \p{Jg=Waw}) (16)
  \p{Joining\_Group: Yeh} (Short: \p{Jg=Yeh}) (11)
  \p{Joining_Group: Yeh_Barree} (Short: \p{Jg=YehBarree}) (2)
  \p{Joining_Group: Yeh_With_Tail} (Short: \p{Jg=YehWithTail}) (1)
  \p{Joining\_Group: Yudh} (Short: \p{Jg=Yudh}) (1)
  \p{Joining_Group: Yudh_He} (Short: \p{Jg=YudhHe}) (1)
  \p{Joining_Group: Zain} (Short: \p{Jg=Zain}) (1)
  \p{Joining_Group: Zhain} (Short: \p{Jg=Zhain}) (1)
  \p{Joining Type: C}
                          \p{Joining Type=Join Causing} (4)
  \p{Joining_Type: D}
                          \p{Joining_Type=Dual_Joining} (501)
  \p{Joining\_Type: Dual\_Joining} (Short: \p{Jt=D}) (501)
  \p{Joining_Type: Join_Causing} (Short: \p{Jt=C}) (4)
  \p{Joining_Type: L}
                          \p{Joining_Type=Left_Joining} (3)
  \p{Joining\_Type: Left\_Joining} (Short: \p{Jt=L}) (3)
  \p{Joining\_Type: Non\_Joining} (Short: \p{Jt=U}) (1_111_653 plus)
                            all above-Unicode code points)
                          \p{Joining_Type=Right_Joining} (112)
  \p{Joining_Type: R}
  \p{Joining_Type: Right_Joining} (Short: \p{Jt=R}) (112)
  \p{Joining_Type: T}
                         \p{Joining_Type=Transparent} (1839)
  \p{Joining\_Type: Transparent} (Short: \p{Jt=T}) (1839)
  \p{Joining_Type: U}
                         \p{Joining_Type=Non_Joining} (1_111_653
                            plus all above-Unicode code points)
  \p{Jt: *}
                          \p{Joining_Type: *}
  \p{Kaithi}
                          \p{Script_Extensions=Kaithi} (Short:
                            \p{Kthi}; NOT \p{Block=Kaithi}) (86)
  \p{Kali}
                          \p{Kayah_Li} (= \p{Script_Extensions=
                            Kayah_Li}) (48)
  \p{Kana}
                          \p{Katakana} (= \p{Script_Extensions=
                            Katakana}) (NOT \p{Block=Katakana}) (352)
X \p{Kana_Sup}
                          \p{Kana_Supplement} (= \p{Block=
                            Kana_Supplement } ) (256)
X \p{Kana_Supplement}
                          \p{Block=Kana_Supplement} (Short:
                            p{InKanaSup}) (256)
X \p{Kanbun}
                          \p{Block=Kanbun} (16)
                          \p{Kangxi\_Radicals} \ (= \p{Block=}
X \p{Kangxi}
                            Kangxi_Radicals}) (224)
X \p{Kangxi_Radicals}
                          \p{Block=Kangxi_Radicals} (Short:
                            p{InKanqxi}) (224)
  \p{Kannada}
                          \p{Script_Extensions=Kannada} (Short:
                            \p{Knda}; NOT \p{Block=Kannada}) (100)
  \p{Katakana}
                          \p{Script_Extensions=Katakana} (Short:
                            \p{Kana}; NOT \p{Block=Katakana}) (352)
X \p{Katakana_Ext}
                          \p{Katakana_Phonetic_Extensions} (=
                            \p{Block=Katakana_Phonetic_Extensions})
                            (16)
X \p{Katakana_Phonetic_Extensions} \p{Block=
                            Katakana_Phonetic_Extensions} (Short:
                            \p{InKatakanaExt}) (16)
  \p{Kayah_Li}
                          \p{Script_Extensions=Kayah_Li} (Short:
                            \p{Kali}) (48)
  \p{Khar}
                          \p{Kharoshthi} (= \p{Script_Extensions=
                            Kharoshthi}) (NOT \p{Block=Kharoshthi})
                            (65)
```



```
\p{Kharoshthi}
                                                          \p{Script_Extensions=Kharoshthi} (Short:
                                                              \p{Khar}; NOT \p{Block=Kharoshthi}) (65)
    \p{Khmer}
                                                          \p{Script_Extensions=Khmer} (Short:
                                                              \p{Khmr}; NOT \p{Block=Khmer}) (146)
X \p{Khmer_Symbols}
                                                          p\{Block=Khmer\_Symbols\} (32)
    \p{Khmr}
                                                          \p{Khmer} (= \p{Script_Extensions=Khmer})
                                                              (NOT \p{Block=Khmer}) (146)
    \p{Khoj}
                                                          \p{Khojki} (= \p{Script_Extensions=
                                                              Khojki}) (NOT \p{Block=Khojki}) (72)
    \p{Khojki}
                                                          \p{Script_Extensions=Khojki} (Short:
                                                              \p{Khoj}; NOT \p{Block=Khojki}) (72)
    \p{Khudawadi}
                                                          \p{Script Extensions=Khudawadi} (Short:
                                                              \p{Sind}; NOT \p{Block=Khudawadi}) (81)
    \p{Knda}
                                                          \p{Kannada} (= \p{Script_Extensions=
                                                              Kannada}) (NOT \p{Block=Kannada}) (100)
    \p{Kthi}
                                                          \p{Kaithi} (= \p{Script_Extensions=
                                                              Kaithi}) (NOT \p{Block=Kaithi}) (86)
                                                          \p{Letter} (= \p{General_Category=Letter})
    \p{L} \pL
                                                              (116_{766})
                                                          \p{Cased_Letter} (= \p{General_Category=
{ & J } q / X
                                                              Cased_Letter}) (3796)
X \p{L_}
                                                          \p{Cased_Letter} (= \p{General_Category=
                                                              Cased_Letter}) Note the trailing '_'
                                                              matters in spite of loose matching
                                                              rules. (3796)
    \p{Lana}
                                                          \p{Tai_Tham} (= \p{Script_Extensions=
                                                              Tai_Tham}) (NOT \p{Block=Tai_Tham}) (127)
    \p{Lao}
                                                          \p{Script_Extensions=Lao} (NOT \p{Block=
                                                              Lao}) (67)
                                                          \p{Lao} (= \p{Script\_Extensions=Lao}) (NOT
    \p{Laoo}
                                                              p\{Block=Lao\}) (67)
                                                          \p{Script_Extensions=Latin} (Short:
    \p{Latin}
                                                              p{Latn} (1370)
X \p{Latin 1}
                                                          \p{Latin_1_Supplement} (= \p{Block=
                                                              Latin_1_Supplement \ ) (128)
                                                          \p{Latin_1_Supplement} (= \p{Block=
X \p{Latin_1_Sup}
                                                              Latin_1_Supplement }) (128)
                                                         \p{Block=Latin_1_Supplement} (Short:
X \p{Latin_1_Supplement}
                                                              \p{InLatin1}) (128)
X \p{Latin_Ext_A}
                                                          \p{Latin_Extended_A} (= \p{Block=
                                                              Latin Extended A}) (128)
X \p{Latin_Ext_Additional} \p{Latin_Extended_Additional} (=
                                                              \p{Block=Latin_Extended_Additional})
                                                              (256)
X \p{Latin_Ext_B}
                                                          \p{\text{Latin\_Extended\_B}} (= \p{\text{Block}} = \p{\text{Bl
                                                              Latin_Extended_B}) (208)
                                                          \p{Latin\_Extended\_C} (= \p{Block=}
X \p{Latin_Ext_C}
                                                              Latin_Extended_C}) (32)
X \p{Latin_Ext_D}
                                                          \p{Latin\_Extended\_D} (= \p{Block=}
                                                              Latin_Extended_D}) (224)
                                                          \p{Latin_Extended_E} (= \p{Block=
X \p{Latin_Ext_E}
                                                              Latin_Extended_E}) (64)
X \p{Latin Extended A}
                                                          \p{Block=Latin_Extended_A} (Short:
                                                              \p{InLatinExtA}) (128)
X \p{Latin_Extended_Additional} \p{Block=Latin_Extended_Additional}
                                                              (Short: \p{InLatinExtAdditional}) (256)
```



```
X \p{Latin_Extended_B}
                          \p{Block=Latin_Extended_B} (Short:
                            \p{InLatinExtB}) (208)
X \p{Latin_Extended_C}
                          \p{Block=Latin_Extended_C} (Short:
                            \p{InLatinExtC}) (32)
X \p{Latin_Extended_D}
                          \p{Block=Latin_Extended_D} (Short:
                            \p{InLatinExtD}) (224)
X \p{Latin_Extended_E}
                          \p{Block=Latin_Extended_E} (Short:
                            \p{InLatinExtE}) (64)
  \p{Latn}
                          \p{Latin} (= \p{Script_Extensions=Latin})
                            (1370)
  \p{Lb: *}
                          \p{Line Break: *}
  \p{LC}
                          \p{Cased_Letter} (= \p{General_Category=
                            Cased_Letter}) (3796)
  \p{Lepc}
                          \p{Lepcha} (= \p{Script_Extensions=
                            Lepcha)) (NOT \p{Block=Lepcha}) (74)
  \p{Lepcha}
                          \p{Script_Extensions=Lepcha} (Short:
                            \p{Lepc}; NOT \p{Block=Lepcha}) (74)
  \p{Letter}
                          \p{General\_Category=Letter} (Short: \p{L})
                            (116_766)
  \p{Letter_Number}
                          \p{General_Category=Letter_Number} (Short:
                            p{N1} (236)
X \p{Letterlike_Symbols}
                          \p{Block=Letterlike_Symbols} (80)
  \p{Limb}
                          \p{Limbu} (= \p{Script_Extensions=Limbu})
                            (NOT \p{Block=Limbu}) (69)
  \p{Limbu}
                          \p{Script_Extensions=Limbu} (Short:
                            \p{Limb}; NOT \p{Block=Limbu}) (69)
  \p{Lina}
                          \p{Linear_A} (= \p{Script_Extensions=
                            Linear_A}) (NOT \p{Block=Linear_A}) (386)
  \p{Linb}
                          \p{Linear_B} (= \p{Script_Extensions=
                            Linear_B}) (268)
  \p{Line Break: AI}
                          \p{Line_Break=Ambiguous} (707)
  \p{Line_Break: AL}
                          \p{Line_Break=Alphabetic} (19_523)
  \p{Line_Break: Alphabetic} (Short: \p{Lb=AL}) (19_523)
  \p{Line_Break: Ambiguous} (Short: \p{Lb=AI}) (707)
  \p{Line_Break: B2}
                          \p{Line_Break=Break_Both} (3)
  \p{Line_Break: BA}
                          \p{Line_Break=Break_After} (218)
  \p{Line_Break: BB}
                          \p{Line_Break=Break_Before} (37)
  \p{Line_Break: BK}
                          \p{Line\_Break=Mandatory\_Break} (4)
  \p{Line\_Break: Break\_After} (Short: \p{Lb=BA}) (218)
  \p{Line_Break: Break_Before} (Short: \p{Lb=BB}) (37)
  \p{Line Break: Break Both} (Short: \p{Lb=B2}) (3)
  \p{Line_Break: Break_Symbols} (Short: \p{Lb=SY}) (1)
  \p{Line_Break: Carriage_Return} (Short: \p{Lb=CR}) (1)
  \p{Line_Break: CB}
                          \p{Line_Break=Contingent_Break} (1)
  \p{Line_Break: CJ}
                          \p{Line Break=
                            Conditional_Japanese_Starter} (51)
  \p{Line_Break: CL}
                          \p{Line_Break=Close_Punctuation} (90)
  \p{Line_Break: Close_Parenthesis} (Short: \p{Lb=CP}) (2)
  \p{Line_Break: Close_Punctuation} (Short: \p{Lb=CL}) (90)
  \p{Line_Break: CM}
                          \p{Line_Break=Combining_Mark} (2090)
  \p{Line_Break: Combining_Mark} (Short: \p{Lb=CM}) (2090)
  \p{Line_Break: Complex_Context} (Short: \p{Lb=SA}) (734)
  \p{Line_Break: Conditional_Japanese_Starter} (Short: \p{Lb=CJ})
                            (51)
  \p{Line_Break: Contingent_Break} (Short: \p{Lb=CB}) (1)
  \p{Line Break: CP}
                          \p{Line_Break=Close_Parenthesis} (2)
```



```
\p{Line_Break=Carriage_Return} (1)
  \p{Line_Break: CR}
                          (Short: p\{Lb=EB\}) (83)
  \p{Line_Break: E_Base}
  \p{Line_Break: E_Modifier} (Short: \p{Lb=EM}) (5)
  \p{Line_Break: EB}
                          \p{Line_Break=E_Base} (83)
  \p{Line_Break: EM}
                          \p{Line_Break=E_Modifier} (5)
  \p{Line_Break: EX}
                          \p{Line_Break=Exclamation} (37)
  \p{Line_Break: Exclamation} (Short: \p{Lb=EX}) (37)
  \p{Line_Break: GL}
                         p\{Line\_Break=Glue\} (18)
  \p{Line_Break: Glue}
                          (Short: p\{Lb=GL\}) (18)
  \p{Line_Break: H2}
                          (Short: p\{Lb=H2\}) (399)
                          (Short: p\{Lb=H3\}) (10_773)
  \p{Line Break: H3}
  \p{Line Break: Hebrew Letter} (Short: \p{Lb=HL}) (74)
  \p{Line_Break: HL}
                          \p{Line_Break=Hebrew_Letter} (74)
  \p{Line_Break: HY}
                          \p{Line_Break=Hyphen} (1)
  \p{Line_Break: Hyphen} (Short: \p{Lb=HY}) (1)
                          \p{Line_Break=Ideographic} (172_133)
  \p{Line_Break: ID}
  \p{Line_Break: Ideographic} (Short: \p{Lb=ID}) (172_133)
  \p{Line_Break: IN}
                          \p{Line_Break=Inseparable} (6)
  \p{Line_Break: Infix_Numeric} (Short: \p{Lb=IS}) (13)
  \p{Line_Break: Inseparable} (Short: \p{Lb=IN}) (6)
  \p{Line_Break: Inseperable} \p{Line_Break=Inseparable} (6)
  \p{Line Break: IS}
                         \p{Line_Break=Infix_Numeric} (13)
  \p{Line Break: JL}
                          (Short: p\{Lb=JL\}) (125)
  \p{Line_Break: JT}
                          (Short: p\{Lb=JT\}) (137)
                          (Short: p\{Lb=JV\}) (95)
  \p{Line_Break: JV}
  \p{Line_Break: LF}
                         p\{Line\_Break=Line\_Feed\} (1)
  \p{Line_Break: Line_Feed} (Short: \p{Lb=LF}) (1)
  \p{Line_Break: Mandatory_Break} (Short: \p{Lb=BK}) (4)
  \p{Line_Break: Next_Line} (Short: \p{Lb=NL}) (1)
  \p{Line_Break: NL}
                          \p{Line_Break=Next_Line} (1)
  \p{Line_Break: Nonstarter} (Short: \p{Lb=NS}) (30)
  \p{Line_Break: NS}
                          \p{Line_Break=Nonstarter} (30)
  \p{Line_Break: NU}
                          \p{Line_Break=Numeric} (572)
  \p{Line_Break: Numeric} (Short: \p{Lb=NU}) (572)
  \p{Line_Break: OP}
                          \p{Line_Break=Open_Punctuation} (87)
  \p{Line\_Break: Open\_Punctuation} (Short: \p{Lb=OP}) (87)
  \p{Line_Break: PO}
                         \p{Line_Break=Postfix_Numeric} (30)
  \p{Line_Break: Postfix_Numeric} (Short: \p{Lb=PO}) (30)
  \p{Line_Break: PR}
                         \p{Line_Break=Prefix_Numeric} (65)
  \p{Line_Break: Prefix_Numeric} (Short: \p{Lb=PR}) (65)
  \p{Line Break: QU}
                          \p{Line Break=Quotation} (39)
  \p{Line_Break: Quotation} (Short: \p{Lb=QU}) (39)
  \p{Line_Break: Regional_Indicator} (Short: \p{Lb=RI}) (26)
  \p{Line_Break: RI}
                          \p{Line_Break=Regional_Indicator} (26)
                          \p{Line_Break=Complex_Context} (734)
  \p{Line_Break: SA}
                          \p{Line_Break=Surrogate} (2048)
D \p{Line_Break: SG}
  \p{Line_Break: SP}
                          \p{Line_Break=Space} (1)
  \p{Line_Break: Space}
                          (Short: p\{Lb=SP\}) (1)
D \p{Line_Break: Surrogate} Deprecated by Unicode because surrogates
                            should never appear in well-formed text,
                            and therefore shouldn't be the basis for
                            line breaking (Short: \p{Lb=SG}) (2048)
  \p{Line Break: SY}
                          \p{Line_Break=Break_Symbols} (1)
  \p{Line_Break: Unknown} (Short: \p{Lb=XX}) (903_847 plus all
                            above-Unicode code points)
  \p{Line_Break: WJ}
                          \p{Line_Break=Word_Joiner} (2)
```



```
\p{Line_Break: Word_Joiner} (Short: \p{Lb=WJ}) (2)
  \p{Line_Break: XX}
                          \p{Line_Break=Unknown} (903_847 plus all
                            above-Unicode code points)
  \p{Line_Break: ZW}
                          \p{Line_Break=ZWSpace} (1)
  \p{Line_Break: ZWJ}
                           (Short: p\{Lb=ZWJ\}) (1)
  \p{Line_Break: ZWSpace} (Short: \p{Lb=ZW}) (1)
                          \p{General_Category=Line_Separator}
  \p{Line_Separator}
                             (Short: p{Zl}) (1)
                           \p{Script_Extensions=Linear_A} (Short:
  \p{Linear_A}
                            \p{Lina}; NOT \p{Block=Linear_A}) (386)
                          \p{Script_Extensions=Linear_B} (Short:
  \p{Linear_B}
                            \p{Linb}) (268)
X \p{Linear_B_Ideograms}
                          \p{Block=Linear_B_Ideograms} (128)
X \p{Linear_B_Syllabary}
                           \p{Block=Linear_B_Syllabary} (128)
                           \p{Script_Extensions=Lisu} (48)
  \p{Lisu}
  \p{L1}
                          \p{Lowercase_Letter} (=
                            \p{General_Category=Lowercase_Letter})
                            (/i= General_Category=Cased_Letter)
                          \p{Modifier_Letter} (=
  \p{Lm}
                            \p{General_Category=Modifier_Letter})
                             (249)
  \p{Lo}
                          \p{Other_Letter} (= \p{General_Category=
                            Other_Letter}) (112_721)
  \p{LOE}
                          \p{Logical_Order_Exception} (=
                            \p{Logical_Order_Exception=Y}) (19)
  \p{LOE: *}
                          \p{Logical_Order_Exception: *}
  \p{Logical_Order_Exception} \p{Logical_Order_Exception=Y} (Short:
                            \p{LOE}) (19)
  \p{Logical_Order_Exception: N*} (Short: \p{LOE=N}, \P{LOE})
                            (1 114 093 plus all above-Unicode code
                            points)
  \p{Logical_Order_Exception: Y*} (Short: \p{LOE=Y}, \p{LOE}) (19)
X \p{Low_Surrogates}
                          \p{Block=Low_Surrogates} (1024)
  \p{Lower}
                          \p{XPosixLower} (= \p{Lowercase=Y}) (/i=
                            Cased=Yes) (2252)
  \p{Lower: *}
                           \p{Lowercase: *}
  \p{Lowercase}
                          \p{XPosixLower} (= \p{Lowercase=Y}) (/i=
                            Cased=Yes) (2252)
  \p{Lowercase: N*}
                           (Short: \p{Lower=N}, \P{Lower}; /i= Cased=
                            No) (1 111 860 plus all above-Unicode
                            code points)
  \p{Lowercase: Y*}
                           (Short: \p{Lower=Y}, \p{Lower}; /i= Cased=
                            Yes) (2252)
  \p{Lowercase_Letter}
                          \p{General_Category=Lowercase_Letter}
                            (Short: \p{Ll}; /i= General_Category=
                            Cased_Letter) (2063)
  \p{Lt}
                          \p{Titlecase_Letter} (=
                            \p{General_Category=Titlecase_Letter})
                             (/i= General_Category=Cased_Letter) (31)
                          \p{Uppercase_Letter} (=
  \p{Lu}
                            \p{General Category=Uppercase Letter})
                            (/i= General_Category=Cased_Letter)
                             (1702)
  \p{Lyci}
                          \p{Lycian} (= \p{Script_Extensions=
                            Lycian \ ) (NOT \p{Block=Lycian}) (29)
```



```
\p{Lycian}
                          \p{Script_Extensions=Lycian} (Short:
                            \p{Lyci}; NOT \p{Block=Lycian}) (29)
  \p{Lydi}
                          \p{Lydian} (= \p{Script_Extensions=
                            Lydian}) (NOT \p{Block=Lydian}) (27)
  \p{Lydian}
                          \p{Script_Extensions=Lydian} (Short:
                            \p{Lydi}; NOT \p{Block=Lydian}) (27)
  \p{M} \p{M}
                          \p{Mark} (= \p{General_Category=Mark})
                             (2097)
  \p{Mahajani}
                          \p{Script_Extensions=Mahajani} (Short:
                            \p{Mahj}; NOT \p{Block=Mahajani}) (61)
                          \p{Mahajani} (= \p{Script_Extensions=
  \p{Mahj}
                            Mahajani}) (NOT \p{Block=Mahajani}) (61)
                          \p{Mahjong_Tiles} (= \p{Block=
X \p{Mahjong}
                            Mahjong_Tiles}) (48)
                          \p{Block=Mahjong_Tiles} (Short:
X \p{Mahjong_Tiles}
                            \p{InMahjong}) (48)
  \p{Malayalam}
                          \p{Script_Extensions=Malayalam} (Short:
                            \p{Mlym}; NOT \p{Block=Malayalam}) (119)
  \p{Mand}
                          \p{Mandaic} (= \p{Script_Extensions=
                            Mandaic}) (NOT \p{Block=Mandaic}) (30)
  \p{Mandaic}
                          \p{Script_Extensions=Mandaic} (Short:
                             \p{Mand}; NOT \p{Block=Mandaic}) (30)
                          \p{Manichaean} (= \p{Script_Extensions=
  \p{Mani}
                            Manichaean}) (NOT \p{Block=Manichaean})
                            (52)
  \p{Manichaean}
                          \p{Script_Extensions=Manichaean} (Short:
                            \p{Mani}; NOT \p{Block=Manichaean}) (52)
  \p{Marc}
                          \p{Marchen} (= \p{Script_Extensions=
                            Marchen}) (NOT \p{Block=Marchen}) (68)
  \p{Marchen}
                          \p{Script_Extensions=Marchen} (Short:
                            \p{Marc}; NOT \p{Block=Marchen}) (68)
  \p{Mark}
                          \p{General_Category=Mark} (Short: \p{M})
                            (2097)
  \p{Math}
                          p{Math=Y} (2310)
  \p{Math: N*}
                          (Single: \P\{Math\}) (1_111_802 plus all
                            above-Unicode code points)
  \p{Math: Y*}
                          (Single: p{Math}) (2310)
X \p{Math_Alphanum}
                          \p{Mathematical_Alphanumeric_Symbols} (=
                            \p{Block=
                            Mathematical_Alphanumeric_Symbols})
                             (1024)
X \p{Math Operators}
                          \p{Mathematical Operators} (= \p{Block=
                            Mathematical_Operators}) (256)
  \p{Math_Symbol}
                          \p{General_Category=Math_Symbol} (Short:
                            p\{Sm\}) (948)
X \p{Mathematical_Alphanumeric_Symbols} \p{Block=
                            Mathematical_Alphanumeric_Symbols}
                             (Short: \p{InMathAlphanum}) (1024)
X \p{Mathematical_Operators} \p{Block=Mathematical_Operators}
                             (Short: \p{InMathOperators}) (256)
  \p{Mc}
                          \p{Spacing_Mark} (= \p{General_Category=
                            Spacing Mark (394)
                          \p{Enclosing_Mark} (= \p{General_Category=
  \p{Me}
                            Enclosing_Mark}) (13)
  \p{Meetei_Mayek}
                          \p{Script_Extensions=Meetei_Mayek} (Short:
                            \p{Mtei}; NOT \p{Block=Meetei_Mayek})
```



```
(79)
                         \p{Meetei\_Mayek\_Extensions} (= \p{Block=}
X \p{Meetei_Mayek_Ext}
                           Meetei_Mayek_Extensions}) (32)
X \p{Meetei_Mayek_Extensions} \p{Block=Meetei_Mayek_Extensions}
                           (Short: \p{InMeeteiMayekExt}) (32)
  \p{Mend}
                         \p{Mende_Kikakui} (= \p{Script_Extensions=
                           Mende_Kikakui}) (NOT \p{Block=
                           Mende_Kikakui}) (213)
  \p{Mende_Kikakui}
                         \p{Script_Extensions=Mende_Kikakui}
                           (Short: \p{Mend}; NOT \p{Block=
                           Mende_Kikakui}) (213)
  \p{Merc}
                         \p{Meroitic Cursive} (=
                           \p{Script_Extensions=Meroitic_Cursive})
                           (NOT \p{Block=Meroitic_Cursive}) (90)
  \p{Mero}
                         \p{Meroitic_Hieroglyphs} (=
                           \p{Script_Extensions=
                           Meroitic_Hieroglyphs}) (32)
 \p{Meroitic_Cursive}
                         \p{Script_Extensions=Meroitic_Cursive}
                           (Short: \p{Merc}; NOT \p{Block=
                           Meroitic_Cursive}) (90)
 \p{Meroitic_Hieroglyphs} \p{Script_Extensions=
                           (32)
  \p{Miao}
                         \p{Script_Extensions=Miao} (NOT \p{Block=
                           Miao}) (133)
X \p{Misc_Arrows}
                         \p{Miscellaneous_Symbols_And_Arrows} (=
                           \p{Block=
                           Miscellaneous_Symbols_And_Arrows}) (256)
(= \p{Block}=
                           Miscellaneous Mathematical Symbols A})
                           (48)
X \p{Misc_Math_Symbols_B} \p{Miscellaneous_Mathematical_Symbols_B}
                           (= \p{Block}=
                           Miscellaneous_Mathematical_Symbols_B})
                           (128)
X \p{Misc_Pictographs}
                         \p{Miscellaneous_Symbols_And_Pictographs}
                           (= \p{Block}=
                           Miscellaneous_Symbols_And_Pictographs})
                           (768)
X \p{Misc Symbols}
                         \p{Miscellaneous Symbols} (= \p{Block=
                           Miscellaneous_Symbols (256)
X \p{Misc_Technical}
                         \p{Miscellaneous_Technical} (= \p{Block=
                           Miscellaneous_Technical}) (256)
X \p{Miscellaneous_Mathematical_Symbols_A} \p{Block=
                           Miscellaneous_Mathematical_Symbols_A}
                           (Short: \p{InMiscMathSymbolsA}) (48)
X \p{Miscellaneous_Mathematical_Symbols_B} \p{Block=
                           Miscellaneous_Mathematical_Symbols_B}
                           (Short: \p{InMiscMathSymbolsB}) (128)
X \p{Miscellaneous_Symbols} \p{Block=Miscellaneous_Symbols} (Short:
                           \p{InMiscSymbols}) (256)
X \p{Miscellaneous_Symbols_And_Arrows} \p{Block=
                           Miscellaneous_Symbols_And_Arrows}
                           (Short: \p{InMiscArrows}) (256)
X \p{Miscellaneous_Symbols_And_Pictographs} \p{Block=
```



```
Miscellaneous_Symbols_And_Pictographs}
                            (Short: \p{InMiscPictographs}) (768)
X \p{Miscellaneous_Technical} \p{Block=Miscellaneous_Technical}
                            (Short: \p{InMiscTechnical}) (256)
  \p{Mlym}
                          \p{Malayalam} (= \p{Script_Extensions=
                            (119)
  \p{Mn}
                          \p{Nonspacing_Mark} (=
                            \p{General_Category=Nonspacing_Mark})
                            (1690)
  \p{Modi}
                          \p{Script_Extensions=Modi} (NOT \p{Block=
                            Modi}) (89)
  \p{Modifier_Letter}
                          \p{General_Category=Modifier_Letter}
                             (Short: p\{Lm\}) (249)
X \p{Modifier_Letters}
                          \p{Spacing_Modifier_Letters} (= \p{Block=
                            Spacing_Modifier_Letters}) (80)
  \p{Modifier_Symbol}
                          \p{General_Category=Modifier_Symbol}
                            (Short: p\{Sk\}) (121)
X \p{Modifier_Tone_Letters} \p{Block=Modifier_Tone_Letters} (32)
  \p{Mong}
                          \p{Mongolian} (= \p{Script_Extensions=
                            Mongolian}) (NOT \p{Block=Mongolian})
                            (169)
  \p{Mongolian}
                          \p{Script_Extensions=Mongolian} (Short:
                            \p{Mong}; NOT \p{Block=Mongolian}) (169)
                          \p{Mongolian\_Supplement} (= \p{Block=}
X \p{Mongolian_Sup}
                            Mongolian_Supplement (32)
X \p{Mongolian_Supplement} \p{Block=Mongolian_Supplement} (Short:
                            \p{InMongolianSup}) (32)
  \p{Mro}
                          \p{Script_Extensions=Mro} (NOT \p{Block=
                            Mro}) (43)
                          \p{Mro} (= \p{Script\_Extensions=Mro}) (NOT
  \p{Mroo}
                            p\{Block=Mro\}) (43)
  \p{Mtei}
                          \p{Meetei_Mayek} (= \p{Script_Extensions=
                            Meetei_Mayek}) (NOT \p{Block=
                            Meetei_Mayek}) (79)
  \p{Mult}
                          \p{Multani} (= \p{Script_Extensions=
                            Multani}) (NOT \p{Block=Multani}) (48)
  \p{Multani}
                          \p{Script_Extensions=Multani} (Short:
                            \p{Mult}; NOT \p{Block=Multani}) (48)
X \p{Music}
                          \p{Musical\_Symbols} (= \p{Block}=
                            Musical Symbols (256)
X \p{Musical Symbols}
                          \p{Block=Musical_Symbols} (Short:
                            \p{InMusic}) (256)
  \p{Myanmar}
                          \p{Script_Extensions=Myanmar} (Short:
                            \p{Mymr}; NOT \p{Block=Myanmar}) (224)
X \p{Myanmar_Ext_A}
                          \p{Myanmar\_Extended\_A} (= \p{Block=}
                            Myanmar_Extended_A}) (32)
X \p{Myanmar_Ext_B}
                          \p{Myanmar\_Extended\_B} (= \p{Block=}
                            Myanmar_Extended_B}) (32)
X \p{Myanmar_Extended_A}
                          \p{Block=Myanmar_Extended_A} (Short:
                            \p{InMyanmarExtA}) (32)
X \p{Myanmar Extended B}
                          \p{Block=Myanmar_Extended_B} (Short:
                            \p{InMyanmarExtB}) (32)
  \p{Mymr}
                          \p{Myanmar} (= \p{Script\_Extensions} = \p{Myanmar})
                            Myanmar) (NOT \p{Block=Myanmar}) (224)
  \p{Nq}\ \p{Nq}
                          \p{Number} (= \p{General_Category=Number})
```



```
(1492)
  \p{Nabataean}
                         \p{Script_Extensions=Nabataean} (Short:
                           \p{Nbat}; NOT \p{Block=Nabataean}) (40)
  \p{Narb}
                         \p{Old_North_Arabian} (=
                           \p{Script_Extensions=Old_North_Arabian})
                         \p{No_Block} (= \p{Block=No_Block})
X \p{NB}
                           (842_320 plus all above-Unicode code
                           points)
                         \p{Nabataean} (= \p{Script_Extensions=
  \p{Nbat}
                           \p{NChar}
                         \p{Noncharacter_Code_Point} (=
                           \p{Noncharacter_Code_Point=Y}) (66)
  \p{NChar: *}
                         \p{Noncharacter_Code_Point: *}
 \p{Nd}
                         \p{XPosixDigit} (= \p{General_Category=
                           Decimal_Number}) (580)
 \p{New_Tai_Lue}
                         \p{Script_Extensions=New_Tai_Lue} (Short:
                           \p{Talu}; NOT \p{Block=New_Tai_Lue}) (83)
 \p{Newa}
                         \p{Script_Extensions=Newa} (NOT \p{Block=
                           Newa}) (92)
  \p{NFC_QC: *}
                         \p{NFC_Quick_Check: *}
  \p{NFC\_Quick\_Check: M} \p{NFC\_Quick\_Check=Maybe} (110)
  \p{NFC\_Quick\_Check: Maybe} (Short: \p{NFCQC=M}) (110)
 \p{NFC\_Quick\_Check: N} \p{NFC\_Quick\_Check=No} (NOT)
                           \P{NFC_Quick_Check} NOR \P{NFC_QC})
                           (1120)
  \p{NFC_Quick_Check: No} (Short: \p{NFCQC=N}; NOT
                           \P{NFC_Quick_Check} NOR \P{NFC_QC})
                           (1120)
  \p{NFC_Quick_Check: Y} \p{NFC_Quick_Check=Yes} (NOT
                           \p{NFC_Quick_Check} NOR \p{NFC_QC})
                           (1_112_882 plus all above-Unicode code
                           points)
  \p{NFC_Quick_Check: Yes} (Short: \p{NFCQC=Y}; NOT
                           \p{NFC_Quick_Check} NOR \p{NFC_QC})
                           (1_112_882 plus all above-Unicode code
                           points)
  \p{NFD_QC: *}
                         \p{NFD_Quick_Check: *}
  \p{NFD_Quick_Check: N}
                        \p{NFD_Quick_Check=No} (NOT
                           \P{NFD Quick Check} NOR \P{NFD QC})
                           (13 232)
  \p{NFD_Quick_Check: No} (Short: \p{NFDQC=N}; NOT
                           \P{NFD_Quick_Check} NOR \P{NFD_QC})
                           (13 232)
  \p{NFD_Quick_Check: Y} \p{NFD_Quick_Check=Yes} (NOT
                           \p{NFD_Quick_Check} NOR \p{NFD_QC})
                           (1_100_880 plus all above-Unicode code
                           points)
  \p{NFD_Quick_Check: Yes} (Short: \p{NFDQC=Y}; NOT
                           \p{NFD_Quick_Check} NOR \p{NFD_QC})
                           (1 100 880 plus all above-Unicode code
                           points)
  \p{NFKC_QC: *}
                         \p{NFKC_Quick_Check: *}
  \p{NFKC_Quick_Check: M} \p{NFKC_Quick_Check=Maybe} (110)
```



```
\p{NFKC_Quick_Check: N} \p{NFKC_Quick_Check=No} (NOT
                            \P{NFKC_Quick_Check} NOR \P{NFKC_QC})
                            (4794)
  \p{NFKC_Quick_Check: No} (Short: \p{NFKCQC=N}; NOT
                            \P{NFKC_Quick_Check} NOR \P{NFKC_QC})
                            (4794)
  \p{NFKC_Quick_Check: Y} \p{NFKC_Quick_Check=Yes} (NOT
                            \p{NFKC_Quick_Check} NOR \p{NFKC_QC})
                            (1_109_208 plus all above-Unicode code
                            points)
  \p{NFKC_Quick_Check: Yes} (Short: \p{NFKCQC=Y}; NOT
                            \p{NFKC Quick Check} NOR \p{NFKC QC})
                            (1_109_208 plus all above-Unicode code
                            points)
  \p{NFKD_QC: *}
                          \p{NFKD_Quick_Check: *}
  \p{NFKD_Quick\_Check: N} \p{NFKD_Quick\_Check=No} (NOT)
                            \P{NFKD_Quick_Check} NOR \P{NFKD_QC})
                            (16_894)
  \p{NFKD_Quick_Check: No} (Short: \p{NFKDQC=N}; NOT
                            \P{NFKD_Quick_Check} NOR \P{NFKD_QC})
                            (16_894)
  \p{NFKD_Quick_Check: Y} \p{NFKD_Quick_Check=Yes} (NOT
                            \p{NFKD_Quick_Check} NOR \p{NFKD_QC})
                            (1_097_218 plus all above-Unicode code
                            points)
  \p{NFKD_Quick_Check: Yes} (Short: \p{NFKDQC=Y}; NOT
                            \p{NFKD_Quick_Check} NOR \p{NFKD_QC})
                            (1_097_218 plus all above-Unicode code
                            points)
                          \p{Script_Extensions=Nko} (NOT \p{NKo})
  \p{Nko}
                            (59)
  \p{Nkoo}
                          \p{Nko} (= \p{Script\_Extensions=Nko}) (NOT
                            p{NKo} (59)
  \p{N1}
                          \p{Letter_Number} (= \p{General_Category=
                            Letter_Number}) (236)
                          \p{Other\_Number} (= \p{General\_Category=}
  p{No}
                            Other_Number (676)
X \p{No_Block}
                          \p{Block=No_Block} (Short: \p{InNB})
                            (842_320 plus all above-Unicode code
                            points)
  \p{Noncharacter_Code_Point} \p{Noncharacter_Code_Point=Y} (Short:
                            \p{NChar}) (66)
  \p{Noncharacter_Code_Point: N*} (Short: \p{NChar=N}, \P{NChar})
                            (1_114_046 plus all above-Unicode code
                            points)
  \p{Noncharacter_Code_Point: Y*} (Short: \p{NChar=Y}, \p{NChar})
                            (66)
  \p{Nonspacing_Mark}
                          \p{General_Category=Nonspacing_Mark}
                            (Short: p\{Mn\}) (1690)
                          \p{Numeric_Type: *}
  \p{Nt: *}
  \p{Number}
                          \p{General_Category=Number} (Short: \p{N})
                            (1492)
X \p{Number_Forms}
                          \p{Block=Number_Forms} (64)
  \p{Numeric_Type: De}
                          \p{Numeric_Type=Decimal} (580)
  \p{Numeric_Type: Decimal} (Short: \p{Nt=De}) (580)
  \p{Numeric_Type: Di}
                         \p{Numeric_Type=Digit} (128)
```



```
\p{Numeric_Type: Digit} (Short: \p{Nt=Di}) (128)
                          (Short: p{Nt=None}) (1_112_539 plus all
  \p{Numeric_Type: None}
                             above-Unicode code points)
  \p{Numeric_Type: Nu}
                           \p{Numeric_Type=Numeric} (865)
  \p{Numeric_Type: Numeric} (Short: \p{Nt=Nu}) (865)
T \neq \{Numeric\_Value: -1/2\} (Short: \p\{Nv=-1/2\}) (1)
                          (Short: p{Nv=0}) (74)
T \p{Numeric_Value: 0}
T \neq \{Numeric\_Value: 1/160\} (Short: \p\{Nv=1/160\}) (1)
T \p{Numeric\_Value: 1/40} (Short: \p{Nv=1/40}) (1)
T p{Numeric\_Value: 3/80} (Short: p{Nv=3/80}) (1)
T p\{Numeric\_Value: 1/20\} (Short: p\{Nv=1/20\}) (1)
T \p{Numeric Value: 1/16} (Short: \p{Nv=1/16}) (4)
T p\{Numeric\_Value: 1/12\} (Short: p\{Nv=1/12\}) (1)
T p\{Numeric\_Value: 1/10\} (Short: p\{Nv=1/10\}) (2)
T p\{Numeric\_Value: 1/9\} (Short: p\{Nv=1/9\}) (1)
T \p{Numeric_Value: 1/8}
                          (Short: p{Nv=1/8}) (6)
T \neq \{Numeric\_Value: 1/7\} (Short: p\{Nv=1/7\}) (1)
T p{Numeric\_Value: 3/20} (Short: p{Nv=3/20}) (1)
T p\{Numeric\_Value: 1/6\} (Short: p\{Nv=1/6\}) (3)
T p\{Numeric\_Value: 3/16\} (Short: p\{Nv=3/16\}) (4)
T \neq \{Numeric\_Value: 1/5\}  (Short: p\{Nv=1/5\}) (2)
                          (Short: p{Nv=1/4}) (12)
T \p{Numeric_Value: 1/4}
T \p{Numeric_Value: 1/3}
                          (Short: p{Nv=1/3}) (6)
T \neq \{Numeric\_Value: 3/8\} (Short: p\{Nv=3/8\}) (1)
T p\{Numeric_Value: 2/5\} (Short: p\{Nv=2/5\}) (1)
T p\{Numeric\_Value: 5/12\} (Short: p\{Nv=5/12\}) (1)
T \neq \{Numeric\_Value: 1/2\}  (Short: p\{Nv=1/2\}) (13)
T p{Numeric\_Value: 7/12} (Short: p{Nv=7/12}) (1)
T \p{Numeric_Value: 3/5}
                          (Short: p{Nv=3/5}) (1)
T \p{Numeric_Value: 5/8}
                           (Short: p{Nv=5/8}) (1)
T \p{Numeric_Value: 2/3}
                           (Short: p{Nv=2/3}) (7)
T \p{Numeric_Value: 3/4}
                          (Short: p{Nv=3/4}) (7)
T \p{Numeric_Value: 4/5}
                           (Short: p{Nv=4/5}) (1)
T \p{Numeric Value: 5/6}
                           (Short: p{Nv=5/6}) (3)
T \p{Numeric_Value: 7/8}
                           (Short: p{Nv=7/8}) (1)
T \neq \{Numeric\_Value: 11/12\} (Short: \p\{Nv=11/12\}) (1)
T \p{Numeric_Value: 1}
                           (Short: p{Nv=1}) (121)
T \p{Numeric_Value: 3/2}
                          (Short: p{Nv=3/2}) (1)
T \p{Numeric_Value: 2}
                           (Short: p{Nv=2}) (121)
                          (Short: p{Nv=5/2}) (1)
T \p{Numeric_Value: 5/2}
T \p{Numeric Value: 3}
                           (Short: p{Nv=3}) (123)
                           (Short: p{Nv=7/2}) (1)
T \p{Numeric_Value: 7/2}
                           (Short: p{Nv=4}) (115)
T \p{Numeric_Value: 4}
                           (Short: p{Nv=9/2}) (1)
T \p{Numeric_Value: 9/2}
                           (Short: p{Nv=5}) (113)
T \p{Numeric_Value: 5}
 T \neq \{Numeric\_Value: 11/2\} (Short: \neq \{Nv=11/2\}) (1) 
T \p{Numeric_Value: 6}
                           (Short: p{Nv=6}) (100)
T p\{Numeric\_Value: 13/2\} (Short: p\{Nv=13/2\}) (1)
T \p{Numeric_Value: 7}
                           (Short: p{Nv=7}) (99)
T \neq \{Numeric\_Value: 15/2\} (Short: \p\{Nv=15/2\}) (1)
                           (Short: p{Nv=8}) (95)
T \p{Numeric_Value: 8}
T \neq \{Numeric\_Value: 17/2\} (Short: \p\{Nv=17/2\}) (1)
T \p{Numeric_Value: 9}
                           (Short: p{Nv=9}) (99)
                           (Short: p{Nv=10}) (54)
T \p{Numeric_Value: 10}
T \p{Numeric_Value: 11}
                           (Short: p{Nv=11}) (6)
                           (Short: p{Nv=12}) (6)
T \p{Numeric_Value: 12}
```



```
T \p{Numeric_Value: 13}
                           (Short: p{Nv=13}) (4)
                           (Short: p{Nv=14}) (4)
T \p{Numeric_Value: 14}
T \p{Numeric_Value: 15}
                           (Short: p{Nv=15}) (4)
T \p{Numeric_Value: 16}
                          (Short: p{Nv=16}) (5)
T \p{Numeric_Value: 17}
                          (Short: p{Nv=17}) (5)
T \p{Numeric_Value: 18}
                          (Short: p{Nv=18}) (5)
                          (Short: p{Nv=19}) (5)
T \p{Numeric_Value: 19}
 \p{Numeric_Value: 20}
                          (Short: p{Nv=20}) (31)
Т
 \p{Numeric_Value: 21}
                           (Short: p{Nv=21}) (1)
                          (Short: p{Nv=22}) (1)
T \p{Numeric_Value: 22}
                          (Short: p{Nv=23}) (1)
T \p{Numeric_Value: 23}
T \p{Numeric Value: 24}
                          (Short: p{Nv=24}) (1)
T \p{Numeric_Value: 25}
                          (Short: p{Nv=25}) (1)
T \p{Numeric_Value: 26}
                          (Short: p{Nv=26}) (1)
                          (Short: p{Nv=27}) (1)
T \p{Numeric_Value: 27}
                          (Short: p{Nv=28}) (1)
T \p{Numeric_Value: 28}
                          (Short: p{Nv=29}) (1)
T \p{Numeric_Value: 29}
T \p{Numeric_Value: 30}
                          (Short: p{Nv=30}) (16)
T \p{Numeric_Value: 31}
                          (Short: p{Nv=31}) (1)
T \p{Numeric_Value: 32}
                          (Short: p{Nv=32}) (1)
                          (Short: p{Nv=33}) (1)
T \p{Numeric_Value: 33}
                          (Short: p{Nv=34}) (1)
T \p{Numeric_Value: 34}
T \p{Numeric Value: 35}
                          (Short: p{Nv=35}) (1)
T \p{Numeric_Value: 36}
                          (Short: p{Nv=36}) (1)
                          (Short: p{Nv=37}) (1)
T \p{Numeric_Value: 37}
T \p{Numeric_Value: 38}
                          (Short: p{Nv=38}) (1)
                          (Short: p{Nv=39}) (1)
T \p{Numeric Value: 39}
T \p{Numeric_Value: 40}
                          (Short: p{Nv=40}) (16)
T \p{Numeric_Value: 41}
                          (Short: p{Nv=41}) (1)
T \p{Numeric_Value: 42}
                          (Short: p{Nv=42}) (1)
T \p{Numeric_Value: 43}
                          (Short: p{Nv=43}) (1)
T \p{Numeric_Value: 44}
                          (Short: p{Nv=44}) (1)
T \p{Numeric_Value: 45}
                          (Short: p{Nv=45}) (1)
                          (Short: p{Nv=46}) (1)
T \p{Numeric Value: 46}
T \p{Numeric_Value: 47}
                          (Short: p{Nv=47}) (1)
                          (Short: p{Nv=48}) (1)
T \p{Numeric_Value: 48}
                          (Short: p{Nv=49}) (1)
T \p{Numeric_Value: 49}
T \p{Numeric_Value: 50}
                          (Short: p{Nv=50}) (27)
T \p{Numeric_Value: 60}
                          (Short: p{Nv=60}) (11)
T \p{Numeric_Value: 70}
                          (Short: p{Nv=70}) (11)
T \p{Numeric Value: 80}
                          (Short: p{Nv=80}) (10)
                          (Short: p{Nv=90}) (10)
T \p{Numeric Value: 90}
T \p{Numeric_Value: 100}
                          (Short: p{Nv=100}) (30)
T \p{Numeric_Value: 200}
                          (Short: p{Nv=200}) (4)
T \p{Numeric_Value: 300}
                          (Short: p{Nv=300}) (5)
                          (Short: p{Nv=400}) (4)
T \p{Numeric_Value: 400}
T \p{Numeric_Value: 500}
                          (Short: p{Nv=500}) (14)
T \p{Numeric_Value: 600}
                          (Short: p{Nv=600}) (4)
T \p{Numeric_Value: 700}
                          (Short: p{Nv=700}) (4)
T \p{Numeric_Value: 800}
                          (Short: p{Nv=800}) (4)
                          (Short: p{Nv=900}) (5)
T \p{Numeric_Value: 900}
T \neq \{Numeric\_Value: 1000\} (Short: \neq \{Nv=1000\}) (20)
T p{Numeric\_Value: 2000} (Short: p{Nv=2000}) (2)
T p{Numeric\_Value: 3000} (Short: p{Nv=3000}) (2)
T p\{Numeric\_Value: 4000\} (Short: p\{Nv=4000\}) (2)
T p{Numeric\_Value: 5000} (Short: p{Nv=5000}) (6)
```



```
T p{Numeric\_Value: 6000} (Short: p{Nv=6000}) (2)
T \p{Numeric\_Value: 7000} (Short: \p{Nv=7000}) (2)
T \p{Numeric\_Value: 8000} (Short: \p{Nv=8000}) (2)
T p{Numeric\_Value: 9000} (Short: p{Nv=9000}) (2)
T \neq \{Numeric\_Value: 10000\} (= 1.0e+04) (Short: \p\{Nv=10000\}) (9)
T \neq Numeric_Value: 20000 (= 2.0e+04) (Short: \p{Nv=20000}) (2)
T \neq Numeric_Value: 30000 (= 3.0e+04) (Short: \p{Nv=30000}) (2)
T \neq \{Numeric\_Value: 40000\} (= 4.0e+04) (Short: \p\{Nv=40000\}) (2)
T \neq \{Numeric\_Value: 50000\} (= 5.0e+04) (Short: p\{Nv=50000\}) (5)
T \neq \{Numeric\_Value: 60000\} (= 6.0e+04) (Short: \p\{Nv=60000\}) (2)
T \neq \{Numeric\_Value: 70000\} (= 7.0e+04) (Short: \p\{Nv=70000\}) (2)
T \P Numeric Value: 80000} (= 8.0e+04) (Short: \P Nv=80000}) (2)
T \neq Numeric_Value: 90000 (= 9.0e+04) (Short: \p{Nv=90000}) (2)
T \neq Numeric_Value: 100000 (= 1.0e+05) (Short: \p{Nv=100000}) (2)
T \neq \{Numeric\_Value: 200000\} (= 2.0e+05) (Short: \p\{Nv=200000\}) (1)
T \neq Numeric_Value: 216000 (= 2.2e+05) (Short: p\{Nv=216000\}) (1)
T \neq \{Numeric\_Value: 300000\} (= 3.0e+05) (Short: \p\{Nv=300000\}) (1)
T \neq \{Numeric\_Value: 400000\} (= 4.0e+05) (Short: \p\{Nv=400000\}) (1)
T \neq Numeric_Value: 432000 (= 4.3e+05) (Short: \p{Nv=432000}) (1)
T \neq \{Numeric\_Value: 500000\} (= 5.0e+05) (Short: \p\{Nv=500000\}) (1)
T \neq \{Numeric\_Value: 600000\} (= 6.0e+05) (Short: \p\{Nv=600000\}) (1)
T \neq \{Numeric\_Value: 700000\} (= 7.0e+05) (Short: \p\{Nv=700000\}) (1)
T \neq \{Numeric\_Value: 800000\} (= 8.0e+05) (Short: \p\{Nv=800000\}) (1)
T \neq \{Numeric\_Value: 900000\} (= 9.0e+05) (Short: \p\{Nv=900000\}) (1)
T \neq Numeric_Value: 1000000 = 1.0e+06 (Short: \p(Nv=1000000)) (1)
T \p{Numeric_Value: 100000000} (= 1.0e+08) (Short: \p{Nv=100000000})
                             (3)
T \neq Numeric_Value: 10000000000 (= 1.0e+10) (Short: \p{Nv}=
                             1000000000) (1)
T \p{Numeric_Value: 1000000000000 (= 1.0e+12) (Short: \p{Nv=
                             100000000000) (2)
                          (Short: p{Nv=NaN}) (1_112_539 plus all
  \p{Numeric_Value: NaN}
                             above-Unicode code points)
  \p{Nv: *}
                           \p{Numeric Value: *}
                           \p{Optical_Character_Recognition} (=
X \p{OCR}
                             \p{Block=Optical_Character_Recognition})
                             (32)
  \p{Ogam}
                           \p{Ogham} (= \p{Script_Extensions=Ogham})
                             (NOT p\{Block=Ogham\}) (29)
  \p{Ogham}
                           \p{Script_Extensions=Ogham} (Short:
                             \p{Ogam}; NOT \p{Block=Ogham}) (29)
  \p{Ol Chiki}
                           \p{Script Extensions=Ol Chiki} (Short:
                             p{Olck} (48)
  \p{Olck}
                           \p{Ol_Chiki} (= \p{Script_Extensions=
                             Ol_Chiki}) (48)
  \p{Old_Hungarian}
                           \p{Script_Extensions=Old_Hungarian}
                             (Short: \p{Hung}; NOT \p{Block=
                             Old_Hungarian}) (108)
  \p{Old_Italic}
                           \p{Script_Extensions=Old_Italic} (Short:
                             \p{Ital}; NOT \p{Block=Old_Italic}) (36)
  \p{Old_North_Arabian}
                           \p{Script_Extensions=Old_North_Arabian}
                             (Short: p{Narb}) (32)
  \p{Old Permic}
                           \p{Script_Extensions=Old_Permic} (Short:
                             \p{Perm}; NOT \p{Block=Old_Permic}) (44)
  \p{Old_Persian}
                           \p{Script_Extensions=Old_Persian} (Short:
                             \p{Xpeo}; NOT \p{Block=Old_Persian}) (50)
```



```
\p{Old_South_Arabian}
                          \p{Script_Extensions=Old_South_Arabian}
                             (Short: p\{Sarb\}) (32)
  \p{Old_Turkic}
                          \p{Script_Extensions=Old_Turkic} (Short:
                            \p{Orkh}; NOT \p{Block=Old_Turkic}) (73)
  \p{Open_Punctuation}
                          \p{General_Category=Open_Punctuation}
                            (Short: p{Ps}) (75)
X \p{Optical_Character_Recognition} \p{Block=
                            Optical_Character_Recognition \ (Short:
                            p\{InOCR\}) (32)
  \p{Oriya}
                          \p{Script_Extensions=Oriya} (Short:
                            \p{Orya}; NOT \p{Block=Oriya}) (94)
  \p{Orkh}
                          \p{Old_Turkic} (= \p{Script_Extensions=
                            Old_Turkic}) (NOT \p{Block=Old_Turkic})
                             (73)
X \p{Ornamental_Dingbats} \p{Block=Ornamental_Dingbats} (48)
  \p{Orya}
                          \p{Oriya} (= \p{Script_Extensions=Oriya})
                             (NOT \p{Block=Oriya}) (94)
  \p{Osage}
                          \p{Script_Extensions=Osage} (Short:
                            \p{Osge}; NOT \p{Block=Osage}) (72)
                          \p{Osage} (= \p{Script_Extensions=Osage})
  \p{Osge}
                             (NOT \p{Block=Osage}) (72)
  \p{Osma}
                          \p{Osmanya} (= \p{Script_Extensions=
                            Osmanya)) (NOT \p{Block=Osmanya}) (40)
  \p{Osmanya}
                          \p{Script_Extensions=Osmanya} (Short:
                            \p{Osma}; NOT \p{Block=Osmanya}) (40)
  \p{Other}
                          \p{General_Category=Other} (Short: \p{C})
                            (986_091 plus all above-Unicode code
                            points)
  \p{Other_Letter}
                          \p{General_Category=Other_Letter} (Short:
                            \p{Lo}) (112_721)
  \p{Other Number}
                          \p{General_Category=Other_Number} (Short:
                            p{No} (676)
  \p{Other_Punctuation}
                          \p{General_Category=Other_Punctuation}
                            (Short: p{Po}) (544)
  \p{Other_Symbol}
                          \p{General_Category=Other_Symbol} (Short:
                            p{So} (5777)
  p{P} \neq p
                          \p{Punct} (= \p{General_Category=
                            Punctuation (NOT
                            \p{General_Punctuation}) (748)
  \p{Pahawh_Hmong}
                          \p{Script_Extensions=Pahawh_Hmong} (Short:
                            \p{Hmng}; NOT \p{Block=Pahawh_Hmong})
                            (127)
  \p{Palm}
                          \p{Palmyrene} (= \p{Script_Extensions=
                            Palmyrene (32)
  \p{Palmyrene}
                          \p{Script_Extensions=Palmyrene} (Short:
                            p{Palm} (32)
  \p{Paragraph_Separator} \p{General_Category=Paragraph_Separator}
                            (Short: p{Zp}) (1)
  \p{Pat_Syn}
                          \p{Pattern\_Syntax} (= \p{Pattern\_Syntax})
                            Y}) (2760)
  \p{Pat_Syn: *}
                          \p{Pattern_Syntax: *}
  \p{Pat_WS}
                          \p{Pattern_White_Space} (=
                            \p{Pattern_White_Space=Y}) (11)
  \p{Pat_WS: *}
                          \p{Pattern_White_Space: *}
                          \p{Pattern_Syntax=Y} (Short: \p{PatSyn})
  \p{Pattern_Syntax}
                            (2760)
```



```
\p{Pattern_Syntax: N*}
                          (Short: \p{PatSyn=N}, \P{PatSyn})
                             (1_111_352 plus all above-Unicode code
                            points)
  \p{Pattern_Syntax: Y*}
                          (Short: p{PatSyn=Y}, p{PatSyn}) (2760)
  \p{Pattern_White_Space} \p{Pattern_White_Space=Y} (Short:
                            \p{PatWS}) (11)
  \p{Pattern_White_Space: N*} (Short: \p{PatWS=N}, \P{PatWS})
                            (1_114_101 plus all above-Unicode code
                            points)
  \p{Pattern_White_Space: Y*} (Short: \p{PatWS=Y}, \p{PatWS}) (11)
                          \p{Script_Extensions=Pau_Cin_Hau} (Short:
  \p{Pau_Cin_Hau}
                            \p{Pauc}; NOT \p{Block=Pau_Cin_Hau}) (57)
                          \p{Pau_Cin_Hau} (= \p{Script_Extensions=
  \p{Pauc}
                            Pau_Cin_Hau } ) (NOT \p{Block=
                            Pau_Cin_Hau}) (57)
  \p{Pc}
                          \p{Connector_Punctuation} (=
                            \p{General_Category=
                            Connector_Punctuation}) (10)
  \p{PCM}
                          \p{Prepended_Concatenation_Mark} (=
                            \p{Prepended_Concatenation_Mark=Y}) (10)
  \p{PCM: *}
                          \p{Prepended_Concatenation_Mark: *}
  \p{Pd}
                          \p{Dash_Punctuation} (=
                            \p{General_Category=Dash_Punctuation})
  \p{Pe}
                          \p{Close_Punctuation} (=
                            \p{General_Category=Close_Punctuation})
                             (73)
                          \p{PosixSpace} (6)
  \p{PerlSpace}
  \p{PerlWord}
                          \p{PosixWord} (63)
  \p{Perm}
                          \p{Old_Permic} (= \p{Script_Extensions=
                            Old_Permic}) (NOT \p{Block=Old_Permic})
  \p{Pf}
                          \p{Final_Punctuation} (=
                            \p{General_Category=Final_Punctuation})
                          \p{Phags_Pa} (= \p{Script_Extensions} =
  \p{Phag}
                            Phags_Pa}) (NOT \p{Block=Phags_Pa}) (59)
  \p{Phags_Pa}
                          \p{Script_Extensions=Phags_Pa} (Short:
                            \p{Phag}; NOT \p{Block=Phags_Pa}) (59)
X \p{Phaistos}
                          \p{Phaistos_Disc} (= \p{Block=
                            Phaistos Disc}) (48)
X \p{Phaistos Disc}
                          \p{Block=Phaistos Disc} (Short:
                            \p{InPhaistos}) (48)
  \p{Phli}
                          \p{Inscriptional_Pahlavi} (=
                            \p{Script_Extensions=
                            Inscriptional_Pahlavi}) (NOT \p{Block=
                            Inscriptional_Pahlavi}) (27)
  \p{Phlp}
                          \p{Psalter_Pahlavi} (=
                            \p{Script_Extensions=Psalter_Pahlavi})
                            (NOT \p{Block=Psalter_Pahlavi}) (30)
  \p{Phnx}
                          \p{Phoenician} (= \p{Script_Extensions=
                            Phoenician}) (NOT \p{Block=Phoenician})
                            (29)
  \p{Phoenician}
                          \p{Script_Extensions=Phoenician} (Short:
                            \p{Phnx}; NOT \p{Block=Phoenician}) (29)
X \p{Phonetic_Ext}
                          \p{Phonetic_Extensions} (= \p{Block=
```



```
Phonetic_Extensions (128)
X \p{Phonetic_Ext_Sup}
                          \p{Phonetic_Extensions_Supplement} (=
                            \p{Block=
                            Phonetic_Extensions_Supplement}) (64)
X \p{Phonetic_Extensions} \p{Block=Phonetic_Extensions} (Short:
                            \p{InPhoneticExt}) (128)
X \p{Phonetic_Extensions_Supplement} \p{Block=
                            Phonetic_Extensions_Supplement} (Short:
                            \p{InPhoneticExtSup}) (64)
  \p{Pi}
                          \p{Initial_Punctuation} (=
                            \p{General_Category=
                            Initial Punctuation}) (12)
X \p{Playing_Cards}
                          \p{Block=Playing_Cards} (96)
  \p{Plrd}
                          \p{Miao} (= \p{Script_Extensions=Miao})
                             (NOT p\{Block=Miao\}) (133)
  \p{Po}
                          \p{Other_Punctuation} (=
                            \p{General_Category=Other_Punctuation})
                            (544)
  \p{PosixAlnum}
                          [A-Za-z0-9] (62)
  \p{PosixAlpha}
                          [A-Za-z] (52)
                          \t and ' ' (2)
  \p{PosixBlank}
                          ASCII control characters: NUL, SOH, STX,
  \p{PosixCntrl}
                            ETX, EOT, ENQ, ACK, BEL, BS, HT, LF, VT,
                            FF, CR, SO, SI, DLE, DC1, DC2, DC3, DC4,
                            NAK, SYN, ETB, CAN, EOM, SUB, ESC, FS,
                            GS, RS, US, and DEL (33)
  \p{PosixDigit}
                          [0-9] (10)
  \p{PosixGraph}
                          [-!"#$%&'()*+,./:;<=>?@[\\]^_`{|}~0-9A-Za-
                            z] (94)
  \p{PosixLower}
                          [a-z] (/i= PosixAlpha) (26)
  \p{PosixPrint}
                          [-0-9A-Za-z!"#$%&'()*+,./:;<=
                            >?@[\\]^_`{|}~] (95)
                          [-!"#$%&'()*+,./:;<=>?@[\\]^_`{|}~] (32)
  \p{PosixPunct}
                          \t, \n, \cK, \f, \r, and \' \'. (\cK is
  \p{PosixSpace}
                            vertical tab) (Short: \p{PerlSpace}) (6)
  \p{PosixUpper}
                          [A-Z] (/i= PosixAlpha) (26)
  \p{PosixWord}
                          \w, restricted to ASCII = [A-Za-z0-9_]
                            (Short: \p{PerlWord}) (63)
  \p{PosixXDigit}
                          \p{ASCII_Hex_Digit=Y} [0-9A-Fa-f] (Short:
                            \p{AHex}) (22)
  \p{Prepended_Concatenation_Mark} \p{Prepended_Concatenation_Mark=
                            Y} (Short: \p{PCM}) (10)
  \p{Prepended\_Concatenation\_Mark: N*} (Short: \p{PCM=N}, \P{PCM})
                            (1_114_102 plus all above-Unicode code
                            points)
  \p{Prepended\_Concatenation\_Mark: Y*} (Short: \p{PCM=Y}, \p{PCM})
                            (10)
T \p{Present_In: 1.1}
                          \p{Age=V1\_1} (Short: \p{In=1.1}) (Perl
                            extension) (33_979)
T \p{Present_In: 2.0}
                          Code point's usage introduced in version
                            2.0 or earlier (Short: \p{In=2.0}) (Perl
                            extension) (178_500)
T \p{Present_In: 2.1}
                          Code point's usage introduced in version
                            2.1 or earlier (Short: \p{In=2.1}) (Perl
                            extension) (178_502)
T \p{Present_In: 3.0}
                          Code point's usage introduced in version
```



	3.0 or earlier (Short: $p{In=3.0}$) (Perl extension) (188_809)
<pre>T \p{Present_In: 3.1}</pre>	Code point's usage introduced in version 3.1 or earlier (Short: $p{In=3.1}$) (Perl
<pre>T \p{Present_In: 3.2}</pre>	extension) (233_787) Code point's usage introduced in version 3.2 or earlier (Short: \p{In=3.2}) (Perl
T \p{Present_In: 4.0}	extension) (234_803)
1 (p{present_in: 4.0}	Code point's usage introduced in version 4.0 or earlier (Short: \p{In=4.0}) (Perl extension) (236_029)
<pre>T \p{Present_In: 4.1}</pre>	Code point's usage introduced in version 4.1 or earlier (Short: \p{In=4.1}) (Perl extension) (237_302)
<pre>T \p{Present_In: 5.0}</pre>	Code point's usage introduced in version 5.0 or earlier (Short: $p{In=5.0}$) (Perl
<pre>T \p{Present_In: 5.1}</pre>	extension) (238_671) Code point's usage introduced in version 5.1 or earlier (Short: \p{In=5.1}) (Perl
<pre>T \p{Present_In: 5.2}</pre>	<pre>extension) (240_295) Code point's usage introduced in version 5.2 or earlier (Short: \p{In=5.2}) (Perl</pre>
<pre>T \p{Present_In: 6.0}</pre>	extension) (246_943) Code point's usage introduced in version 6.0 or earlier (Short: \p{In=6.0}) (Perl
<pre>T \p{Present_In: 6.1}</pre>	extension) (249_031) Code point's usage introduced in version 6.1 or earlier (Short: \p{In=6.1}) (Perl
<pre>T \p{Present_In: 6.2}</pre>	extension) (249_763) Code point's usage introduced in version 6.2 or earlier (Short: \p{In=6.2}) (Perl
T \p{Present_In: 6.3}	extension) (249_764) Code point's usage introduced in version
(1 (6.3 or earlier (Short: $p{In=6.3}$) (Perl extension) (249_769)
T \p{Present_In: 7.0}	Code point's usage introduced in version 7.0 or earlier (Short: \p{In=7.0}) (Perl extension) (252_603)
<pre>T \p{Present_In: 8.0}</pre>	Code point's usage introduced in version 8.0 or earlier (Short: \p{In=8.0}) (Perl
<pre>T \p{Present_In: 9.0}</pre>	extension) (260_319) Code point's usage introduced in version 9.0 or earlier (Short: \p{In=9.0}) (Perl
extension) (267_819) \p{Present_In: Unassigned} \p{Age=Unassigned} (Short: In=	
\p{Print}	<pre>plus all above-Unicode code points) \p{XPosixPrint} (265_638)</pre>
\p{Private_Use}	<pre>\p{General_Category=Private_Use} (Short: \p{Co}; NOT \p{Private_Use_Area}) (137_468)</pre>
<pre>X \p{Private_Use_Area}</pre>	<pre>\p{Block=Private_Use_Area} (Short: \p{InPUA}) (6400)</pre>
\p{Prti}	<pre>\p{Inscriptional_Parthian} (= Script_Extensions=</pre>
	Inscriptional_Parthian $\}$) (NOT \p $\{$ Block=



```
Inscriptional_Parthian (30)
  \p{Ps}
                          \p{Open_Punctuation} (=
                            \p{General_Category=Open_Punctuation})
  \p{Psalter_Pahlavi}
                          \p{Script_Extensions=Psalter_Pahlavi}
                            (Short: \p{Phlp}; NOT \p{Block=
                            Psalter_Pahlavi}) (30)
                          \p{Private_Use_Area} (= \p{Block=
X \p{PUA}
                            Private_Use_Area}) (6400)
  \p{Punct}
                          \p{General_Category=Punctuation} (Short:
                            \p{P}; NOT \p{General\_Punctuation}) (748)
  \p{Punctuation}
                          \p{Punct} (= \p{General_Category=
                            Punctuation (NOT
                            \p{General_Punctuation}) (748)
  \p{Qaac}
                          \p{Coptic} (= \p{Script_Extensions=
                            Coptic}) (NOT \p{Block=Coptic}) (165)
  \p{Qaai}
                          \p{Inherited} (= \p{Script_Extensions=
                            Inherited}) (496)
  \p{QMark}
                          \p{Quotation_Mark} (= \p{Quotation_Mark=
                            Y}) (30)
  \p{QMark: *}
                          \p{Quotation_Mark: *}
                          \p{Quotation_Mark=Y} (Short: \p{QMark})
  \p{Quotation_Mark}
  \p{Quotation_Mark: N*}
                          (Short: p{QMark=N}, P{QMark}) (1_114_082
                            plus all above-Unicode code points)
  \p{Quotation_Mark: Y*}
                          (Short: p{QMark=Y}, p{QMark}) (30)
  \p{Radical}
                          p{Radical=Y} (329)
  \p{Radical: N*}
                          (Single: \P\{Radical\}) (1_113_783 plus all
                            above-Unicode code points)
  \p{Radical: Y*}
                          (Single: \p{Radical}) (329)
  \p{Rejang}
                          \p{Script_Extensions=Rejang} (Short:
                            \p{Rjng}; NOT \p{Block=Rejang}) (37)
  \p{Rjng}
                          \p{Rejang} (= \p{Script_Extensions=
                            Rejang}) (NOT \p{Block=Rejang}) (37)
X \p{Rumi}
                          \p{Rumi_Numeral_Symbols} (= \p{Block=
                            Rumi_Numeral_Symbols}) (32)
X \neq Rumi_Numeral_Symbols  \p{Block=Rumi_Numeral_Symbols} (Short:
                            p{InRumi}) (32)
  \p{Runic}
                          \p{Script_Extensions=Runic} (Short:
                            \p{Runr}; NOT \p{Block=Runic}) (86)
  \p{Runr}
                          \p{Runic} (= \p{Script Extensions=Runic})
                            (NOT \p{Block=Runic}) (86)
  \p{S} \p{S}
                          \p{Symbol} (= \p{General_Category=Symbol})
                            (6899)
  \p{Samaritan}
                          \p{Script_Extensions=Samaritan} (Short:
                            \p{Samr}; NOT \p{Block=Samaritan}) (61)
  \p{Samr}
                          \p{Samaritan} (= \p{Script_Extensions=
                            (61)
  \p{Sarb}
                          \p{Old_South_Arabian} (=
                            \p{Script_Extensions=Old_South_Arabian})
                          \p{Saurashtra} (= \p{Script\_Extensions} =
  \p{Saur}
                            Saurashtra}) (NOT \p{Block=Saurashtra})
                            (82)
  \p{Saurashtra}
                          \p{Script_Extensions=Saurashtra} (Short:
```



```
\p{Saur}; NOT \p{Block=Saurashtra}) (82)
\p{SB: *}
                         \p{Sentence_Break: *}
\p{Sc}
                        \p{Currency_Symbol} (=
                           \p{General_Category=Currency_Symbol})
                           (53)
\p{Sc: *}
                        \p{Script: *}
\p{Script: Adlam}
                         (Short: p\{Sc=Adlm\}) (87)
\p{Script: Adlm}
                        \p{Script=Adlam} (87)
\p{Script: Aghb}
                        \p{Script=Caucasian_Albanian} (53)
\p{Script: Ahom}
                        (Short: p\{Sc=Ahom\}) (57)
\p{Script: Anatolian_Hieroglyphs} (Short: \p{Sc=Hluw}) (583)
\p{Script: Arab}
                        \p{Script=Arabic} (1279)
\p{Script: Arabic}
                        (Short: p\{Sc=Arab\}) (1279)
\p{Script: Armenian}
                        (Short: p\{Sc=Armn\}) (93)
\p{Script: Armi}
                         \p{Script=Imperial_Aramaic} (31)
                        \p{Script=Armenian} (93)
\p{Script: Armn}
\p{Script: Avestan}
                        (Short: p\{Sc=Avst\}) (61)
\p{Script: Avst}
                        \p{Script=Avestan} (61)
\p{Script: Bali}
                        \p{Script=Balinese} (121)
\p{Script: Balinese}
                        (Short: p\{Sc=Bali\}) (121)
\p{Script: Bamu}
                        \p{Script=Bamum} (657)
\p{Script: Bamum}
                        (Short: p\{Sc=Bamu\}) (657)
\p{Script: Bass}
                        \p{Script=Bassa_Vah} (36)
\p{Script: Bassa_Vah}
                        (Short: p\{Sc=Bass\}) (36)
                        (Short: p\{Sc=Batk\}) (56)
\p{Script: Batak}
\p{Script: Batk}
                        \p{Script=Batak} (56)
\p{Script: Beng}
                        \p{Script=Bengali} (93)
\p{Script: Bengali}
                        (Short: p\{Sc=Beng\}) (93)
\p{Script: Bhaiksuki}
                        (Short: p\{Sc=Bhks\}) (97)
\p{Script: Bhks}
                        \p{Script=Bhaiksuki} (97)
\p{Script: Bopo}
                        \p{Script=Bopomofo} (70)
\p{Script: Bopomofo}
                        (Short: p\{Sc=Bopo\}) (70)
\p{Script: Brah}
                        \p{Script=Brahmi} (109)
\p{Script: Brahmi}
                        (Short: p\{Sc=Brah\}) (109)
\p{Script: Brai}
                        \p{Script=Braille} (256)
\p{Script: Braille}
                        (Short: p\{Sc=Brai\}) (256)
\p{Script: Bugi}
                        \p{Script=Buginese} (30)
\p{Script: Buginese}
                        (Short: p\{Sc=Bugi\}) (30)
\p{Script: Buhd}
                        \p{Script=Buhid} (20)
\p{Script: Buhid}
                        (Short: p\{Sc=Buhd\}) (20)
\p{Script: Cakm}
                        \p{Script=Chakma} (67)
\p{Script: Canadian_Aboriginal} (Short: \p{Sc=Cans}) (710)
\p{Script: Cans}
                        \p{Script=Canadian_Aboriginal} (710)
\p{Script: Cari}
                        \p{Script=Carian} (49)
\p{Script: Carian}
                        (Short: p\{Sc=Cari\}) (49)
\p{Script: Caucasian_Albanian} (Short: \p{Sc=Aghb}) (53)
\p{Script: Chakma}
                      (Short: p\{Sc=Cakm\}) (67)
\p{Script: Cham}
                        (Short: p\{Sc=Cham\}) (83)
\p{Script: Cher}
                        \p{Script=Cherokee} (172)
\p{Script: Cherokee}
                        (Short: p\{Sc=Cher\}) (172)
\p{Script: Common}
                        (Short: p\{Sc=Zyyy\}) (7279)
\p{Script: Copt}
                        \p{Script=Coptic} (137)
\p{Script: Coptic}
                        (Short: p\{Sc=Copt\}) (137)
                        \p{Script=Cypriot} (55)
\p{Script: Cprt}
\p{Script: Cuneiform} (Short: \p{Sc=Xsux}) (1234)
\p{Script: Cypriot}
                        (Short: p\{Sc=Cprt\}) (55)
```



```
(Short: p\{Sc=Cyrl\}) (443)
\p{Script: Cyrillic}
                        \p{Script=Cyrillic} (443)
\p{Script: Cyrl}
                        (Short: p\{Sc=Dsrt\}) (80)
\p{Script: Deseret}
                        \p{Script=Devanagari} (154)
\p{Script: Deva}
\p{Script: Devanagari} (Short: \p{Sc=Deva}) (154)
\p{Script: Dsrt}
                        \p{Script=Deservet} (80)
\p{Script: Dupl}
                        \p{Script=Duployan} (143)
\p{Script: Duployan}
                        (Short: p\{Sc=Dupl\}) (143)
\p{Script: Egyp}
                        \p{Script=Egyptian_Hieroglyphs} (1071)
\p{Script: Egyptian_Hieroglyphs} (Short: \p{Sc=Egyp}) (1071)
                       \p{Script=Elbasan} (40)
\p{Script: Elba}
\p{Script: Elbasan}
                        (Short: p\{Sc=Elba\}) (40)
\p{Script: Ethi}
                        \p{Script=Ethiopic} (495)
\p{Script: Ethiopic}
                        (Short: p\{Sc=Ethi\}) (495)
\p{Script: Geor}
                        \p{Script=Georgian} (127)
                        (Short: p\{Sc=Geor\}) (127)
\p{Script: Georgian}
\p{Script: Glag}
                        \p{Script=Glagolitic} (132)
\p{Script: Glagolitic} (Short: \p{Sc=Glag}) (132)
\p{Script: Goth}
                        \p{Script=Gothic} (27)
\p{Script: Gothic}
                        (Short: p\{Sc=Goth\}) (27)
\p{Script: Gran}
                        \p{Script=Grantha} (85)
\p{Script: Grantha}
                        (Short: p\{Sc=Gran\}) (85)
                        (Short: p\{Sc=Grek\}) (518)
\p{Script: Greek}
\p{Script: Grek}
                        \p{Script=Greek} (518)
\p{Script: Gujarati}
                        (Short: p\{Sc=Gujr\}) (85)
\p{Script: Gujr}
                        \p{Script=Gujarati} (85)
\p{Script: Gurmukhi}
                        (Short: p\{Sc=Guru\}) (79)
\p{Script: Guru}
                        \p{Script=Gurmukhi} (79)
\p{Script: Han}
                        (Short: p\{Sc=Han\}) (81_734)
\p{Script: Hang}
                        \p{Script=Hangul} (11_739)
\p{Script: Hangul}
                        (Short: p\{Sc=Hang\}) (11_739)
\p{Script: Hani}
                        \p{Script=Han} (81_734)
\p{Script: Hano}
                        \p{Script=Hanunoo} (21)
\p{Script: Hanunoo}
                        (Short: p\{Sc=Hano\}) (21)
\p{Script: Hatr}
                        \p{Script=Hatran} (26)
\p{Script: Hatran}
                        (Short: p\{Sc=Hatr\}) (26)
\p{Script: Hebr}
                        \p{Script=Hebrew} (133)
\p{Script: Hebrew}
                        (Short: p\{Sc=Hebr\}) (133)
\p{Script: Hira}
                        \p{Script=Hiragana} (91)
                        (Short: p\{Sc=Hira\}) (91)
\p{Script: Hiragana}
\p{Script: Hluw}
                        \p{Script=Anatolian Hieroglyphs} (583)
\p{Script: Hmng}
                        \p{Script=Pahawh_Hmong} (127)
\p{Script: Hung}
                        \p{Script=Old_Hungarian} (108)
\p{Script: Imperial_Aramaic} (Short: \p{Sc=Armi}) (31)
\p{Script: Inherited} (Short: \p{Sc=Zinh}) (564)
\p{Script: Inscriptional_Pahlavi} (Short: \p{Sc=Phli}) (27)
\p{Script: Inscriptional_Parthian} (Short: \p{Sc=Prti}) (30)
\p{Script: Ital}
                        \p{Script=Old_Italic} (36)
\p{Script: Java}
                        \p{Script=Javanese} (90)
\p{Script: Javanese}
                        (Short: p\{Sc=Java\}) (90)
\p{Script: Kaithi}
                        (Short: p\{Sc=Kthi\}) (66)
                        \p{Script=Kayah_Li} (47)
\p{Script: Kali}
\p{Script: Kana}
                        \p{Script=Katakana} (300)
\p{Script: Kannada}
                        (Short: p\{Sc=Knda\}) (88)
\p{Script: Katakana}
                       (Short: p\{Sc=Kana\}) (300)
\p{Script: Kayah_Li}
                        (Short: p\{Sc=Kali\}) (47)
```



```
\p{Script=Kharoshthi} (65)
\p{Script: Khar}
\p{Script: Kharoshthi}
                         (Short: p\{Sc=Khar\}) (65)
                         (Short: p\{Sc=Khmr\}) (146)
\p{Script: Khmer}
\p{Script: Khmr}
                         \p{Script=Khmer} (146)
\p{Script: Khoj}
                         \p{Script=Khojki} (62)
\p{Script: Khojki}
                         (Short: p\{Sc=Khoj\}) (62)
\p{Script: Khudawadi}
                         (Short: p\{Sc=Sind\}) (69)
\p{Script: Knda}
                         \p{Script=Kannada} (88)
\p{Script: Kthi}
                         \p{Script=Kaithi} (66)
\p{Script: Lana}
                        \p{Script=Tai_Tham} (127)
\p{Script: Lao}
                        (Short: p\{Sc=Lao\}) (67)
\p{Script: Laoo}
                        \p{Script=Lao} (67)
\p{Script: Latin}
                        (Short: p\{Sc=Latn\}) (1350)
\p{Script: Latn}
                        \p{Script=Latin} (1350)
\p{Script: Lepc}
                         \p{Script=Lepcha} (74)
                        (Short: p\{Sc=Lepc\}) (74)
\p{Script: Lepcha}
\p{Script: Limb}
                        \p{Script=Limbu} (68)
\p{Script: Limbu}
                        (Short: p\{Sc=Limb\}) (68)
\p{Script: Lina}
                        \p{Script=Linear_A} (341)
\p{Script: Linb}
                         \p{Script=Linear_B} (211)
\p{Script: Linear_A}
                        (Short: p\{Sc=Lina\}) (341)
                        (Short: p\{Sc=Linb\}) (211)
\p{Script: Linear_B}
                         (Short: p\{Sc=Lisu\}) (48)
\p{Script: Lisu}
\p{Script: Lyci}
                        \p{Script=Lycian} (29)
\p{Script: Lycian}
                        (Short: p\{Sc=Lyci\}) (29)
\p{Script: Lydi}
                        \p{Script=Lydian} (27)
\p{Script: Lydian}
                        (Short: p\{Sc=Lydi\}) (27)
                        (Short: p\{Sc=Mahj\}) (39)
\p{Script: Mahajani}
\p{Script: Mahj}
                         \p{Script=Mahajani} (39)
\p{Script: Malayalam}
                         (Short: p\{Sc=Mlym\}) (114)
\p{Script: Mand}
                        \p{Script=Mandaic} (29)
\p{Script: Mandaic}
                        (Short: p\{Sc=Mand\}) (29)
\p{Script: Mani}
                        \p{Script=Manichaean} (51)
\p{Script: Manichaean} (Short: \p{Sc=Mani}) (51)
\p{Script: Marc}
                        \p{Script=Marchen} (68)
\p{Script: Marchen}
                        (Short: p\{Sc=Marc\}) (68)
\p{Script: Meetei_Mayek} (Short: \p{Sc=Mtei}) (79)
\p{Script: Mend}
                        \p{Script=Mende_Kikakui} (213)
\p{Script: Mende_Kikakui} (Short: \p{Sc=Mend}) (213)
\p{Script: Merc}
                        \p{Script=Meroitic_Cursive} (90)
\p{Script: Mero}
                        \p{Script=Meroitic Hieroglyphs} (32)
\p{Script: Meroitic_Cursive} (Short: \p{Sc=Merc}) (90)
\p{Script: Meroitic_Hieroglyphs} (Short: \p{Sc=Mero}) (32)
\p{Script: Miao}
                        (Short: p\{Sc=Miao\}) (133)
                        \p{Script=Malayalam} (114)
\p{Script: Mlym}
                        (Short: p\{Sc=Modi\}) (79)
\p{Script: Modi}
\p{Script: Mong}
                        \p{Script=Mongolian} (166)
\p{Script: Mongolian}
                        (Short: p\{Sc=Mong\}) (166)
\p{Script: Mro}
                        (Short: p\{Sc=Mro\}) (43)
\p{Script: Mroo}
                        \p{Script=Mro} (43)
\p{Script: Mtei}
                         \p{Script=Meetei_Mayek} (79)
\p{Script: Mult}
                        \p{Script=Multani} (38)
\p{Script: Multani}
                        (Short: p\{Sc=Mult\}) (38)
                        (Short: p\{Sc=Mymr\}) (223)
\p{Script: Myanmar}
\p{Script: Mymr}
                        \p{Script=Myanmar} (223)
                        (Short: p\{Sc=Nbat\}) (40)
\p{Script: Nabataean}
```



```
\p{Script=Old_North_Arabian} (32)
\p{Script: Narb}
                        \p{Script=Nabataean} (40)
\p{Script: Nbat}
\p{Script: New_Tai_Lue} (Short: \p{Sc=Talu}) (83)
                       (Short: p\{Sc=Newa\}) (92)
\p{Script: Newa}
\p{Script: Nko}
                        (Short: p\{Sc=Nko\}) (59)
\p{Script: Nkoo}
                        \p{Script=Nko} (59)
\p{Script: Ogam}
                        \p{Script=Ogham} (29)
\p{Script: Ogham}
                        (Short: p\{Sc=Ogam\}) (29)
                        (Short: p\{Sc=Olck\}) (48)
\p{Script: Ol_Chiki}
\p{Script: Olck}
                        \p{Script=Ol_Chiki} (48)
\p{Script: Old_Hungarian} (Short: \p{Sc=Hung}) (108)
\p{Script: Old Italic} (Short: \p{Sc=Ital}) (36)
\p{Script: Old_North_Arabian} (Short: \p{Sc=Narb}) (32)
\p{Script: Old_Permic} (Short: \p{Sc=Perm}) (43)
\p{Script: Old_Persian} (Short: \p{Sc=Xpeo}) (50)
\p{Script: Old_South_Arabian} (Short: \p{Sc=Sarb}) (32)
\p{Script: Old\_Turkic} (Short: \p{Sc=Orkh}) (73)
\p{Script: Oriya}
                        (Short: p\{Sc=Orya\}) (90)
\p{Script: Orkh}
                        \p{Script=Old_Turkic} (73)
\p{Script: Orya}
                        \p{Script=Oriya} (90)
\p{Script: Osage}
                        (Short: p\{Sc=Osge\}) (72)
\p{Script: Osge}
                        \p{Script=Osage} (72)
\p{Script: Osma}
                        \p{Script=Osmanya} (40)
\p{Script: Osmanya}
                        (Short: p\{Sc=Osma\}) (40)
\p{Script: Pahawh_Hmong} (Short: \p{Sc=Hmng}) (127)
\p{Script: Palm}
                        \p{Script=Palmyrene} (32)
\p{Script: Palmyrene}
                        (Short: p\{Sc=Palm\}) (32)
\p{Script: Pau_Cin_Hau} (Short: \p{Sc=Pauc}) (57)
\p{Script: Pauc}
                        \p{Script=Pau_Cin_Hau} (57)
\p{Script: Perm}
                        \p{Script=Old_Permic} (43)
\p{Script: Phag}
                        \p{Script=Phags_Pa} (56)
\p{Script: Phags_Pa}
                        (Short: p\{Sc=Phag\}) (56)
\p{Script: Phli}
                        \p{Script=Inscriptional_Pahlavi} (27)
\p{Script: Phlp}
                        \p{Script=Psalter Pahlavi} (29)
\p{Script: Phnx}
                        \p{Script=Phoenician} (29)
\p{Script: Phoenician} (Short: \p{Sc=Phnx}) (29)
\p{Script: Plrd}
                        \p{Script=Miao} (133)
\p{Script: Prti}
                        \p{Script=Inscriptional_Parthian} (30)
\p{Script: Psalter_Pahlavi} (Short: \p{Sc=Phlp}) (29)
\p{Script: Qaac}
                        \p{Script=Coptic} (137)
\p{Script: Qaai}
                        \p{Script=Inherited} (564)
\p{Script: Rejang}
                        (Short: p\{Sc=Rjng\}) (37)
\p{Script: Rjng}
                        \p{Script=Rejang} (37)
\p{Script: Runic}
                        (Short: p\{Sc=Runr\}) (86)
\p{Script: Runr}
                        \p{Script=Runic} (86)
\p{Script: Samaritan}
                        (Short: p\{Sc=Samr\}) (61)
\p{Script: Samr}
                        \p{Script=Samaritan} (61)
\p{Script: Sarb}
                        \p{Script=Old_South_Arabian} (32)
\p{Script: Saur}
                        \p{Script=Saurashtra} (82)
\p{Script: Saurashtra} (Short: \p{Sc=Saur}) (82)
\p{Script: Sgnw}
                        \p{Script=SignWriting} (672)
                        (Short: p\{Sc=Shrd\}) (94)
\p{Script: Sharada}
\p{Script: Shavian}
                        (Short: p\{Sc=Shaw\}) (48)
\p{Script: Shaw}
                        \p{Script=Shavian} (48)
\p{Script: Shrd}
                        \p{Script=Sharada} (94)
\p{Script: Sidd}
                        \p{Script=Siddham} (92)
```



```
(Short: p\{Sc=Sidd\}) (92)
\p{Script: Siddham}
\p{Script: SignWriting} (Short: \p{Sc=Sgnw}) (672)
\p{Script: Sind}
                        \p{Script=Khudawadi} (69)
\p{Script: Sinh}
                        \p{Script=Sinhala} (110)
\p{Script: Sinhala}
                         (Short: p\{Sc=Sinh\}) (110)
\p{Script: Sora}
                         \p{Script=Sora_Sompeng} (35)
\p{Script: Sora_Sompeng} (Short: \p{Sc=Sora}) (35)
\p{Script: Sund}
                         \p{Script=Sundanese} (72)
                         (Short: p\{Sc=Sund\}) (72)
\p{Script: Sundanese}
\p{Script: Sylo}
                        \p{Script=Syloti_Nagri} (44)
\p{Script: Syloti_Nagri} (Short: \p{Sc=Sylo}) (44)
\p{Script: Syrc}
                         \p{Script=Syriac} (77)
\p{Script: Syriac}
                        (Short: p\{Sc=Syrc\}) (77)
\p{Script: Tagalog}
                        (Short: p\{Sc=Tglg\}) (20)
\p{Script: Tagb}
                         \p{Script=Tagbanwa} (18)
\p{Script: Tagbanwa}
                        (Short: p\{Sc=Tagb\}) (18)
\p{Script: Tai_Le}
                        (Short: p\{Sc=Tale\}) (35)
\p{Script: Tai_Tham}
                        (Short: p\{Sc=Lana\}) (127)
\p{Script: Tai_Viet}
                        (Short: p\{Sc=Tavt\}) (72)
\p{Script: Takr}
                        \p{Script=Takri} (66)
\p{Script: Takri}
                        (Short: p\{Sc=Takr\}) (66)
                        \p{Script=Tai_Le} (35)
\p{Script: Tale}
\p{Script: Talu}
                        \p{Script=New_Tai_Lue} (83)
\p{Script: Tamil}
                        (Short: p\{Sc=Taml\}) (72)
\p{Script: Taml}
                        \p{Script=Tamil} (72)
\p{Script: Tang}
                        \p{Script=Tangut} (6881)
\p{Script: Tangut}
                        (Short: p\{Sc=Tang\}) (6881)
\p{Script: Tavt}
                        \p{Script=Tai_Viet} (72)
\p{Script: Telu}
                         \p{Script=Telugu} (96)
\p{Script: Telugu}
                        (Short: p\{Sc=Telu\}) (96)
\p{Script: Tfng}
                        \p{Script=Tifinagh} (59)
\p{Script: Tglg}
                        \p{Script=Tagalog} (20)
\p{Script: Thaa}
                        \p{Script=Thaana} (50)
\p{Script: Thaana}
                        (Short: p\{Sc=Thaa\}) (50)
\p{Script: Thai}
                        (Short: p\{Sc=Thai\}) (86)
\p{Script: Tibetan}
                         (Short: p\{Sc=Tibt\}) (207)
\p{Script: Tibt}
                         \p{Script=Tibetan} (207)
\p{Script: Tifinagh}
                         (Short: p\{Sc=Tfng\}) (59)
\p{Script: Tirh}
                        \p{Script=Tirhuta} (82)
\p{Script: Tirhuta}
                        (Short: p\{Sc=Tirh\}) (82)
\p{Script: Ugar}
                        \p{Script=Ugaritic} (31)
\p{Script: Ugaritic}
                         (Short: p\{Sc=Ugar\}) (31)
\p{Script: Unknown}
                         (Short: p\{Sc=Zzzz\}) (985_875 plus all
                           above-Unicode code points)
\p{Script: Vai}
                         (Short: \p{Sc=Vai}) (300)
\p{Script: Vaii}
                         \p{Script=Vai} (300)
\p{Script: Wara}
                        \p{Script=Warang_Citi} (84)
\p{Script: Warang_Citi} (Short: \p{Sc=Wara}) (84)
\p{Script: Xpeo}
                        \p{Script=Old_Persian} (50)
\p{Script: Xsux}
                        \p{Script=Cuneiform} (1234)
\p{Script: Yi}
                         (Short: p\{Sc=Yi\}) (1220)
\p{Script: Yiii}
                         \p{Script=Yi} (1220)
\p{Script: Zinh}
                        \p{Script=Inherited} (564)
                        \p{Script=Common} (7279)
\p{Script: Zyyy}
\p{Script: Zzzz}
                        \p{Script=Unknown} (985_875 plus all
                           above-Unicode code points)
```



```
\p{Script_Extensions: Adlam} (Short: \p{Scx=Adlm}, \p{Adlm}) (88)
\p{Script\_Extensions: Adlm} \p{Script\_Extensions=Adlam} (88)
\p{Script_Extensions: Aghb} \p{Script_Extensions=
                         Caucasian_Albanian} (53)
\p{Script_Extensions: Ahom} (Short: \p{Scx=Ahom}, \p{Ahom}) (57)
\p{Hluw}) (583)
\p{Script_Extensions: Arab} \p{Script_Extensions=Arabic} (1323)
\p{Script_Extensions: Arabic} (Short: \p{Scx=Arab}, \p{Arab})
                         (1323)
\p{Script_Extensions: Armenian} (Short: \p{Scx=Armn}, \p{Armn})
                          (94)
\p{Script_Extensions: Armi} \p{Script_Extensions=Imperial_Aramaic}
                          (31)
\p{Script_Extensions: Armn} \p{Script_Extensions=Armenian} (94)
\p{Script_Extensions: Avestan} (Short: \p{Scx=Avst}, \p{Avst}) (61)
\p{Script\_Extensions: Avst} \p{Script\_Extensions=Avestan} \ (61)
\p{Script_Extensions: Bali} \p{Script_Extensions=Balinese} (121)
\p{Script_Extensions: Balinese} (Short: \p{Scx=Bali}, \p{Bali})
                         (121)
\p{Script_Extensions: Bamu} \p{Script_Extensions=Bamum} (657)
\p{Script_Extensions: Bamum} (Short: \p{Scx=Bamu}, \p{Bamu}) (657)
\p{Script_Extensions: Bass} \p{Script_Extensions=Bassa_Vah} (36)
\p{Script\_Extensions: Bassa\_Vah} (Short: \p{Scx=Bass}, \p{Bass})
                         (36)
\p{Script_Extensions: Batak} (Short: \p{Scx=Batk}, \p{Batk}) (56)
\p{Script_Extensions: Batk} \p{Script_Extensions=Batak} (56)
\p{Script_Extensions: Beng} \p{Script_Extensions=Bengali} (98)
\p{Script\_Extensions: Bengali} (Short: \p{Scx=Beng}, \p{Beng}) (98)
\p{Script_Extensions: Bhaiksuki} (Short: \p{Scx=Bhks}, \p{Bhks})
                          (97)
\p{Script\_Extensions: Bhks} \p{Script\_Extensions=Bhaiksuki} \ (97)
\p{Script_Extensions: Bopo} \p{Script_Extensions=Bopomofo} (110)
\p{Script_Extensions: Bopomofo} (Short: \p{Scx=Bopo}, \p{Bopo})
                         (110)
\p{Script_Extensions: Brah} \p{Script_Extensions=Brahmi} (109)
\p{Script\_Extensions: Brahmi} (Short: \p{Scx=Brah}, \p{Brah}) (109)
\p{Script_Extensions: Brai} \p{Script_Extensions=Braille} (256)
\p{Script_Extensions: Braille} (Short: \p{Scx=Brai}, \p{Brai})
                         (256)
\p{Script Extensions: Buqi} \p{Script Extensions=Buqinese} (31)
\p{Script Extensions: Buginese} (Short: \p{Scx=Bugi}, \p{Bugi})
                          (31)
\p{Script_Extensions: Buhd} \p{Script_Extensions=Buhid} (22)
\p{Script\_Extensions: Buhid} (Short: \p{Scx=Buhd}, \p{Buhd}) (22)
\p{Script\_Extensions: Cakm} \p{Script\_Extensions=Chakma} (87)
\p{Script_Extensions: Canadian_Aboriginal} (Short: \p{Scx=Cans},
                         p{Cans} (710)
\p{Script_Extensions: Cans} \p{Script_Extensions=
                         Canadian_Aboriginal (710)
\p{Script_Extensions: Cari} \p{Script_Extensions=Carian} (49)
\p{Script_Extensions: Carian} (Short: \p{Scx=Cari}, \p{Cari}) (49)
\p{Script_Extensions: Caucasian_Albanian} (Short: \p{Scx=Aghb},
                         p{Aghb}) (53)
\p{Script_Extensions: Chakma} (Short: \p{Scx=Cakm}, \p{Cakm}) (87)
\p{Script_Extensions: Cham} (Short: \p{Scx=Cham}, \p{Cham}) (83)
```



```
\p{Script_Extensions: Cher} \p{Script_Extensions=Cherokee} (172)
\p{Script_Extensions: Cherokee} (Short: \p{Scx=Cher}, \p{Cher})
                          (172)
\p{Script\_Extensions: Common} (Short: \p{Scx=Zyyy}, \p{Zyyy})
                          (6864)
\p{Script_Extensions: Copt} \p{Script_Extensions=Coptic} (165)
\p{Script_Extensions: Coptic} (Short: \p{Scx=Copt}, \p{Copt}) (165)
\p{Script_Extensions: Cprt} \p{Script_Extensions=Cypriot} (112)
\p{Script_Extensions: Cuneiform} (Short: \p{Scx=Xsux}, \p{Xsux})
                          (1234)
\p{Script_Extensions: Cypriot} (Short: \p{Scx=Cprt}, \p{Cprt})
                          (112)
\p{Script_Extensions: Cyrillic} (Short: \p{Scx=Cyrl}, \p{Cyrl})
                          (446)
\p{Script_Extensions: Cyrl} \p{Script_Extensions=Cyrillic} (446)
\p{Script_Extensions: Deseret} (Short: \p{Scx=Dsrt}, \p{Dsrt}) (80)
\p{Script\_Extensions: Deva} \p{Script\_Extensions=Devanagari} (210)
\p{Script_Extensions: Devanagari} (Short: \p{Scx=Deva}, \p{Deva})
                          (210)
\p{Script_Extensions: Dsrt} \p{Script_Extensions=Deservet} (80)
\p{Script_Extensions: Dupl} \p{Script_Extensions=Duployan} (147)
\p{Script_Extensions: Duployan} (Short: \p{Scx=Dupl}, \p{Dupl})
                          (147)
\p{Script_Extensions: Egyp} \p{Script_Extensions=
                          Egyptian_Hieroglyphs (1071)
\p{Script_Extensions: Egyptian_Hieroglyphs} (Short: \p{Scx=Egyp},
                          \p{Egyp}) (1071)
\p{Script_Extensions: Elba} \p{Script_Extensions=Elbasan} (40)
\p{Script\_Extensions: Elbasan} (Short: \p{Scx=Elba}, \p{Elba}) (40)
\p{Script_Extensions: Ethi} \p{Script_Extensions=Ethiopic} (495)
\p{Script_Extensions: Ethiopic} (Short: \p{Scx=Ethi}, \p{Ethi})
                          (495)
\p{Script_Extensions: Geor} \p{Script_Extensions=Georgian} (129)
\p{Script_Extensions: Georgian} (Short: \p{Scx=Geor}, \p{Geor})
                          (129)
\p{Script_Extensions: Glag} \p{Script_Extensions=Glagolitic} (136)
\p{Script_Extensions: Glagolitic} (Short: \p{Scx=Glag}, \p{Glag})
                          (136)
\p{Script_Extensions: Goth} \p{Script_Extensions=Gothic} (27)
\p{Script_Extensions: Gothic} (Short: \p{Scx=Goth}, \p{Goth}) (27)
\p{Script Extensions: Gran} \p{Script Extensions=Grantha} (113)
\p{Script Extensions: Grantha} (Short: \p{Scx=Gran}, \p{Gran})
                          (113)
\p{Script_Extensions: Greek} (Short: \p{Scx=Grek}, \p{Grek}) (522)
\p{Script_Extensions: Grek} \p{Script_Extensions=Greek} (522)
\p{Script_Extensions: Gujarati} (Short: \p{Scx=Gujr}, \p{Gujr})
                          (99)
\p{Script_Extensions: Gujr} \p{Script_Extensions=Gujarati} (99)
\p{Script_Extensions: Gurmukhi} (Short: \p{Scx=Guru}, \p{Guru})
                          (93)
\p{Script_Extensions: Guru} \p{Script_Extensions=Gurmukhi} (93)
\p{Script_Extensions: Han} (Short: \p{Scx=Han}, \p{Han}) (82_013)
\p{Script_Extensions: Hang} \p{Script_Extensions=Hangul} (11_775)
\p{Script_Extensions: Hangul} (Short: \p{Scx=Hang}, \p{Hang})
                          (11775)
\p{Script_Extensions: Hani} \p{Script_Extensions=Han} (82_013)
```



```
\p{Script_Extensions: Hano} \p{Script_Extensions=Hanunoo} (23)
\p{Script_Extensions: Hanunoo} (Short: \p{Scx=Hano}, \p{Hano}) (23)
\p{Script_Extensions: Hatr} \p{Script_Extensions=Hatran} (26)
\p{Script_Extensions: Hatran} (Short: \p{Scx=Hatr}, \p{Hatr}) (26)
\p{Script_Extensions: Hebr} \p{Script_Extensions=Hebrew} (133)
\p{Script\_Extensions: Hebrew} (Short: \p{Scx=Hebr}, \p{Hebr}) (133)
\p{Script_Extensions: Hira} \p{Script_Extensions=Hiragana} (143)
\p{Script_Extensions: Hiragana} (Short: \p{Scx=Hira}, \p{Hira})
                           (143)
\p{Script_Extensions: Hluw} \p{Script_Extensions=
                           Anatolian Hieroglyphs (583)
\p{Script_Extensions: Hmng} \p{Script_Extensions=Pahawh_Hmong}
                           (127)
\p{Script_Extensions: Hung} \p{Script_Extensions=Old_Hungarian}
                           (108)
\p{Script_Extensions: Imperial_Aramaic} (Short: \p{Scx=Armi},
                           \p{Armi}) (31)
\p{Script_Extensions: Inherited} (Short: \p{Scx=Zinh}, \p{Zinh})
                           (496)
\p{Script_Extensions: Inscriptional_Pahlavi} (Short: \p{Scx=Phli},
                           \p{Phli}) (27)
\p{Script_Extensions: Inscriptional_Parthian} (Short: \p{Scx=
                           Prti}, \p{Prti}) (30)
\p{Script\_Extensions: Ital} \p{Script\_Extensions=Old\_Italic} (36)
\p{Script_Extensions: Java} \p{Script_Extensions=Javanese} (91)
\p{Script_Extensions: Javanese} (Short: \p{Scx=Java}, \p{Java})
                           (91)
\p{Script_Extensions: Kaithi} (Short: \p{Scx=Kthi}, \p{Kthi}) (86)
\p{Script\_Extensions: Kali} \p{Script\_Extensions=Kayah\_Li} (48) \\ p{Script\_Extensions: Kana} \p{Script\_Extensions=Katakana} (352)
\p{Script_Extensions: Kannada} (Short: \p{Scx=Knda}, \p{Knda})
                           (100)
\p{Script_Extensions: Katakana} (Short: \p{Scx=Kana}, \p{Kana})
                           (352)
\p{Script\_Extensions: Kayah\_Li} (Short: \p{Scx=Kali}, \p{Kali})
                           (48)
\p{Script_Extensions: Khar} \p{Script_Extensions=Kharoshthi} (65)
\p{Script_Extensions: Kharoshthi} (Short: \p{Scx=Khar}, \p{Khar})
                           (65)
\p{Script\_Extensions: Khmer} (Short: \p{Scx=Khmr}, \p{Khmr}) (146)
\p{Script Extensions: Khmr} \p{Script Extensions=Khmer} (146)
\p{Script_Extensions: Khoj} \p{Script_Extensions=Khojki} (72)
\p{Script_Extensions: Khojki} (Short: \p{Scx=Khoj}, \p{Khoj}) (72)
\p{Script_Extensions: Khudawadi} (Short: \p{Scx=Sind}, \p{Sind})
\p{Script\_Extensions: Knda} \p{Script\_Extensions=Kannada} \ (100)
\p{Script_Extensions: Kthi} \p{Script_Extensions=Kaithi} (86)
\p{Script_Extensions: Lana} \p{Script_Extensions=Tai_Tham} (127)
\p{Script_Extensions: Lao} (Short: \p{Scx=Lao}, \p{Lao}) (67)
\p{Script_Extensions: Laoo} \p{Script_Extensions=Lao} (67)
\p{Script_Extensions: Latin} (Short: \p{Scx=Latn}, \p{Latn}) (1370)
\p{Script\_Extensions: Latn} \p{Script\_Extensions=Latin} \ (1370)
\p{Script\_Extensions: Lepc} \p{Script\_Extensions=Lepcha} (74)
\p{Script\_Extensions: Lepcha} (Short: \p{Scx=Lepc}, \p{Lepc}) (74)
\p{Script_Extensions: Limb} \p{Script_Extensions=Limbu} (69)
\p{Script_Extensions: Limbu} (Short: \p{Scx=Limb}, \p{Limb}) (69)
```



```
\p{Script_Extensions: Lina} \p{Script_Extensions=Linear_A} (386)
\p{Script_Extensions: Linb} \p{Script_Extensions=Linear_B} (268)
\p{Script_Extensions: Linear_A} (Short: \p{Scx=Lina}, \p{Lina})
                          (386)
\p{Script_Extensions: Linear_B} (Short: \p{Scx=Linb}, \p{Linb})
                          (268)
\p{Script_Extensions: Lisu} (Short: \p{Scx=Lisu}, \p{Lisu}) (48)
\p{Script_Extensions: Lyci} \p{Script_Extensions=Lycian} (29)
\p{Script_Extensions: Lycian} (Short: \p{Scx=Lyci}, \p{Lyci}) (29)
\p{Script_Extensions: Lydi} \p{Script_Extensions=Lydian} (27)
\p{Script_Extensions: Lydian} (Short: \p{Scx=Lydi}, \p{Lydi}) (27)
\p{Script_Extensions: Mahajani} (Short: \p{Scx=Mahj}, \p{Mahj})
                          (61)
\p{Script_Extensions: Mahj} \p{Script_Extensions=Mahajani} (61)
\p{Script_Extensions: Malayalam} (Short: \p{Scx=Mlym}, \p{Mlym})
                          (119)
\p{Script_Extensions: Mand} \p{Script_Extensions=Mandaic} (30)
\p{Script\_Extensions: Mandaic} (Short: \p{Scx=Mand}, \p{Mand}) (30)
\p{Script_Extensions: Mani} \p{Script_Extensions=Manichaean} (52)
\p{Script_Extensions: Manichaean} (Short: \p{Scx=Mani}, \p{Mani})
                          (52)
\p{Script_Extensions: Marc} \p{Script_Extensions=Marchen} (68)
\p{Script_Extensions: Marchen} (Short: \p{Scx=Marc}, \p{Marc}) (68)
\p{Script_Extensions: Meetei_Mayek} (Short: \p{Scx=Mtei},
                          p{Mtei} (79)
\p{Script_Extensions: Mend} \p{Script_Extensions=Mende_Kikakui}
                          (213)
\p{Script_Extensions: Mende_Kikakui} (Short: \p{Scx=Mend},
                          \p{Mend}) (213)
\p{Script_Extensions: Merc} \p{Script_Extensions=Meroitic_Cursive}
                          (90)
\p{Script_Extensions: Mero} \p{Script_Extensions=
                          Meroitic_Hieroglyphs (32)
\p{Script_Extensions: Meroitic_Cursive} (Short: \p{Scx=Merc},
                          \p{Merc}) (90)
\p{Script_Extensions: Meroitic_Hieroglyphs} (Short: \p{Scx=Mero},
                          \p{Mero}) (32)
\p{Script\_Extensions: Miao} (Short: \p{Scx=Miao}, \p{Miao}) (133)
\p{Script\_Extensions: Mlym} \p{Script\_Extensions=Malayalam} (119)
\p{Script_Extensions: Modi} (Short: \p{Scx=Modi}, \p{Modi}) (89)
\p{Script Extensions: Mong} \p{Script Extensions=Mongolian} (169)
\p{Script_Extensions: Mongolian} (Short: \p{Scx=Mong}, \p{Mong})
                          (169)
\p{Script_Extensions: Mro} (Short: \p{Scx=Mro}, \p{Mro}) (43)
\p{Script\_Extensions: Mroo} \p{Script\_Extensions=Mro} (43)
\p{Script\_Extensions: Mtei} \p{Script\_Extensions=Meetei\_Mayek} \ (79)
\p{Script_Extensions: Mult} \p{Script_Extensions=Multani} (48)
\p{Script_Extensions: Multani} (Short: \p{Scx=Mult}, \p{Mult}) (48)
\p{Script_Extensions: Myanmar} (Short: \p{Scx=Mymr}, \p{Mymr})
                          (224)
\p{Script_Extensions: Mymr} \p{Script_Extensions=Myanmar} (224)
\p{Script_Extensions: Nabataean} (Short: \p{Scx=Nbat}, \p{Nbat})
                          (40)
\p{Script_Extensions: Narb} \p{Script_Extensions=
                          Old_North_Arabian (32)
\p{Script_Extensions: Nbat} \p{Script_Extensions=Nabataean} (40)
```



```
\p{Script_Extensions: New_Tai_Lue} (Short: \p{Scx=Talu}, \p{Talu})
                           (83)
\p{Script_Extensions: Newa} (Short: \p{Scx=Newa}, \p{Newa}) (92)
\p{Script\_Extensions: Nko} (Short: \p{Scx=Nko}, \p{Nko}) (59)
\p{Script_Extensions: Nkoo} \p{Script_Extensions=Nko} (59)
\p{Script_Extensions: Ogam} \p{Script_Extensions=Ogham} (29)
\p{Script_Extensions: Ogham} (Short: \p{Scx=Ogam}, \p{Ogam}) (29)
\p{Script_Extensions: Ol_Chiki} (Short: \p{Scx=Olck}, \p{Olck})
                           (48)
\p{Script_Extensions: Olck} \p{Script_Extensions=Ol_Chiki} (48)
\p{Script_Extensions: Old_Hungarian} (Short: \p{Scx=Hung},
                           \p{Hung}) (108)
\p{Script_Extensions: Old_Italic} (Short: \p{Scx=Ital}, \p{Ital})
                           (36)
\p{Script_Extensions: Old_North_Arabian} (Short: \p{Scx=Narb},
                           p{Narb}) (32)
\p{Script_Extensions: Old_Permic} (Short: \p{Scx=Perm}, \p{Perm})
                           (44)
\p{Script_Extensions: Old_Persian} (Short: \p{Scx=Xpeo}, \p{Xpeo})
                           (50)
\p{Script_Extensions: Old_South_Arabian} (Short: \p{Scx=Sarb},
                           p{Sarb}) (32)
\p{Script_Extensions: Old_Turkic} (Short: \p{Scx=Orkh}, \p{Orkh})
                           (73)
\p{Script_Extensions: Oriya} (Short: \p{Scx=Orya}, \p{Orya}) (94)
\p{Script_Extensions: Orkh} \p{Script_Extensions=Old_Turkic} (73)
\p{Script_Extensions: Orya} \p{Script_Extensions=Oriya} (94)
\p{Script\_Extensions: Osage} (Short: \p{Scx=Osge}, \p{Osge}) (72)
\p{Script\_Extensions: Osge} \p{Script\_Extensions=Osage} (72) \\ p{Script\_Extensions: Osma} \p{Script\_Extensions=Osmanya} (40)
\p{Script_Extensions: Osmanya} (Short: \p{Scx=Osma}, \p{Osma}) (40)
\p{Script_Extensions: Pahawh_Hmong} (Short: \p{Scx=Hmng},
                           p\{Hmng\}) (127)
\p{Script Extensions: Palm} \p{Script Extensions=Palmyrene} (32)
\p{Script_Extensions: Palmyrene} (Short: \p{Scx=Palm}, \p{Palm})
                           (32)
\p{Script_Extensions: Pau_Cin_Hau} (Short: \p{Scx=Pauc}, \p{Pauc})
                           (57)
\p{Script_Extensions: Pauc} \p{Script_Extensions=Pau_Cin_Hau} (57)
\p{Script_Extensions: Perm} \p{Script_Extensions=Old_Permic} (44)
\p{Script Extensions: Phag} \p{Script Extensions=Phags Pa} (59)
\p{Script_Extensions: Phags_Pa} (Short: \p{Scx=Phag}, \p{Phag})
                           (59)
\p{Script_Extensions: Phli} \p{Script_Extensions=
                           Inscriptional_Pahlavi \ (27)
\p{Script_Extensions: Phlp} \p{Script_Extensions=Psalter_Pahlavi}
                           (30)
\p{Script_Extensions: Phnx} \p{Script_Extensions=Phoenician} (29)
\p{Script_Extensions: Phoenician} (Short: \p{Scx=Phnx}, \p{Phnx})
                           (29)
\p{Script_Extensions: Plrd} \p{Script_Extensions=Miao} (133)
\p{Script_Extensions: Prti} \p{Script_Extensions=
                           Inscriptional_Parthian (30)
\p{Script_Extensions: Psalter_Pahlavi} (Short: \p{Scx=Phlp},
                           \p{Phlp} (30)
\p{Script_Extensions: Qaac} \p{Script_Extensions=Coptic} (165)
```



```
\p{Script_Extensions: Qaai} \p{Script_Extensions=Inherited} (496)
\p{Script\_Extensions: Rejang} (Short: \p{Scx=Rjng}, \p{Rjng}) (37)
\p{Script_Extensions: Rjng} \p{Script_Extensions=Rejang} (37)
\p{Script_Extensions: Runic} (Short: \p{Scx=Runr}, \p{Runr}) (86)
\p{Script_Extensions: Runr} \p{Script_Extensions=Runic} (86)
\p{Script_Extensions: Samaritan} (Short: \p{Scx=Samr}, \p{Samr})
                          (61)
\p{Script\_Extensions: Samr} \p{Script\_Extensions=Samaritan} \p{Script\_Extensions=} \p{Script\_Extensions=}
                          Old_South_Arabian} (32)
\p{Script_Extensions: Saur} \p{Script_Extensions=Saurashtra} (82)
\p{Script_Extensions: Saurashtra} (Short: \p{Scx=Saur}, \p{Saur})
                           (82)
\p{Script_Extensions: Sgnw} \p{Script_Extensions=SignWriting} (672)
\p{Script_Extensions: Sharada} (Short: \p{Scx=Shrd}, \p{Shrd})
                           (100)
\p{Script_Extensions: Shavian} (Short: \p{Scx=Shaw}, \p{Shaw}) (48)
\p{Script_Extensions: Shaw} \p{Script_Extensions=Shavian} (48)
\p{Script_Extensions: Shrd} \p{Script_Extensions=Sharada} (100)
\p{Script_Extensions: Sidd} \p{Script_Extensions=Siddham} (92)
\p{Script_Extensions: Siddham} (Short: \p{Scx=Sidd}, \p{Sidd}) (92)
\p{Script_Extensions: SignWriting} (Short: \p{Scx=Sgnw}, \p{Sgnw})
                          (672)
\p{Script\_Extensions: Sind} \p{Script\_Extensions=Khudawadi} (81)
\p{Script_Extensions: Sinh} \p{Script_Extensions=Sinhala} (112)
\p{Script_Extensions: Sinhala} (Short: \p{Scx=Sinh}, \p{Sinh})
                          (112)
\p{Script\_Extensions: Sora} \p{Script\_Extensions=Sora\_Sompeng} (35)
\p{Script_Extensions: Sora_Sompeng} (Short: \p{Scx=Sora},
                          p{Sora} (35)
\p{Script_Extensions: Sund} \p{Script_Extensions=Sundanese} (72)
\p{Script_Extensions: Sundanese} (Short: \p{Scx=Sund}, \p{Sund})
                          (72)
\p{Script_Extensions: Sylo} \p{Script_Extensions=Syloti_Nagri} (56)
\p{Script_Extensions: Syloti_Nagri} (Short: \p{Scx=Sylo},
                          p{Sylo}) (56)
\p{Script_Extensions: Syrc} \p{Script_Extensions=Syriac} (93)
\p{Script_Extensions: Syriac} (Short: \p{Scx=Syrc}, \p{Syrc}) (93)
\p{Script_Extensions: Tagalog} (Short: \p{Scx=Tglg}, \p{Tglg}) (22)
\p{Script_Extensions: Tagb} \p{Script_Extensions=Tagbanwa} (20)
\p{Script Extensions: Tagbanwa} (Short: \p{Scx=Tagb}, \p{Tagb})
                           (20)
\p{Script_Extensions: Tai_Le} (Short: \p{Scx=Tale}, \p{Tale}) (45)
\p{Script_Extensions: Tai_Tham} (Short: \p{Scx=Lana}, \p{Lana})
                           (127)
\p{Script_Extensions: Tai_Viet} (Short: \p{Scx=Tavt}, \p{Tavt})
                          (72)
\p{Script_Extensions: Takr} \p{Script_Extensions=Takri} (78)
\p{Script_Extensions: Takri} (Short: \p{Scx=Takr}, \p{Takr}) (78)
\p{Script_Extensions: Tale} \p{Script_Extensions=Tai_Le} (45)
\p{Script_Extensions: Talu} \p{Script_Extensions=New_Tai_Lue} (83)
\p{Script_Extensions: Tamil} (Short: \p{Scx=Taml}, \p{Taml}) (80)
\p{Script_Extensions: Taml} \p{Script_Extensions=Tamil} (80)
\p{Script_Extensions: Tang} \p{Script_Extensions=Tangut} (6881)
\p{Script_Extensions: Tangut} (Short: \p{Scx=Tang}, \p{Tang})
                          (6881)
```



```
\p{Script_Extensions: Tavt} \p{Script_Extensions=Tai_Viet} (72)
\p{Script_Extensions: Telu} \p{Script_Extensions=Telugu} (101)
\p{Script_Extensions: Telugu} (Short: \p{Scx=Telu}, \p{Telu}) (101)
\p{Script_Extensions: Tfng} \p{Script_Extensions=Tifinagh} (59)
\p{Script_Extensions: Tglg} \p{Script_Extensions=Tagalog} (22)
\p{Script\_Extensions: Thaa} \p{Script\_Extensions=Thaana} (65)
\p{Script_Extensions: Thaana} (Short: \p{Scx=Thaa}, \p{Thaa}) (65)
\p{Script_Extensions: Thai} (Short: \p{Scx=Thai}, \p{Thai}) (86)
\p{Script_Extensions: Tibetan} (Short: \p{Scx=Tibt}, \p{Tibt})
                          (207)
\p{Script_Extensions: Tibt} \p{Script_Extensions=Tibetan} (207)
\p{Script_Extensions: Tifinagh} (Short: \p{Scx=Tfng}, \p{Tfng})
                          (59)
\p{Script_Extensions: Tirh} \p{Script_Extensions=Tirhuta} (94)
\p{Script_Extensions: Tirhuta} (Short: \p{Scx=Tirh}, \p{Tirh}) (94)
\p{Script_Extensions: Ugar} \p{Script_Extensions=Ugaritic} (31)
\p{Script_Extensions: Ugaritic} (Short: \p{Scx=Ugar}, \p{Ugar})
                          (31)
\p{Script_Extensions: Unknown} (Short: \p{Scx=Zzzz}, \p{Zzzz})
                          (985_875 plus all above-Unicode code
                          points)
\p{Script_Extensions: Vai} (Short: \p{Scx=Vai}, \p{Vai}) (300)
\p{Script_Extensions: Vaii} \p{Script_Extensions=Vai} (300)
\p{Script_Extensions: Wara} \p{Script_Extensions=Warang_Citi} (84)
\p{Script_Extensions: Warang_Citi} (Short: \p{Scx=Wara}, \p{Wara})
                          (84)
\p{Script_Extensions: Xpeo} \p{Script_Extensions=Old_Persian} (50)
\p{Script\_Extensions: Xsux} \p{Script\_Extensions=Cuneiform} \ (1234)
\p{Script\_Extensions: Yi} (Short: \p{Scx=Yi}, \p{Yi}) (1246)
\p{Script_Extensions: Yiii} \p{Script_Extensions=Yi} (1246)
\p{Script\_Extensions: Zinh} \p{Script\_Extensions=Inherited} (496)
\p{Script_Extensions: Zyyy} \p{Script_Extensions=Common} (6864)
\p{Script_Extensions: Zzzz} \p{Script_Extensions=Unknown} (985_875)
                         plus all above-Unicode code points)
\p{Scx: *}
                        \p{Script_Extensions: *}
                        \p{Soft\_Dotted} (= \p{Soft\_Dotted=Y}) (46)
p{SD}
\p{SD: *}
                        \p{Soft_Dotted: *}
\p{Sentence_Break: AT} \p{Sentence_Break=ATerm} (4)
\p{Sentence_Break: ATerm} (Short: \p{SB=AT}) (4)
\p{Sentence_Break: CL} \p{Sentence_Break=Close} (187)
\p{Sentence Break: Close} (Short: \p{SB=CL}) (187)
\p{Sentence_Break: CR} (Short: \p{SB=CR}) (1)
\p{Sentence_Break: EX} \p{Sentence_Break=Extend} (2197)
\p{Sentence_Break: Extend} (Short: \p{SB=EX}) (2197)
\p{Sentence_Break: FO} \p{Sentence_Break=Format} (53)
\p{Sentence\_Break: Format} (Short: \p{SB=FO}) (53)
\p{Sentence_Break: LE} \p{Sentence_Break=OLetter} (113_027)
\p{Sentence_Break: LF} (Short: \p{SB=LF}) (1)
\p{Sentence_Break: LO} \p{Sentence_Break=Lower} (2251)
\p{Sentence_Break: Lower} (Short: \p{SB=LO}) (2251)
\p{Sentence_Break: NU} \p{Sentence_Break=Numeric} (572)
\p{Sentence_Break: Numeric} (Short: \p{SB=NU}) (572)
\p{Sentence_Break: OLetter} (Short: \p{SB=LE}) (113_027)
\p{Sentence_Break: Other} (Short: \p{SB=XX}) (993_796 plus all
                          above-Unicode code points)
\p{Sentence_Break: SC} \p{Sentence_Break=SContinue} (26)
```



```
\p{Sentence_Break: SContinue} (Short: \p{SB=SC}) (26)
  \p{Sentence\_Break: SE} \p{Sentence\_Break=Sep} (3)
  \p{Sentence\_Break: Sep} (Short: \p{SB=SE}) (3)
  \p{Sentence_Break: Sp} (Short: \p{SB=Sp}) (20)
  \p{Sentence_Break: ST} \p{Sentence_Break=STerm} (121)
  \p{Sentence\_Break: STerm} (Short: \p{SB=ST}) (121)
  \p{Sentence_Break: UP} \p{Sentence_Break=Upper} (1853)
  \p{Sentence\_Break: Upper} (Short: \p{SB=UP}) (1853)
  \p{Sentence_Break: XX} \p{Sentence_Break=Other} (993_796 plus all
                            above-Unicode code points)
  \p{Sentence_Terminal}
                          \p{Sentence_Terminal=Y} (Short: \p{STerm})
                            (124)
  \p{Sentence_Terminal: N*} (Short: \p{STerm=N}, \P{STerm})
                            (1_113_988 plus all above-Unicode code
                            points)
  \p{Sentence_Terminal: Y*} (Short: \p{STerm=Y}, \p{STerm}) (124)
  \p{Separator}
                          \p{General_Category=Separator} (Short:
                            p{Z} (19)
  \p{Sgnw}
                          \p{SignWriting} (= \p{Script_Extensions=
                            SignWriting (672)
  \p{Sharada}
                          \p{Script_Extensions=Sharada} (Short:
                            \p{Shrd}; NOT \p{Block=Sharada}) (100)
  \p{Shavian}
                          \p{Script_Extensions=Shavian} (Short:
                            p{Shaw} (48)
  \p{Shaw}
                          \p{Shavian} (= \p{Script_Extensions=
                            Shavian) (48)
X \p{Shorthand_Format_Controls} \p{Block=Shorthand_Format_Controls}
  \p{Shrd}
                          \p{Sharada} (= \p{Script_Extensions=
                            Sharada}) (NOT \p{Block=Sharada}) (100)
  \p{Sidd}
                          \p{Siddham} (= \p{Script_Extensions=
                            Siddham } ) (NOT \p{Block=Siddham }) (92)
  \p{Siddham}
                          \p{Script_Extensions=Siddham} (Short:
                            \p{Sidd}; NOT \p{Block=Siddham}) (92)
  \p{SignWriting}
                          \p{Script_Extensions=SignWriting} (Short:
                            p{Sgnw} (672)
  \p{Sind}
                          \p{Khudawadi} (= \p{Script_Extensions=
                            Khudawadi}) (NOT \p{Block=Khudawadi})
  \p{Sinh}
                          \p{Sinhala} (= \p{Script_Extensions=
                            Sinhala (NOT \p{Block=Sinhala (112)
  \p{Sinhala}
                          \p{Script_Extensions=Sinhala} (Short:
                            \p{Sinh}; NOT \p{Block=Sinhala}) (112)
X \p{Sinhala_Archaic_Numbers} \p{Block=Sinhala_Archaic_Numbers} (32)
  \p{Sk}
                          \p{Modifier_Symbol} (=
                            \p{General_Category=Modifier_Symbol})
                            (121)
  \p{Sm}
                          \p{Math_Symbol} (= \p{General_Category=
                            Math_Symbol (948)
X \p{Small_Form_Variants} \p{Block=Small_Form_Variants} (Short:
                            \p{InSmallForms}) (32)
X \p{Small Forms}
                          \p{Small_Form_Variants} (= \p{Block=
                            Small_Form_Variants}) (32)
  \p{So}
                          \p{Other_Symbol} (= \p{General_Category=
                            Other_Symbol (5777)
  \p{Soft_Dotted}
                          \p{Soft\_Dotted=Y} (Short: \p{SD}) (46)
```



```
\p{Soft_Dotted: N*}
                           (Short: \p{SD=N}, \p{SD}) (1_114_066 plus)
                             all above-Unicode code points)
  \p{Soft_Dotted: Y*}
                           (Short: p{SD=Y}, p{SD}) (46)
  \p{Sora}
                           \p{Sora\_Sompeng} (= \p{Script\_Extensions} = \p{Sora\_Sompeng})
                             Sora_Sompeng}) (NOT \p{Block=
                             Sora_Sompeng (35)
  \p{Sora_Sompeng}
                           \p{Script_Extensions=Sora_Sompeng} (Short:
                             \p{Sora}; NOT \p{Block=Sora_Sompeng})
  \p{Space}
                           \p{White\_Space} (= \p{White\_Space=Y}) (25)
  \p{Space: *}
                           \p{White_Space: *}
  \p{Space_Separator}
                           \p{General_Category=Space_Separator}
                             (Short: p{Zs}) (17)
  \p{SpacePerl}
                           p{XPosixSpace} (25)
                           \p{General_Category=Spacing_Mark} (Short:
  \p{Spacing_Mark}
                             \p{Mc}) (394)
X \p{Spacing_Modifier_Letters} \p{Block=Spacing_Modifier_Letters}
                             (Short: \p{InModifierLetters}) (80)
X \p{Specials}
                           \p{Block=Specials} (16)
  \p{STerm}
                           \p{Sentence_Terminal} (=
                             \p{Sentence_Terminal=Y}) (124)
  \p{STerm: *}
                           \p{Sentence_Terminal: *}
  \p{Sund}
                           \p{Sundanese} (= \p{Script_Extensions=
                             Sundanese}) (NOT \p{Block=Sundanese})
                             (72)
  \p{Sundanese}
                           \p{Script_Extensions=Sundanese} (Short:
                             \p{Sund}; NOT \p{Block=Sundanese}) (72)
X \p{Sundanese_Sup}
                           \p{Sundanese_Supplement} (= \p{Block=
                             Sundanese_Supplement } ) (16)
X \p{Sundanese_Supplement} \p{Block=Sundanese_Supplement} (Short:
                             \p{InSundaneseSup}) (16)
X \p{Sup_Arrows_A}
                           \p{Supplemental\_Arrows\_A} (= \p{Block} = \p{Arrows\_A})
                             Supplemental_Arrows_A}) (16)
X \p{Sup_Arrows_B}
                           \p{Supplemental_Arrows_B} (= \p{Block=
                             Supplemental_Arrows_B}) (128)
                           \p{Supplemental\_Arrows\_C} (= \p{Block=}
X \p{Sup_Arrows_C}
                             Supplemental_Arrows_C}) (256)
X \p{Sup_Math_Operators}
                           \p{Supplemental_Mathematical_Operators} (=
                             \p{Block=
                             Supplemental_Mathematical_Operators})
X \p{Sup PUA A}
                           \p{Supplementary_Private_Use_Area_A} (=
                             \p{Block=
                             Supplementary_Private_Use_Area_A})
                             (65536)
X \p{Sup_PUA_B}
                           \p{Supplementary_Private_Use_Area_B} (=
                             \p{Block=
                             Supplementary_Private_Use_Area_B})
                             (65 536)
                           \p{Supplemental\_Punctuation} (= \p{Block=}
X \p{Sup_Punctuation}
                             Supplemental_Punctuation}) (128)
X \p{Sup Symbols And Pictographs}
                             \p{Supplemental_Symbols_And_Pictographs}
                             (= \p{Block}=
                             Supplemental_Symbols_And_Pictographs } )
                             (256)
```



```
X \p{Super_And_Sub}
                         \p{Superscripts_And_Subscripts} (=
                           \p{Block=Superscripts_And_Subscripts})
                           (48)
X \p{Superscripts_And_Subscripts} \p{Block=
                           \p{InSuperAndSub}) (48)
X \p{Supplemental_Arrows_A} \p{Block=Supplemental_Arrows_A} (Short:
                           \p{InSupArrowsA}) (16)
\p{InSupArrowsB}) (128)
X \p{Supplemental_Arrows_C} \p{Block=Supplemental_Arrows_C} (Short:
                           \p{InSupArrowsC}) (256)
X \p{Supplemental_Mathematical_Operators} \p{Block=
                           Supplemental_Mathematical_Operators}
                           (Short: \p{InSupMathOperators}) (256)
X \p{Supplemental_Punctuation} \p{Block=Supplemental_Punctuation}
                           (Short: \p{InSupPunctuation}) (128)
X \p{Supplemental_Symbols_And_Pictographs} \p{Block=
                           Supplemental_Symbols_And_Pictographs}
                           (Short: \p{InSupSymbolsAndPictographs})
                           (256)
X \p{Supplementary_Private_Use_Area_A} \p{Block=
                           Supplementary_Private_Use_Area_A}
                           (Short: p{InSupPUAA}) (65_536)
X \p{Supplementary_Private_Use_Area_B} \p{Block=
                           Supplementary_Private_Use_Area_B}
                           (Short: p{InSupPUAB}) (65_536)
                         \p{General_Category=Surrogate} (Short:
  \p{Surrogate}
                           p\{Cs\}) (2048)
                         \p{Block=Sutton_SignWriting} (688)
X \p{Sutton_SignWriting}
                         \p{Syloti_Nagri} (= \p{Script_Extensions} = \p{Syloti_Nagri})
 \p{Sylo}
                           Syloti_Nagri}) (NOT \p{Block=
                           Syloti_Nagri}) (56)
  \p{Syloti_Nagri}
                         \p{Script Extensions=Syloti Nagri} (Short:
                           \p{Sylo}; NOT \p{Block=Syloti_Nagri})
                           (56)
  \p{Symbol}
                         \p{General_Category=Symbol} (Short: \p{S})
                           (6899)
  \p{Syrc}
                         \p{Syriac} (= \p{Script_Extensions=
                           Syriac}) (NOT \p{Block=Syriac}) (93)
  \p{Syriac}
                         \p{Script Extensions=Syriac} (Short:
                           \p{Syrc}; NOT \p{Block=Syriac}) (93)
  \p{Tagalog}
                         \p{Script_Extensions=Tagalog} (Short:
                           \p{Tglg}; NOT \p{Block=Tagalog}) (22)
  \p{Taqb}
                         \p{Tagbanwa} (= \p{Script_Extensions=
                           Tagbanwa\}) (NOT p\{Block=Tagbanwa\}) (20)
 \p{Tagbanwa}
                         \p{Script_Extensions=Tagbanwa} (Short:
                           \p{Tagb}; NOT \p{Block=Tagbanwa}) (20)
X \p{Tags}
                         p\{Block=Tags\} (128)
                         \p{Script_Extensions=Tai_Le} (Short:
 \p{Tai_Le}
                           \p{Tale}; NOT \p{Block=Tai_Le}) (45)
  \p{Tai Tham}
                         \p{Script Extensions=Tai Tham} (Short:
                           \p{Lana}; NOT \p{Block=Tai_Tham}) (127)
  \p{Tai_Viet}
                         \p{Script_Extensions=Tai_Viet} (Short:
                           \p{Tavt}; NOT \p{Block=Tai_Viet}) (72)
X \p{Tai_Xuan_Jing}
                         \p{Tai_Xuan_Jing_Symbols} (= \p{Block=
```



```
Tai_Xuan_Jing_Symbols}) (96)
X \p{Tai_Xuan_Jing_Symbols}
                            \p{Block=Tai_Xuan_Jing_Symbols} (Short:
                            \p{InTaiXuanJing}) (96)
  \p{Takr}
                          \p{Takri} (= \p{Script_Extensions=Takri})
                            (NOT \p{Block=Takri}) (78)
                          \p{Script_Extensions=Takri} (Short:
  \p{Takri}
                            \p{Takr}; NOT \p{Block=Takri}) (78)
  \p{Tale}
                          \p{Tai_Le} (= \p{Script_Extensions=
                            Tai_Le}) (NOT \p{Block=Tai_Le}) (45)
  \p{Talu}
                          \p{New_Tai_Lue} (= \p{Script_Extensions=
                            New_Tai_Lue}) (NOT \p{Block=
                            New_Tai_Lue}) (83)
  \p{Tamil}
                          \p{Script_Extensions=Tamil} (Short:
                            \p{Taml}; NOT \p{Block=Tamil}) (80)
  \p{Taml}
                          \p{Tamil} (= \p{Script_Extensions=Tamil})
                             (NOT \p{Block=Tamil}) (80)
  \p{Tang}
                          \p{Tangut} (= \p{Script_Extensions=
                            Tangut}) (NOT \p{Block=Tangut}) (6881)
  \p{Tangut}
                          \p{Script_Extensions=Tangut} (Short:
                            \p{Tang}; NOT \p{Block=Tangut}) (6881)
X \p{Tangut_Components}
                          \p{Block=Tangut_Components} (768)
                          \p{Tai_Viet} (= \p{Script_Extensions=
  \p{Tavt}
                            Tai_Viet}) (NOT \p{Block=Tai_Viet}) (72)
  \p{Telu}
                          \p{Telugu} (= \p{Script_Extensions=
                            Telugu}) (NOT \p{Block=Telugu}) (101)
  \p{Telugu}
                          \p{Script_Extensions=Telugu} (Short:
                            \p{Telu}; NOT \p{Block=Telugu}) (101)
  \p{Term}
                          \p{Terminal_Punctuation} (=
                            \p{Terminal_Punctuation=Y}) (246)
                          \p{Terminal_Punctuation: *}
  \p{Term: *}
  \p{Terminal_Punctuation} \p{Terminal_Punctuation=Y} (Short:
                            \p{Term}) (246)
  \p{Terminal_Punctuation: N*} (Short: \p{Term=N}, \P{Term})
                            (1_113_866 plus all above-Unicode code
                            points)
  \p{Terminal\_Punctuation: Y*} (Short: \p{Term=Y}, \p{Term}) (246)
                          \p{Tifinagh} (= \p{Script_Extensions=
  \p{Tfng}
                            Tifinagh}) (NOT \p{Block=Tifinagh}) (59)
  \p{Tglg}
                          \p{Tagalog} (= \p{Script_Extensions=
                            Tagalog}) (NOT \p{Block=Tagalog}) (22)
  \p{Thaa}
                          \p{Thaana} (= \p{Script Extensions=
                            Thaana}) (NOT \p{Block=Thaana}) (65)
  \p{Thaana}
                          \p{Script_Extensions=Thaana} (Short:
                            \p{Thaa}; NOT \p{Block=Thaana}) (65)
  \p{Thai}
                          \p{Script_Extensions=Thai} (NOT \p{Block=
                            Thai}) (86)
  \p{Tibetan}
                          \p{Script_Extensions=Tibetan} (Short:
                            \p{Tibt}; NOT \p{Block=Tibetan}) (207)
  \p{Tibt}
                          \p{Tibetan} (= \p{Script_Extensions=
                            Tibetan}) (NOT \p{Block=Tibetan}) (207)
  \p{Tifinagh}
                          \p{Script_Extensions=Tifinagh} (Short:
                            \p{Tfng}; NOT \p{Block=Tifinagh}) (59)
  \p{Tirh}
                          \p{Tirhuta} (= \p{Script_Extensions=
                            Tirhuta}) (NOT \p{Block=Tirhuta}) (94)
  \p{Tirhuta}
                          \p{Script_Extensions=Tirhuta} (Short:
                            \p{Tirh}; NOT \p{Block=Tirhuta}) (94)
```



```
\p{Title}
                          \p{Titlecase} (/i= Cased=Yes) (31)
  \p{Titlecase}
                          (= p\{Gc=Lt\}) (Short: p\{Title\}; /i=
                            Cased=Yes) (31)
  \p{Titlecase_Letter}
                          \p{General_Category=Titlecase_Letter}
                             (Short: \p{Lt}; /i= General_Category=
                            Cased_Letter) (31)
X \p{Transport_And_Map}
                          \p{Transport_And_Map_Symbols} (= \p{Block=
                            Transport_And_Map_Symbols}) (128)
X \p{Transport_And_Map_Symbols} \p{Block=Transport_And_Map_Symbols}
                            (Short: \p{InTransportAndMap}) (128)
                          \p{Unified_Canadian_Aboriginal_Syllabics}
X \p{UCAS}
                            (= \p{Block}=
                            Unified_Canadian_Aboriginal_Syllabics})
                            (640)
X \p{UCAS_Ext}
                          \p{Unified_Canadian_Aboriginal_Syllabics_-
                            Extended} (= \p{Block=
                            Unified_Canadian_Aboriginal_Syllabics_-
                            Extended) (80)
  \p{Ugar}
                          \p{Ugaritic} (= \p{Script_Extensions=
                            Ugaritic}) (NOT \p{Block=Ugaritic}) (31)
  \p{Ugaritic}
                          \p{Script_Extensions=Ugaritic} (Short:
                            \p{Ugar}; NOT \p{Block=Ugaritic}) (31)
  \p{UIdeo}
                          \p{Unified_Ideograph} (=
                            \p{Unified_Ideograph=Y}) (80_388)
                          \p{Unified_Ideograph: *}
  \p{UIdeo: *}
  \p{Unassigned}
                          \p{General_Category=Unassigned} (Short:
                            p\{Cn\}) (846_359 plus all above-Unicode
                            code points)
  \p{Unicode}
                          \p{Any} (1_114_112)
X \p{Unified_Canadian_Aboriginal_Syllabics} \p{Block=
                            Unified_Canadian_Aboriginal_Syllabics}
                            (Short: \p{InUCAS}) (640)
X \p{Unified_Canadian_Aboriginal_Syllabics_Extended} \p{Block=
                            Unified_Canadian_Aboriginal_Syllabics_-
                            Extended  (Short: \p{InUCASExt}) (80)
  \p{Unified_Ideograph}
                          \p{Unified_Ideograph=Y} (Short: \p{UIdeo})
                            (80_388)
  \p{Unified_Ideograph: N*} (Short: \p{UIdeo=N}, \P{UIdeo})
                            (1_033_724 plus all above-Unicode code
                            points)
  \p{Unified_Ideograph: Y*} (Short: \p{UIdeo=Y}, \p{UIdeo}) (80_388)
  \p{Unknown}
                          \p{Script_Extensions=Unknown} (Short:
                            p{Zzzz} (985_875 plus all above-
                            Unicode code points)
  \p{Upper}
                          \p{XPosixUpper} (= \p{Uppercase=Y}) (/i=
                            Cased=Yes) (1822)
  \p{Upper: *}
                          \p{Uppercase: *}
  \p{Uppercase}
                          \p{XPosixUpper} (= \p{Uppercase=Y}) (/i=
                            Cased=Yes) (1822)
  \p{Uppercase: N*}
                          (Short: \p{Upper=N}, \P{Upper}; /i= Cased=
                            No) (1_112_290 plus all above-Unicode
                            code points)
  \p{Uppercase: Y*}
                          (Short: \p{Upper=Y}, \p{Upper}; /i= Cased=
                            Yes) (1822)
                          \p{General_Category=Uppercase_Letter}
  \p{Uppercase_Letter}
                            (Short: \p{Lu}; /i= General_Category=
```



```
Cased_Letter) (1702)
  \p{Vai}
                         \p{Script_Extensions=Vai} (NOT \p{Block=
                           Vai}) (300)
 \p{Vaii}
                         \p{Vai} (= \p{Script\_Extensions=Vai}) (NOT)
                           \p{Block=Vai}) (300)
  \p{Variation_Selector}
                         \p{Variation_Selector=Y} (Short: \p{VS};
                           NOT \P\{Variation\_Selectors\}) (259)
  plus all above-Unicode code points)
 \p{Variation\_Selector: Y*} (Short: \p{VS=Y}, \p{VS}) (259)
X \p{Variation_Selectors} \p{Block=Variation_Selectors} (Short:
                           \p{InVS}) (16)
X \p{Variation_Selectors_Supplement} \p{Block=
                           p{InVSSup} (240)
X \p{Vedic_Ext}
                         \p{Vedic\_Extensions} (= \p{Block} = \p{Constant})
                           Vedic_Extensions}) (48)
X \p{Vedic_Extensions}
                         \p{Block=Vedic_Extensions} (Short:
                           \p{InVedicExt}) (48)
X \p{Vertical_Forms}
                         \p{Block=Vertical_Forms} (16)
                         \v (7)
  \p{VertSpace}
                         \p{Variation_Selector} (=
  \p{VS}
                           \p{Variation_Selector=Y}) (NOT
                           \p{Variation_Selectors}) (259)
 \p{VS: *}
                         \p{Variation_Selector: *}
X \p{VS\_Sup}
                         \p{Variation_Selectors_Supplement} (=
                           \p{Block=
                           Variation_Selectors_Supplement}) (240)
 \p{Wara}
                         \p{Warang_Citi} (= \p{Script_Extensions=
                           Warang_Citi}) (NOT \p{Block=
                           Warang_Citi}) (84)
 \p{Warang_Citi}
                         \p{Script_Extensions=Warang_Citi} (Short:
                           \p{Wara}; NOT \p{Block=Warang_Citi}) (84)
 \p{WB: *}
                         \p{Word_Break: *}
  \p{White_Space}
                         \p{White\_Space=Y} (Short: \p{Space}) (25)
  \p{White_Space: N*}
                         (Short: p{Space=N}, P{Space}) (1_114_087
                           plus all above-Unicode code points)
  \p{White_Space: Y*}
                         (Short: p{Space=Y}, p{Space}) (25)
  \p{Word}
                         \p{XPosixWord} (119_821)
  \p{Word\_Break: ALetter} (Short: \p{WB=LE}) (27_992)
  \p{Word Break: CR}
                         (Short: p\{WB=CR\}) (1)
  \p{Word_Break: Double_Quote} (Short: \p{WB=DQ}) (1)
  \p{Word_Break: DQ}
                         \p{Word_Break=Double_Quote} (1)
  \p{Word\_Break: E\_Base} (Short: \p{WB=EB}) (79)
  \p{Word\_Break: E\_Base\_GAZ} (Short: \p{WB=EBG}) (4)
 \p{Word\_Break: E\_Modifier} (Short: \p{WB=EM}) (5)
 \p{Word_Break: EB}
                         \p{Word_Break=E_Base} (79)
  \p{Word_Break: EBG}
                         \p{Word_Break=E_Base_GAZ} (4)
  \p{Word_Break: EM}
                         \p{Word_Break=E_Modifier} (5)
  \p{Word_Break: EX}
                         \p{Word_Break=ExtendNumLet} (11)
  \p{Word_Break: Extend} (Short: \p{WB=Extend}) (2196)
  \p{Word_Break: ExtendNumLet} (Short: \p{WB=EX}) (11)
  \p{Word_Break: FO}
                        \p{Word_Break=Format} (52)
  \p{Word_Break: Format} (Short: \p{WB=FO}) (52)
  \p{Word_Break: GAZ}
                         \p{Word_Break=Glue_After_Zwj} (3)
  \p{Word_Break: Glue_After_Zwj} (Short: \p{WB=GAZ}) (3)
```



```
\p{Word_Break: Hebrew_Letter} (Short: \p{WB=HL}) (74)
                        \p{Word_Break=Hebrew_Letter} (74)
\p{Word_Break: HL}
\p{Word_Break: KA}
                        \p{Word_Break=Katakana} (310)
\p{Word_Break: Katakana} (Short: \p{WB=KA}) (310)
\p{Word_Break: LE}
                        \p{Word_Break=ALetter} (27_992)
\p{Word_Break: LF}
                        (Short: p\{WB=LF\}) (1)
\p{Word_Break: MB}
                        \p{Word_Break=MidNumLet} (7)
\p{Word\_Break: MidLetter} (Short: \p{WB=ML}) (9)
\p{Word\_Break: MidNum} (Short: \p{WB=MN}) (15)
\p{Word_Break: MidNumLet} (Short: \p{WB=MB}) (7)
\p{Word_Break: ML}
                        \p{Word_Break=MidLetter} (9)
\p{Word Break: MN}
                        \p{Word_Break=MidNum} (15)
\p{Word\_Break: Newline} (Short: \p{WB=NL}) (5)
\p{Word_Break: NL}
                        \p{Word_Break=Newline} (5)
\p{Word_Break: NU}
                        \p{Word_Break=Numeric} (571)
\p{Word_Break: Numeric} (Short: \p{WB=NU}) (571)
\p{Word\_Break: Other} (Short: \p{WB=XX}) (1_082_748 plus all
                           above-Unicode code points)
\p{Word_Break: Regional_Indicator} (Short: \p{WB=RI}) (26)
\p{Word_Break: RI}
                       \p{Word_Break=Regional_Indicator} (26)
\p{Word_Break: Single_Quote} (Short: \p{WB=SQ}) (1)
\p{Word_Break: SQ}
                        \p{Word_Break=Single_Quote} (1)
\p{Word_Break: XX}
                        \p{Word\_Break=Other} (1_082_748 plus all
                           above-Unicode code points)
                         (Short: p\{WB=ZWJ\}) (1)
\p{Word_Break: ZWJ}
\p{WSpace}
                         \p{White\_Space} (= \p{White\_Space=Y}) (25)
                         \p{White_Space: *}
\p{WSpace: *}
\p{XDigit}
                         \p{XPosixXDigit} (= \p{Hex_Digit=Y}) (44)
\p{XID_Continue}
                         \p{XID\_Continue=Y} (Short: \p{XIDC})
                           (119_672)
\p{XID Continue: N*}
                         (Short: p{XIDC=N}, P{XIDC}) (994_440
                          plus all above-Unicode code points)
\p{XID_Continue: Y*}
                         (Short: p\{XIDC=Y\}, p\{XIDC\}) (119_672)
\p{XID Start}
                         \p{XID\_Start=Y} (Short: \p{XIDS}) (116\_984)
\p{XID_Start: N*}
                         (Short: p{XIDS=N}, P{XIDS}) (997_128
                          plus all above-Unicode code points)
\p{XID_Start: Y*}
                         (Short: p\{XIDS=Y\}, p\{XIDS\}) (116_984)
\p{XIDC}
                         \p{XID\_Continue} (= \p{XID\_Continue=Y})
                          (119_672)
\p{XIDC: *}
                         \p{XID_Continue: *}
\p{XIDS}
                         \p{XID\_Start} (= \p{XID\_Start=Y}) (116\_984)
                         \p{XID_Start: *}
\p{XIDS: *}
                         \p{Old\_Persian} (= \p{Script\_Extensions} = \p{Old\_Persian})
\p{Xpeo}
                           Old_Persian ) (NOT \p{Block=
                           Old_Persian}) (50)
\p{XPerlSpace}
                        \p{XPosixSpace} (25)
                        Alphabetic and (decimal) Numeric (Short:
\p{XPosixAlnum}
                           \p{Alnum}) (118_820)
\p{XPosixAlpha}
                         \p{Alphabetic=Y} (Short: \p{Alpha})
                           (118_240)
\p{XPosixBlank}
                         \h, Horizontal white space (Short:
                           p\{Blank\}) (18)
\p{XPosixCntrl}
                        \p{General_Category=Control} Control
                          characters (Short: p\{Cc\}) (65)
\p{XPosixDigit}
                        \p{General_Category=Decimal_Number} [0-9]
                           + all other decimal digits (Short:
```



```
p{Nd} (580)
  \p{XPosixGraph}
                          Characters that are graphical (Short:
                             \p{Graph}) (265_621)
  \p{XPosixLower}
                          \p{Lowercase=Y} (Short: \p{Lower}; /i=
                             Cased=Yes) (2252)
  \p{XPosixPrint}
                          Characters that are graphical plus space
                             characters (but no controls) (Short:
                             \p{Print}) (265_638)
  \p{XPosixPunct}
                           \p{Punct} + ASCII-range \p{Symbol} (757)
  \p{XPosixSpace}
                          \s including beyond ASCII and vertical tab
                            (Short: \p{SpacePerl}) (25)
  \p{XPosixUpper}
                          \p{Uppercase=Y} (Short: \p{Upper}; /i=
                            Cased=Yes) (1822)
                          \w, including beyond ASCII; = \p{Alnum} +
  \p{XPosixWord}
                             \pM + \p{Pc} (Short: \p{Word}) (119_821)
  \p{XPosixXDigit}
                          \p{Hex\_Digit=Y} (Short: \p{Hex}) (44)
  \p{Xsux}
                          \p{Cuneiform} (= \p{Script_Extensions=
                            Cuneiform}) (NOT \p{Block=Cuneiform})
                          \p{Script_Extensions=Yi} (1246)
  \p{Yi}
X \p{Yi_Radicals}
                           \p{Block=Yi_Radicals} (64)
X \p{Yi_Syllables}
                           \p{Block=Yi_Syllables} (1168)
  \p{Yiii}
                           \p{Yi} (= \p{Script\_Extensions=Yi}) (1246)
X \p{Yijing}
                          \p{Yijing\_Hexagram\_Symbols} (= \p{Block=}
                            Yijing_Hexagram_Symbols}) (64)
X \p{Yijing_Hexagram_Symbols} \p{Block=Yijing_Hexagram_Symbols}
                             (Short: \p{InYijing}) (64)
  \p{Z} \p{Z}
                          \p{Separator} (= \p{General_Category=
                             Separator}) (19)
                          \p{Inherited} (= \p{Script_Extensions=
  \p{Zinh}
                             Inherited}) (496)
  \p{Z1}
                          \p{Line_Separator} (= \p{General_Category=
                            Line_Separator}) (1)
  p{Zp}
                          \p{Paragraph_Separator} (=
                             \p{General_Category=
                            Paragraph_Separator}) (1)
  p{Zs}
                          \p{Space_Separator} (=
                             \p{General_Category=Space_Separator})
                             (17)
  \p{Zyyy}
                          \p{Common} (= \p{Script_Extensions=
                            Common) (6864)
  \p{Zzzz}
                          \p{Unknown} (= \p{Script_Extensions=
                            Unknown)) (985_875 plus all above-
                            Unicode code points)
TX\p{_CanonDCIJ}
                           (For internal use by Perl, not necessarily
                            stable) (= p\{Soft\_Dotted=Y\}) (46)
TX\p{_Case_Ignorable}
                           (For internal use by Perl, not necessarily
                            stable) (= p\{Case\_Ignorable=Y\}) (2240)
TX\p{_CombAbove}
                           (For internal use by Perl, not necessarily
                             stable) (= \p{Canonical_Combining_Class=
                            Above}) (461)
```

Legal \p{} and \P{} constructs that match no characters

Unicode has some property-value pairs that currently don't match anything. This happens generally either because they are obsolete, or they exist for symmetry with other forms, but no language has



yet been encoded that uses them. In this version of Unicode, the following match zero code points:

```
\p{Canonical_Combining_Class=Attached_Below_Left} \p{Canonical_Combining_Class=CCC133}
```

Properties accessible through Unicode::UCD

The value of any Unicode (not including Perl extensions) character property mentioned above for any single code point is available through "charprop()" in Unicode::UCD. "charprops_all()" in Unicode::UCD returns the values of all the Unicode properties for a given code point.

Besides these, all the Unicode character properties mentioned above (except for those marked as for internal use by Perl) are also accessible by "prop_invlist()" in Unicode::UCD.

Due to their nature, not all Unicode character properties are suitable for regular expression matches, nor prop_invlist(). The remaining non-provisional, non-internal ones are accessible via "prop_invmap()" in Unicode::UCD (except for those that this Perl installation hasn't included; see below for which those are).

For compatibility with other parts of Perl, all the single forms given in the table in the section above are recognized. BUT, there are some ambiguities between some Perl extensions and the Unicode properties, all of which are silently resolved in favor of the official Unicode property. To avoid surprises, you should only use $prop_invmap()$ for forms listed in the table below, which omits the non-recommended ones. The affected forms are the Perl single form equivalents of Unicode properties, such as pselection properties, being a single-form equivalent of pselection properties, which is treated by $prop_invmap()$ as the $prop_invmap()$ and $prop_invmap()$ as the $prop_invmap()$ and $prop_invmap()$ as the $prop_invmap()$ and $prop_invmap()$ are $prop_invmap()$ as the $prop_invmap()$ and $prop_invmap()$ are $prop_invmap()$ as the $prop_invmap()$ and $prop_i$

The standard Unicode properties listed below are documented in http://www.unicode.org/reports/tr44/; Perl_Decimal_Digit is documented in "prop_invmap()" in Unicode::UCD. The other Perl extensions are in "Other Properties" in perlunicode;

The first column in the table is a name for the property; the second column is an alternative name, if any, plus possibly some annotations. The alternative name is the property's full name, unless that would simply repeat the first column, in which case the second column indicates the property's short name (if different). The annotations are given only in the entry for the full name. If a property is obsolete, etc, the entry will be flagged with the same characters used in the table in the section above , like **D** or **S**.

```
NAME
                          INFO
Age
AHex
                        ASCII Hex Digit
All
                        (Perl extension). All code points,
                        including those above Unicode. Same as
                        qr/./s
Alnum
                        XPosixAlnum. (Perl extension)
Alpha
                        Alphabetic
Alphabetic
                        (Short: Alpha)
                        (Perl extension). All Unicode code
Any
                        points: [\x{0000}-\x{10FFFF}]
                        Block=ASCII. (Perl extension).
ASCII
                        [[:ASCII:]]
ASCII_Hex_Digit
                        (Short: AHex)
                        (Perl extension). All assigned code points
Assigned
Вс
                        Bidi_Class
Bidi_C
                        Bidi_Control
Bidi_Class
                        (Short: bc)
Bidi_Control
                        (Short: Bidi_C)
```



```
Bidi M
                        Bidi_Mirrored
Bidi Mirrored
                        (Short: Bidi_M)
Bidi_Mirroring_Glyph
                        (Short: bmg)
Bidi_Paired_Bracket
                        (Short: bpb)
Bidi_Paired_Bracket_Type (Short: bpt)
Blank
                        XPosixBlank. (Perl extension)
Blk
                        Block
Block
                         (Short: blk)
Bmg
                        Bidi_Mirroring_Glyph
Bpb
                        Bidi_Paired_Bracket
                        Bidi Paired Bracket Type
Bpt
Canonical Combining Class (Short: ccc)
Case Folding
                        (Short: cf)
Case_Ignorable
                        (Short: CI)
Cased
                        General Category
Category
                        Canonical_Combining_Class
Ccc
CE
                        Composition_Exclusion
Cf
                        Case_Folding; NOT 'cf' meaning
                         'General_Category=Format'
Changes_When_Casefolded (Short: CWCF)
Changes_When_Casemapped (Short: CWCM)
Changes When Lowercased (Short: CWL)
Changes_When_NFKC_Casefolded (Short: CWKCF)
Changes_When_Titlecased (Short: CWT)
Changes_When_Uppercased (Short: CWU)
CI
                        Case Ignorable
                        General_Category=XPosixCntrl. (Perl
Cntrl
                        extension)
Comp_Ex
                        Full_Composition_Exclusion
Composition Exclusion
                        (Short: CE)
CWCF
                        Changes_When_Casefolded
CWCM
                        Changes_When_Casemapped
CWKCF
                        Changes When NFKC Casefolded
CWL
                        Changes_When_Lowercased
CWT
                        Changes_When_Titlecased
CWU
                        Changes_When_Uppercased
Dash
Decomposition_Mapping (Short: dm)
Decomposition_Type
                        (Short: dt)
Default Ignorable Code Point (Short: DI)
Dep
                        Deprecated
Deprecated
                        (Short: Dep)
DΤ
                        Default_Ignorable_Code_Point
Dia
                        Diacritic
                        (Short: Dia)
Diacritic
Digit
                        General_Category=XPosixDigit. (Perl
                        extension)
Dm
                        Decomposition_Mapping
Dt.
                        Decomposition_Type
                        East_Asian_Width
East Asian Width
                         (Short: ea)
Ext
                        Extender
Extender
                        (Short: Ext)
Full_Composition_Exclusion (Short: Comp_Ex)
                        General_Category
```



```
GCB
                          Grapheme_Cluster_Break
  General_Category
                           (Short: gc)
 Gr_Base
                          Grapheme_Base
  Gr_Ext
                          Grapheme_Extend
  Graph
                          XPosixGraph. (Perl extension)
                          (Short: Gr_Base)
  Grapheme_Base
  Grapheme_Cluster_Break (Short: GCB)
  Grapheme_Extend
                          (Short: Gr_Ext)
  Hangul_Syllable_Type
                          (Short: hst)
  Hex
                          Hex_Digit
                          (Short: Hex)
 Hex Digit
 HorizSpace
                          XPosixBlank. (Perl extension)
 Hst
                          Hangul_Syllable_Type
                          Supplanted by Line_Break property values;
D Hyphen
                          see www.unicode.org/reports/tr14
  ID Continue
                          (Short: IDC)
  ID Start
                          (Short: IDS)
  IDC
                          ID_Continue
  Ideo
                          Ideographic
  Ideographic
                          (Short: Ideo)
  IDS
                          ID_Start
                          (Short: IDSB)
  IDS_Binary_Operator
  IDS_Trinary_Operator
                           (Short: IDST)
  IDSB
                          IDS_Binary_Operator
  IDST
                          IDS_Trinary_Operator
  In
                          Present_In. (Perl extension)
  Indic Positional Category (Short: InPC)
  Indic_Syllabic_Category (Short: InSC)
  InPC
                           Indic_Positional_Category
  InSC
                          Indic_Syllabic_Category
  Isc
                          ISO_Comment; NOT 'isc' meaning
                          'General_Category=Other'
  ISO Comment
                          (Short: isc)
                          Joining Group
  Jq
  Join C
                          Join_Control
  Join_Control
                          (Short: Join_C)
  Joining_Group
                          (Short: jg)
                          (Short: jt)
  Joining_Type
  Jt.
                          Joining_Type
  Lb
                          Line_Break
 Lc
                          Lowercase Mapping; NOT 'lc' meaning
                           'General_Category=Cased_Letter'
 Line Break
                          (Short: lb)
                          Logical_Order_Exception
  LOE
  Logical_Order_Exception (Short: LOE)
 Lower
                          Lowercase
 Lowercase
                          (Short: Lower)
  Lowercase_Mapping
                          (Short: lc)
 Math
 Na
                          Name
 Na1
                          Unicode_1_Name
  Name
                           (Short: na)
 Name Alias
 NChar
                          Noncharacter_Code_Point
 NFC_QC
                          NFC_Quick_Check
 NFC_Quick_Check
                          (Short: NFC_QC)
```



```
NFD_QC
                        NFD_Quick_Check
                        (Short: NFD_QC)
NFD Ouick Check
NFKC_Casefold
                        (Short: NFKC_CF)
NFKC_CF
                        NFKC_Casefold
                        NFKC_Quick_Check
NFKC_QC
NFKC_Quick_Check
                        (Short: NFKC_QC)
NFKD_QC
                        NFKD_Quick_Check
NFKD_Quick_Check
                        (Short: NFKD_QC)
Noncharacter_Code_Point (Short: NChar)
Nt
                       Numeric_Type
Numeric Type
                        (Short: nt)
Numeric Value
                        (Short: nv)
Νv
                        Numeric Value
                        Pattern_Syntax
Pat_Syn
Pat WS
                        Pattern_White_Space
Pattern_Syntax
                        (Short: Pat_Syn)
Pattern_White_Space
                        (Short: Pat_WS)
PCM
                       Prepended_Concatenation_Mark
Perl_Decimal_Digit
                       (Perl extension)
PerlSpace
                       PosixSpace. (Perl extension)
                       PosixWord. (Perl extension)
PerlWord
                        (Perl extension). [A-Za-z0-9]
PosixAlnum
PosixAlpha
                        (Perl extension). [A-Za-z]
PosixBlank
                        (Perl extension). \t and '
PosixCntrl
                        (Perl extension). ASCII control
                        characters: NUL, SOH, STX, ETX, EOT, ENQ,
                        ACK, BEL, BS, HT, LF, VT, FF, CR, SO, SI,
                        DLE, DC1, DC2, DC3, DC4, NAK, SYN, ETB,
                        CAN, EOM, SUB, ESC, FS, GS, RS, US, and DEL
PosixDigit
                        (Perl extension). [0-9]
PosixGraph
                        (Perl extension). [-!"#$%&'()*+,./:;<=
                        >?@[\\]^_`{|}~0-9A-Za-z]
PosixLower
                        (Perl extension). [a-z]
PosixPrint
                        (Perl extension). [- 0-9A-Za-
                        z!"#$%&'()*+,./:;<=>?@[\\]^_`{|}~]
                        (Perl extension). [-!"#$%&'()*+,./:;<=
PosixPunct
                        >?@[\\]^_`{|}~]
PosixSpace
                        (Perl extension). \t, \n, \cK, \f, \r,
                        and ' '. (\cK is vertical tab)
PosixUpper
                        (Perl extension). [A-Z]
PosixWord
                        (Perl extension). \w, restricted to ASCII
                        = [A-Za-z0-9]
PosixXDigit
                        (Perl extension). [0-9A-Fa-f]
Prepended_Concatenation_Mark (Short: PCM)
                        (Short: In). (Perl extension)
Present In
                        XPosixPrint. (Perl extension)
Print
Punct
                        General_Category=Punct. (Perl extension)
                        Quotation_Mark
OMark
Quotation_Mark
                        (Short: QMark)
Radical
                        Sentence_Break
SB
Sc
                        Script; NOT 'sc' meaning
                        'General_Category=Currency_Symbol'
                        Simple_Case_Folding
Scf
Script
                        (Short: sc)
Script Extensions
                        (Short: scx)
```



```
Script_Extensions
Scx
SD
                        Soft_Dotted
Sentence_Break
                        (Short: SB)
Sentence_Terminal
                        (Short: STerm)
Sfc
                        Simple_Case_Folding
Simple_Case_Folding
                        (Short: scf)
Simple_Lowercase_Mapping (Short: slc)
Simple_Titlecase_Mapping (Short: stc)
Simple_Uppercase_Mapping (Short: suc)
Slc
                       Simple_Lowercase_Mapping
Soft Dotted
                        (Short: SD)
Space
                        White Space
SpacePerl
                        XPosixSpace. (Perl extension)
                        Simple_Titlecase_Mapping
St.c
STerm
                        Sentence_Terminal
Suc
                        Simple_Uppercase_Mapping
TC
                        Titlecase_Mapping
Term
                        Terminal_Punctuation
Terminal_Punctuation
                        (Short: Term)
                        Titlecase. (Perl extension)
Title
                        (Short: Title). (Perl extension). (=
Titlecase
                        \p{Gc=Lt})
Titlecase_Mapping
                        (Short: tc)
                        Uppercase_Mapping
UIdeo
                        Unified_Ideograph
Unicode
                        Any. (Perl extension)
                        (Short: na1)
Unicode 1 Name
Unified_Ideograph
                        (Short: UIdeo)
                        Uppercase
Upper
Uppercase
                        (Short: Upper)
Uppercase Mapping
                        (Short: uc)
Variation_Selector
                        (Short: VS)
VertSpace
                        (Perl extension). \v
VS
                        Variation Selector
WB
                        Word Break
White_Space
                        (Short: WSpace)
Word
                        XPosixWord. (Perl extension)
Word Break
                        (Short: WB)
WSpace
                        White_Space
XDigit
                        XPosixXDigit. (Perl extension)
XID Continue
                        (Short: XIDC)
XID Start
                        (Short: XIDS)
                        XID_Continue
XTDC
XIDS
                        XID_Start
                        XPosixSpace. (Perl extension)
XPerlSpace
XPosixAlnum
                        (Short: Alnum). (Perl extension).
                        Alphabetic and (decimal) Numeric
XPosixAlpha
                        (Perl extension)
XPosixBlank
                        (Short: Blank). (Perl extension). \h,
                        Horizontal white space
XPosixCntrl
                        General_Category=XPosixCntrl (Short:
                        Cntrl). (Perl extension). Control
                        characters
XPosixDigit
                        General_Category=XPosixDigit (Short:
                        Digit). (Perl extension). [0-9] + all
                        other decimal digits
```



```
(Short: Graph).
XPosixGraph
                                         (Perl extension).
                        Characters that are graphical
                        (Perl extension)
XPosixLower
XPosixPrint
                        (Short: Print). (Perl extension).
                        Characters that are graphical plus space
                        characters (but no controls)
XPosixPunct
                        (Perl extension). \p{Punct} + ASCII-range
                        \p{Symbol}
XPosixSpace
                        (Perl extension). \s including beyond
                       ASCII and vertical tab
XPosixUpper
                       (Perl extension)
                        (Short: Word). (Perl extension). \w,
XPosixWord
                        including beyond ASCII; = \p{Alnum} + \pM
                        + \p{Pc}
                        (Short: XDigit). (Perl extension)
XPosixXDigit
```

Properties accessible through other means

Certain properties are accessible also via core function calls. These are:

```
Lowercase_Mapping lc() and lcfirst()
Titlecase_Mapping ucfirst()
Uppercase_Mapping uc()
```

Also, Case_Folding is accessible through the /i modifier in regular expressions, the \F transliteration escape, and the fc operator.

And, the Name and Name_Aliases properties are accessible through the $\N{}$ interpolation in double-quoted strings and regular expressions; and functions charnames::viacode(), charnames::vianame(), and charnames::string_vianame() (which require a use charnames (); to be specified.

Finally, most properties related to decomposition are accessible via *Unicode::Normalize*.

Unicode character properties that are NOT accepted by Perl

Perl will generate an error for a few character properties in Unicode when used in a regular expression. The non-Unihan ones are listed below, with the reasons they are not accepted, perhaps with work-arounds. The short names for the properties are listed enclosed in (parentheses). As described after the list, an installation can change the defaults and choose to accept any of these. The list is machine generated based on the choices made for the installation that generated this document.

```
Expands_On_NFC (XO_NFC)
Expands_On_NFD (XO_NFD)
Expands_On_NFKC (XO_NFKC)
Expands_On_NFKD (XO_NFKD)
```

Deprecated by Unicode. These are characters that expand to more than one character in the specified normalization form, but whether they actually take up more bytes or not depends on the encoding being used. For example, a UTF-8 encoded character may expand to a different number of bytes than a UTF-32 encoded character.

```
Grapheme_Link (Gr_Link)

Deprecated by Unicode: Duplicates ccc=vr (Canonical_Combining_Class=Virama)

Jamo_Short_Name (JSN)

Other_Alphabetic (OAlpha)
```



Other Default Ignorable Code Point (ODI)

Other_Grapheme_Extend (OGr_Ext)

Other_ID_Continue (OIDC)

Other_ID_Start (OIDS)

Other_Lowercase (OLower)

Other_Math (OMath)

Other_Uppercase (OUpper)

Used by Unicode internally for generating other properties and not intended to be used stand-alone

Script=Katakana_Or_Hiragana (sc=Hrkt)

Obsolete. All code points previously matched by this have been moved to "Script=Common". Consider instead using "Script_Extensions=Katakana" or "Script_Extensions=Hiragana" (or both)

Script_Extensions=Katakana_Or_Hiragana (scx=Hrkt)

All code points that would be matched by this are matched by either "Script_Extensions=Katakana" or "Script_Extensions=Hiragana"

An installation can choose to allow any of these to be matched by downloading the Unicode database from http://www.unicode.org/Public/ to \$Config{privlib}/unicore/in the Perl source tree, changing the controlling lists contained in the program \$Config{privlib}/unicore/mktables and then re-compiling and installing. (\$Config is available from the Config module).

Also, perl can be recompiled to operate on an earlier version of the Unicode standard. Further information is at \$Config{privlib}/unicore/README.perl.

Other information in the Unicode data base

The Unicode data base is delivered in two different formats. The XML version is valid for more modern Unicode releases. The other version is a collection of files. The two are intended to give equivalent information. Perl uses the older form; this allows you to recompile Perl to use early Unicode releases.

The only non-character property that Perl currently supports is Named Sequences, in which a sequence of code points is given a name and generally treated as a single entity. (Perl supports these via the \N . . . } double-quotish construct, "charnames::string_vianame(name)" in charnames, and "namedseq()" in Unicode::UCD.

Below is a list of the files in the Unicode data base that Perl doesn't currently use, along with very brief descriptions of their purposes. Some of the names of the files have been shortened from those that Unicode uses, in order to allow them to be distinguishable from similarly named files on file systems for which only the first 8 characters of a name are significant.

auxiliary/GraphemeBreakTest.html auxiliary/LineBreakTest.html auxiliary/SentenceBreakTest.html auxiliary/WordBreakTest.html

Documentation of validation Tests

BidiCharacterTest.txt

BidiTest.txt

NormTest.txt

Validation Tests



CJKRadicals.txt

Maps the kRSUnicode property values to corresponding code points

EmojiSources.txt

Maps certain Unicode code points to their legacy Japanese cell-phone values

Index.txt

Alphabetical index of Unicode characters

NamedSqProv.txt

Named sequences proposed for inclusion in a later version of the Unicode Standard; if you need them now, you can append this file to *NamedSequences.txt* and recompile perl

NamesList.html

Describes the format and contents of NamesList.txt

NamesList.txt

Annotated list of characters

NormalizationCorrections.txt

Documentation of corrections already incorporated into the Unicode data base

ReadMe.txt

Documentation

StandardizedVariants.html

Obsoleted as of Unicode 9.0, but previously provided a visual display of the standard variant sequences derived from *StandardizedVariants.txt*.

StandardizedVariants.txt

Certain glyph variations for character display are standardized. This lists the non-Unihan ones; the Unihan ones are also not used by Perl, and are in a separate Unicode data base http://www.unicode.org/ivd

TangutSources.txt

Specifies source mappings for Tangut ideographs and components. This data file also includes informative radical-stroke values that are used internally by Unicode

USourceData.txt

Documentation of status and cross reference of proposals for encoding by Unicode of Unihan characters

USourceGlyphs.pdf

Pictures of the characters in USourceData.txt

SEE ALSO

http://www.unicode.org/reports/tr44/

perlrecharclass

perlunicode