

```

In [1]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
from sklearn.model_selection import train_test_split
from sklearn.metrics import accuracy_score, roc_curve, auc, f1_score, recall
import os
import cv2
from sklearn.linear_model import LogisticRegression
import seaborn as sns
from tensorflow.keras.preprocessing.image import ImageDataGenerator

# Set seaborn style for better visuals
sns.set_style("whitegrid")
plt.rcParams['font.size'] = 12
plt.rcParams['figure.figsize'] = (10, 6)

# Define tumor classes
path = os.listdir('brain_tumor/Training/')
classes = {'no_tumor': 0, 'pituitary_tumor': 1}

# Load and preprocess data
X = []
Y = []
for cls in classes:
    pth = 'brain_tumor/Training/' + cls
    for j in os.listdir(pth):
        # Load image in grayscale
        img = cv2.imread(pth + '/' + j, 0)
        img = cv2.resize(img, (200, 200))
        img_filtered = cv2.GaussianBlur(img, (5, 5), 0) # Gaussian blur
        X.append(img_filtered)
        Y.append(classes[cls])

X = np.array(X)
Y = np.array(Y)

# Normalize pixel values
X = X / 255.0

# Reshape images to 1D vectors
X = X.reshape(X.shape[0], -1)

# Split the dataset into training, validation, and testing sets
xtrain, xtest, ytrain, ytest = train_test_split(X, Y, random_state=10, test_size=0.2)
xtrain, xval, ytrain, yval = train_test_split(xtrain, ytrain, random_state=10, test_size=0.2)

# Reshape xtrain back to image format for augmentation
xtrain_images = xtrain.reshape(xtrain.shape[0], 200, 200, 1)

# Initialize ImageDataGenerator for data augmentation
datagen = ImageDataGenerator(
    rotation_range=20,
    width_shift_range=0.2,
    height_shift_range=0.2,

```

```

        shear_range=0.2,
        zoom_range=0.2,
        horizontal_flip=True,
        fill_mode='nearest'
    )

    # Fit the data augmentation generator on the training data
    datagen.fit(xtrain_images)

    # Initialize Logistic Regression model
    logistic_model = LogisticRegression(C=0.1)

    # Initialize lists to store accuracy history
    train_accuracy_history = []
    val_accuracy_history = []
    test_accuracy_history = []

    # Define the number of steps or subsets of the training data
    num_steps = 10
    step_size = len(xtrain) // num_steps

    # Train the model incrementally and record accuracy
    for i in range(1, num_steps + 1):
        subset_size = i * step_size
        xtrain_subset = xtrain[:subset_size]
        ytrain_subset = ytrain[:subset_size]

        # Generate augmented data
        augmented_images, augmented_labels = [], []
        for batch in datagen.flow(xtrain_images[:subset_size], ytrain_subset, batch_size=subset_size):
            augmented_images.append(batch[0].reshape(batch[0].shape[0], -1))
            augmented_labels.append(batch[1])
            if len(augmented_images) * batch[0].shape[0] >= subset_size:
                break

        # Combine original and augmented data
        xtrain_combined = np.vstack((xtrain_subset, np.vstack(augmented_images)))
        ytrain_combined = np.hstack((ytrain_subset, np.hstack(augmented_labels)))

        # Train the model on the combined data
        logistic_model.fit(xtrain_combined, ytrain_combined)

        # Record training accuracy
        train_accuracy = logistic_model.score(xtrain_combined, ytrain_combined)
        train_accuracy_history.append(train_accuracy)

        # Record validation accuracy
        val_accuracy = logistic_model.score(xval, yval)
        val_accuracy_history.append(val_accuracy)

        # Record testing accuracy
        test_accuracy = logistic_model.score(xtest, ytest)
        test_accuracy_history.append(test_accuracy)

    # Evaluate Logistic Regression
    logistic_train_score = logistic_model.score(xtrain, ytrain)

```

```

logistic_val_score = logistic_model.score(xval, yval)
logistic_test_score = logistic_model.score(xtest, ytest)

# Get predictions from the Logistic Regression model
logistic_preds = logistic_model.predict(xtest)

# Calculate confusion matrix
conf_matrix = confusion_matrix(ytest, logistic_preds)

# Extract True Positives (TP), False Positives (FP), True Negatives (TN), and False Negatives (FN)
true_positives = conf_matrix[1, 1] # TP
false_positives = conf_matrix[0, 1] # FP
true_negatives = conf_matrix[0, 0] # TN
false_negatives = conf_matrix[1, 0] # FN

# Calculate F1 Score, Recall, and Precision
f1 = f1_score(ytest, logistic_preds)
recall = recall_score(ytest, logistic_preds)
precision = precision_score(ytest, logistic_preds)

# Print the metrics and their formulas
print("\nClassification Metrics:")
print(f"F1 Score: {f1:.4f} (F1 = 2 * (Precision * Recall) / (Precision + Recall))")
print(f"Recall (Sensitivity): {recall:.4f} (Recall = TP / (TP + FN))")
print(f"Precision: {precision:.4f} (Precision = TP / (TP + FP))")
print(f"Specificity: {true_negatives / (true_negatives + false_positives):.4f} (Specificity = TN / (TN + FP))")

# Enhanced Confusion Matrix Visualization
plt.figure(figsize=(8, 6))
sns.heatmap(conf_matrix, annot=True, fmt='d', cmap='Blues',
            annot_kws={'size': 16, 'weight': 'bold'},
            xticklabels=['No Tumor (Predicted)', 'Pituitary (Predicted)'],
            yticklabels=['No Tumor (Actual)', 'Pituitary (Actual)'])
plt.title('Confusion Matrix\nLogistic Regression', fontsize=16, pad=20)
plt.xlabel('Predicted Label', fontsize=14, labelpad=15)
plt.ylabel('True Label', fontsize=14, labelpad=15)
plt.xticks(fontsize=12, rotation=45, ha='right')
plt.yticks(fontsize=12, rotation=0)
plt.tight_layout()
plt.show()

# ROC Curve for Logistic Regression
logistic_probs = logistic_model.predict_proba(xtest)[:, 1]
fpr_logistic, tpr_logistic, _ = roc_curve(ytest, logistic_probs)
roc_auc_logistic = auc(fpr_logistic, tpr_logistic)

# Precision-Recall Curve
precision_curve, recall_curve, _ = precision_recall_curve(ytest, logistic_probs)
average_precision = average_precision_score(ytest, logistic_probs)

# Create a figure with two subplots
plt.figure(figsize=(16, 6))

# ROC Curve
plt.subplot(1, 2, 1)
plt.plot(fpr_logistic, tpr_logistic, label=f'Logistic Regression (AUC = {roc_auc_logistic:.4f})')

```

```

plt.plot([0, 1], [0, 1], 'k--', linewidth=2)
plt.xlabel('False Positive Rate', fontsize=14)
plt.ylabel('True Positive Rate', fontsize=14)
plt.title('ROC Curve', fontsize=16)
plt.legend(loc='lower right', fontsize=12)
plt.grid(True, linestyle='--', alpha=0.7)

# Precision-Recall Curve
plt.subplot(1, 2, 2)
plt.plot(recall_curve, precision_curve, label=f'Logistic Regression (AP = {a
plt.xlabel('Recall', fontsize=14)
plt.ylabel('Precision', fontsize=14)
plt.title('Precision-Recall Curve', fontsize=16)
plt.legend(loc='upper right', fontsize=12)
plt.grid(True, linestyle='--', alpha=0.7)

plt.tight_layout()
plt.show()

# Plot Accuracy History
plt.figure(figsize=(10, 6))
plt.plot(range(1, num_steps + 1), val_accuracy_history, label='Validation Acc
plt.plot(range(1, num_steps + 1), test_accuracy_history, label='Testing Accu
plt.xlabel('Training Steps', fontsize=14)
plt.ylabel('Accuracy', fontsize=14)
plt.title(' Validation, and Testing Accuracy History\nLogistic Regression',
plt.legend(fontsize=12)
plt.grid(True, linestyle='--', alpha=0.7)
plt.xticks(fontsize=12)
plt.yticks(fontsize=12)
plt.show()

# Print evaluation metrics for Logistic Regression
print("\nModel Performance Summary:")
print(f"Validation Accuracy: {logistic_val_score:.4f}")
print(f"Testing Accuracy: {logistic_test_score:.4f}")
print(f"ROC AUC Score: {roc_auc_logistic:.4f}")
print(f"Average Precision: {average_precision:.4f}")

```

```
C:\Users\Ananda kumar sahuo\AppData\Local\Programs\Python\Python312\Lib\site-  
-packages\sklearn\linear_model\_logistic.py:469: ConvergenceWarning: lbfgs f  
ailed to converge (status=1):  
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
```

Increase the number of iterations (max\_iter) or scale the data as shown in:  
<https://scikit-learn.org/stable/modules/preprocessing.html>  
Please also refer to the documentation for alternative solver options:  
[https://scikit-learn.org/stable/modules/linear\\_model.html#logistic-regression](https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression)

```
n_iter_i = _check_optimize_result(  
C:\Users\Ananda kumar sahuo\AppData\Local\Programs\Python\Python312\Lib\site-  
-packages\sklearn\linear_model\_logistic.py:469: ConvergenceWarning: lbfgs f  
ailed to converge (status=1):  
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
```

Increase the number of iterations (max\_iter) or scale the data as shown in:  
<https://scikit-learn.org/stable/modules/preprocessing.html>  
Please also refer to the documentation for alternative solver options:  
[https://scikit-learn.org/stable/modules/linear\\_model.html#logistic-regression](https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression)

```
n_iter_i = _check_optimize_result(  
C:\Users\Ananda kumar sahuo\AppData\Local\Programs\Python\Python312\Lib\site-  
-packages\sklearn\linear_model\_logistic.py:469: ConvergenceWarning: lbfgs f  
ailed to converge (status=1):  
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
```

Increase the number of iterations (max\_iter) or scale the data as shown in:  
<https://scikit-learn.org/stable/modules/preprocessing.html>  
Please also refer to the documentation for alternative solver options:  
[https://scikit-learn.org/stable/modules/linear\\_model.html#logistic-regression](https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression)

```
n_iter_i = _check_optimize_result(  
C:\Users\Ananda kumar sahuo\AppData\Local\Programs\Python\Python312\Lib\site-  
-packages\sklearn\linear_model\_logistic.py:469: ConvergenceWarning: lbfgs f  
ailed to converge (status=1):  
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
```

Increase the number of iterations (max\_iter) or scale the data as shown in:  
<https://scikit-learn.org/stable/modules/preprocessing.html>  
Please also refer to the documentation for alternative solver options:  
[https://scikit-learn.org/stable/modules/linear\\_model.html#logistic-regression](https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression)

```
n_iter_i = _check_optimize_result(  
C:\Users\Ananda kumar sahuo\AppData\Local\Programs\Python\Python312\Lib\site-  
-packages\sklearn\linear_model\_logistic.py:469: ConvergenceWarning: lbfgs f  
ailed to converge (status=1):  
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
```

Increase the number of iterations (max\_iter) or scale the data as shown in:  
<https://scikit-learn.org/stable/modules/preprocessing.html>  
Please also refer to the documentation for alternative solver options:  
[https://scikit-learn.org/stable/modules/linear\\_model.html#logistic-regression](https://scikit-learn.org/stable/modules/linear_model.html#logistic-regression)

```
n_iter_i = _check_optimize_result(  
C:\Users\Ananda kumar sahuo\AppData\Local\Programs\Python\Python312\Lib\site
```

```

-packages\sklearn\linear_model\_logistic.py:469: ConvergenceWarning: lbfgs failed to converge (status=1):
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.

Increase the number of iterations (max_iter) or scale the data as shown in:
https://scikit-learn.org/stable/modules/preprocessing.html
Please also refer to the documentation for alternative solver options:
https://scikit-learn.org/stable/modules/linear\_model.html#logistic-regression
n_iter_i = _check_optimize_result(
C:\Users\Ananda kumar sahuo\AppData\Local\Programs\Python\Python312\Lib\site-packages\sklearn\linear_model\_logistic.py:469: ConvergenceWarning: lbfgs failed to converge (status=1):
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.


Increase the number of iterations (max_iter) or scale the data as shown in:
https://scikit-learn.org/stable/modules/preprocessing.html
Please also refer to the documentation for alternative solver options:
https://scikit-learn.org/stable/modules/linear\_model.html#logistic-regression
n_iter_i = _check_optimize_result(
C:\Users\Ananda kumar sahuo\AppData\Local\Programs\Python\Python312\Lib\site-packages\sklearn\linear_model\_logistic.py:469: ConvergenceWarning: lbfgs failed to converge (status=1):
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.

Increase the number of iterations (max_iter) or scale the data as shown in:
https://scikit-learn.org/stable/modules/preprocessing.html
Please also refer to the documentation for alternative solver options:
https://scikit-learn.org/stable/modules/linear\_model.html#logistic-regression
n_iter_i = _check_optimize_result(
C:\Users\Ananda kumar sahuo\AppData\Local\Programs\Python\Python312\Lib\site-packages\sklearn\linear_model\_logistic.py:469: ConvergenceWarning: lbfgs failed to converge (status=1):
STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.


Increase the number of iterations (max_iter) or scale the data as shown in:
https://scikit-learn.org/stable/modules/preprocessing.html
Please also refer to the documentation for alternative solver options:
https://scikit-learn.org/stable/modules/linear\_model.html#logistic-regression
n_iter_i = _check_optimize_result(
Classification Metrics:
F1 Score: 0.9322 ( $F1 = 2 * (Precision * Recall) / (Precision + Recall)$ )
Recall (Sensitivity): 0.9634 ( $Recall = TP / (TP + FN)$ )
Precision: 0.9029 ( $Precision = TP / (TP + FP)$ )
Specificity: 0.7901 ( $Specificity = TN / (TN + FP)$ )


```

Confusion Matrix  
Logistic Regression



Predicted Label





Model Performance Summary:  
Validation Accuracy: 0.8980  
Testing Accuracy: 0.9061  
ROC AUC Score: 0.9231  
Average Precision: 0.9166

In [ ]: