
```
File Edit Format View Help
class NewThread implements Runnable {
    String name;
    Thread t;
    NewThread(String threadName) {
        name = threadName;
        t = new Thread(this, name);
        System.out.println("New thread: " + t);
        t.start();
    }
    public void run() {
        try {
            if (t.getName().equals("One")) {
                for (int i = 5; i > 0; i--) {
                    System.out.println("BMS College of Engineering");
                    Thread.sleep(10000);
                }
            }
            else{
                for (int i = 20; i > 0; i--) {
                    System.out.println("CSE");
                    Thread.sleep(2000);
        catch(InterruptedException e){
            System.out.println(name + "Interrupted");
        System.out.println(name + " exiting.");
public class Mainthread1 {
    public static void main(String[] args) {
        new NewThread("One");
        new NewThread("Two");
```













```
Command Prompt
Microsoft Windows [Version 10.0.19041.630]
(c) 2020 Microsoft Corporation. All rights reserved.
C:\Users\anant>cd JAVA A
C:\Users\anant\JAVA A>javac Mainthread1.java
C:\Users\anant\JAVA A>java Mainthread1
New thread: Thread[One,5,main]
New thread: Thread[Two,5,main]
BMS College of Engineering
CSE
CSE
CSE
CSE
CSE
BMS College of Engineering
CSE
CSE
CSE
CSE
CSE
BMS College of Engineering
CSE
CSE
CSE
CSE
CSE
BMS College of Engineering
CSE
CSE
CSE
CSE
CSE
BMS College of Engineering
Two exiting.
One exiting.
```

C:\Users\anant\JAVA A>