# AIRBNB Case Study IIIT-B Ananta Kumaar V R, Pratik Sonekhar and <u>Deepjyothi Chakraborty</u>

## **Methodology Document PPT 1:**

In the case study we have used Jupiter notebook to perform initial analysis of the data and Tableau for data analysis and visualization.

Initial Analysis using Jupiter Notebook: Data Set Used: AB\_NYC\_2019.csv

Number of Rows: 48895 Number of Columns: 16

```
# Import the necessary libraries
import warnings
warnings.filterwarnings("ignore")
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
%matplotlib inline
import seaborn as sns

# Data conversion and Understanding
airbnb = pd.read_csv("AB_NYC_2019.csv")
airbnb.head(5)
```

	id	name	host_id	host_name	neighbourhood_group	neighbourhood	latitude	longitude	room_type	price	minimum_nights	number_of_revie
0	2539	Clean & quiet apt home by the park	2787	John	Brooklyn	Kensington	40.64749	-73.97237	Private room	149	1	
1	2595	Skylit Midtown Castle	2845	Jennifer	Manhattan	Midtown	40.75362	-73.98377	Entire home/apt	225	1	
2	3647	THE VILLAGE OF HARLEMNEW YORK!	4632	Elisabeth	Manhattan	Harlem	40.80902	-73.94190	Private room	150	3	
3	3831	Cozy Entire Floor of Brownstone	4869	LisaRoxanne	Brooklyn	Clinton Hill	40.68514	-73.95976	Entire home/apt	89	1	1
4	5022	Entire Apt: Spacious Studio/Loft by central park	7192	Laura	Manhattan	East Harlem	40.79851	-73.94399	Entire home/apt	80	10	
4												,

```
# Check the rows and columns of the dataset
airbnb.shape

(48895, 16)
```

- The dataset contains 48895 rows and 16 columns
- Now we have to check whether there are any missing values in the dataset

```
# Calculating the missing values in the dataset
airbnb.isnull().sum()

id 0
name 16
host_id 0
host_name 21
neighbourhood_group 0
neighbourhood 0
latitude 0
longitude 0
room_type 0
price 0
minimum_nights 0
number_of_reviews 0
last_review 10052
reviews_per_month 10052
calculated_host_listings_count
availability_365 0
dtype: int64
```

```
# Now we have the missing values, there are certain columns that are not efficient to the dataset
airbnb.drop(['id','name','last_review'], axis = 1, inplace = True)
```

```
# View whether the columns are dropped
airbnb.head(5)
```

	id	name	host_id	host_name	neighbourhood_group	neighbourhood	latitude	longitude	room_type	price	minimum_nights	number_of_revie
(	2539	Clean & quiet apt home by the park	2787	John	Brooklyn	Kensington	40.64749	-73.97237	Private room	149	1	
•	2595	Skylit Midtown Castle	2845	Jennifer	Manhattan	Midtown	40.75362	-73.98377	Entire home/apt	225	1	
:	2 3647	THE VILLAGE OF HARLEMNEW YORK!	4632	Elisabeth	Manhattan	Harlem	40.80902	-73.94190	Private room	150	3	
;	3 3831	Cozy Entire Floor of Brownstone	4869	LisaRoxanne	Brooklyn	Clinton Hill	40.68514	-73.95976	Entire home/apt	89	1	′
,	<b>4</b> 5022	Entire Apt: Spacious Studio/Loft by central park	7192	Laura	Manhattan	East Harlem	40.79851	-73.94399	Entire home/apt	80	10	

 We removed the columns like Id, Name, Last Review which was not giving much information.

```
# Now reviews per month contains more missing values which should be replaced with 0 respectively
airbnb.fillna({'reviews_per_month':0},inplace=True)
airbnb.reviews_per_month.isnull().sum()
# There are no missing values present in reviews_per_month column
# Now to check the unique values of other columns'
airbnb.room_type.unique()
array(['Private room', 'Entire home/apt', 'Shared room'], dtype-object)
len(airbnb.room_type.unique())
3
airbnb.neighbourhood_group.unique()
array(['Brooklyn', 'Manhattan', 'Queens', 'Staten Island', 'Bronx'],
      dtype=object)
len(airbnb.neighbourhood_group.unique())
5
len(airbnb.neighbourhood.unique())
221
```

## Step 2: Data Wrangling:

- Checked the Duplicate rows in our dataset and no duplicate data was found.
- Checked the Null Values in our dataset. Columns like name, host-name, last review and review-per-month have null values.
- We've dropped the column name as missing values are less and dropping it won't have significant impact on analysis.
- Checked the formatting in our dataset.
- Identified and review outliers.

#### Data Analysis and Visualizations using Tableau:

We have used tableau to visualize the data for the assignment. Below are the detailed steps used for each visualization.

#### 1) Top 10 Host:

• We identified the top 10 Host Ids, Host Name with count of Host Ids using the tree map.



#### 2) Preferred Room type with respect to Neighbourhood group:

- We created a pie chart for understanding the percentage of room type preferred w r t neighbourhood group
- We added Room Type to the colours Marks card to highlight the different Room Type in different colours and count of Host Id to the size

#### 3) For Variance of price with Neighbourhood Groups:


- We used a box and whisker's plot with Neighbourhood Groups in Columns and Price in Rows.
- We changed the Price from a Sum Measure to the median measure.

#### 4) Average price of Neighbourhood groups:

- We created a bubble chart with Neighbourhood Groups in Columns and Price column in Rows.
- •We added the Neighbourhood Groups to the colors Marks card to highlight the different neighbourhood Groups in different colors. Also Put Avg price in Label.

## 5) Customer Booking w r t minimum nights:

We created the bin for Minimum nights as shown below.



• The bins were used to display the distribution of minimum nights based on the number of ids booked for each neighbourhood group.

#### 6) Popular Neighborhoods:

- We took neighbourhood in rows and sum of reviews in column and took neighbourhood groups in colour.
- We used filter to show Top 20 neighbours as per the sum of reviews.

#### 7) Neighbourhood vs Availability:

• We created a dual axis chart using bar chart for availability 365 and line chart for price for top 10 neighbourhood group sorted by price.

## **Methodology Document PPT 2:**

## 1) Room type with respect to Neighbourhood group:

- We created a pie chart for understanding the percentage of room type preferred wrt neighbourhood group
- We added Room Type to the colours Marks card to highlight the different Room
   Type in different colours and count of Host Id to the size

#### 2) Customer Booking with respect to minimum nights:

• We created the bin for Minimum nights as shown below.



• The bins were used to display the distribution of minimum nights based on the number of ids booked for each neighbourhood group.

#### 3) Neighbourhood vs Availability:

 We created a dual axis chart using bar chart for availability 365 and line chart for price for top 10 neighbourhood group sorted by price.

## 4) Price range preferred by Customers:

• We have taken pricing preference based on volume of bookings done in a price range and no of Ids to create a bar chart. We have created bin for Price column with interval of \$20.

## 5) Understanding Price variation w.r.t Room Type & Neighbourhood:

- We created Highlights Table chat by taking Room Type in rows & Neighbourhood Group in column.
- We took the average price in colour Marks card to highlight the different Room Type in different colours.

## 6) Price variation w r t Geography:

• We used Geo location chart to plot neighbourhood, neighbourhood Group in map to show case the variation of prices across.

## 7) Popular Neighborhoods:

- We took neighbourhood in rows and sum of reviews in column and took neighbourhood groups in colour.
- We used filter to show Top 20 neighbours as per the sum of reviews.

## 8) Tools used:

- Data cleaning and preparation: Jupyter notebook Python
- Visualization and analysis: Tableau
- Data Storytelling: Microsoft PPT