## Introduction to Numerical Methods

## Exercise no. 11

Hand in before the beginning of the exercise class on 12.01.2023

**Exercise 11.1** (2 points) Let the matrix A be given by

$$A = \begin{pmatrix} -1 & 2 \\ 0 & 2 \\ 1 & 2 \end{pmatrix}.$$

Compute the maximum absolute column sum norm  $||A||_1$ , the maximum absolute row sum norm  $||A||_{\infty}$  and the spectral norm  $||A||_2$ .

**Exercise 11.2** (2 points) Let the matrix A be given by

$$A = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 2 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 4 \end{pmatrix}.$$

Compute the condition numbers  $\kappa_1(A)$ ,  $\kappa_2(A)$  and  $\kappa_{\infty}(A)$ .

**Exercise 11.3** (4 points) We consider the matrix A and the vector b, given by

$$A = \begin{pmatrix} 0.5 & 0.25 \\ 0.25 & 0.5 \end{pmatrix}, \quad b = \begin{pmatrix} 1 \\ 2 \end{pmatrix}.$$

- a) Give the iteration rule for the Jacobi method.
- b) Consider the initial value

$$x^{(0)} = \begin{pmatrix} 0 \\ 0 \end{pmatrix}$$

and calculate two iteration steps of the Jacobi method.

**Exercise 11.4** (Bonus) Consider the matrices  $A_1, A_2$  and the vectors  $b_1, b_2$  given by

$$A_{1} = \begin{pmatrix} 1 & 1 & 0 \\ 4 & 5 & 1 \\ 2 & 8 & -1 \end{pmatrix}, A_{2} = \begin{pmatrix} 4 & 6 & 2 \\ 6 & 25 & 23 \\ 2 & 23 & 62 \end{pmatrix}, b_{1} = \begin{pmatrix} 2 \\ 10 \\ 9 \end{pmatrix}, b_{2} = \begin{pmatrix} 12 \\ 54 \\ 87 \end{pmatrix}.$$

- a) (2 points) Implement the LU decomposition algorithm.
- b) (2 points) Change the algorithm of item a) in such a way that it returns the solution to  $A_1x=b_1$ .
- c) (2 points) Implement the Cholesky decomposition algorithm.
- d) (2 points) Change the algorithm of item c) in such a way that it returns the solution to  $A_2x = b_2$ . (Obs: you must submit a written version of your algorithm(s) and submit via email the created files.)