	makespan													
		i = 1			i = 2			i = 3			i = 4			
n	p-value	$1 - \alpha_{local}$	Н	<i>p</i> -value	$1 - \alpha_{local}$	Н	<i>p</i> -value	$1 - \alpha_{local}$	Н	p-value	$1 - \alpha_{local}$	Н		
10 15	0.9999 0.9706	0.9833 0.9917	H1 H0	0.9962 1	0.9917 0.9833	H1 H1	0 0.0002	0.9938 0.9938	H0 H0	0.1762 0.2514	0.9929 0.9929	H0 H0		
20	0.9564	0.9917	H0	1	0.9833	H1	0.0003	0.9938	H0	0.2033	0.9929	H0		
50	0.4247	0.9929	H0	1	0.9875	H1	0.9955	0.9917	H1	1	0.9900	H1		
100	0.7019	0.9929	H0	1	0.9917	H1	1	0.9875	H1	1	0.9900	H1		
150	0.2358	0.9929	H0	1	0.9917	H1	1	0.9875	H1	1	0.9900	H1		
200	0.9115	0.9929	H0	1	0.9917	H1	1	0.9833	H1	1	0.9900	H1		
		i = 5			i = 6			i = 7			i = 8			
\overline{n}	p-value	$1 - \alpha_{local}$	Н	p-value	$1 - \alpha_{local}$	Н	<i>p</i> -value	$1 - \alpha_{local}$	Н	p-value	$1 - \alpha_{local}$	Н	best	
10 15	1 1	0.9500 0.9500	H1 H1	1 1	0.9750 0.9750	H1 H1	0.9986 0.9906	0.9900 0.9900	H1 H1	0.9998 0.9986	0.9875 0.9875	H1 H1	$\begin{array}{c} \textbf{NEH} \\ \textbf{NEH}, \\ \textbf{HILL}(p_j) \end{array}$	
20	1	0.9750	H1	1	0.9500	H1	0.9999	0.9900	H1	1	0.9875	H1	$NEH, HILL(p_j)$	
50	0.1131	0.9938	H0	1	0.9500	H1	1	0.9750	H1	1	0.9833	H1	$ \begin{array}{c} \text{NEH,} \\ \text{HILL}(p_j) \end{array} $	
100	0	0.9938	H0	1	0.9750	H1	1	0.9500	H1	1	0.9833	H1	NEH , $HILL(p_j)$	
150	0	0.9938	Н0	1	0.9833	H1	1	0.9500	H1	1	0.9750	H1	$ \begin{array}{c} \text{NEH,} \\ \text{HILL}(p_j) \end{array} $	
200	0	0.9938	H0	1	0.9875	H1	1	0.9500	H1	1	0.9750	H1	$ \begin{array}{c} \text{NEH,} \\ \text{HILL}(p_j) \end{array} $	