
CONVOLUTIONAL NEURAL NETWORKS AND ALGEBRAIC SCALE INVARIANCE FOR SPEECH CLASSIFICATION




MFCC



Current models uses complex human-enginered MFCC features for modelling.

THE DIELEMAN NETWORK



Institut for Matematik og Computer Science

SCALE INVARAINT REGUALIZATION

$$\mathcal{R}(s) = \frac{1}{N} \sum_{i=1}^{N} \left. \frac{\partial P(C_{i,k}|s(x_i, \alpha), w)}{\partial \alpha} \right|_{\alpha=0}^{2}$$

Scale invariant

$$s(x,\alpha) = (1+\alpha)x \quad \mathcal{R} = \frac{1}{N} \sum_{i=1}^{N} \left(\nabla_x P(C_{i,k}|x_i, w) \cdot x_i \right)^2$$

Offset invariant

$$s(x, \alpha) = x + \alpha$$
 $\mathcal{R} = \frac{1}{N} \sum_{i=1}^{N} (\nabla_x P(C_{i,k}|x_i, w) \cdot \mathbf{1})^2$

DIELEMAN RESULTS

	TIMIT	ELSDSR
Baseline	0.354	0.465
Logistic on mean	0.094 ± 0.012	0.030 ± 0.007
GMM on MFCC	0.192 ± 0.024	0.140 ± 0.019
Dieleman	0.093 ± 0.012	0.026 ± 0.006
Dieleman + L2	0.114 ± 0.013	0.036 ± 0.016
Dieleman + Scale	0.111 ± 0.015	0.022 ± 0.006
Dieleman + Offset	0.107 ± 0.008	0.027 ± 0.014
3.54 3 40 44		


0.6

Missclassification ra

Missclassification rate on sex classification.

	TIMIT	ELSDSR	
Baseline	0.988	0.957	
Logistic on mean	0.796 ± 0.046	0.338 ± 0.043	
GMM on MFCC	0.836 ± 0.020	0.391 ± 0.023	
Dieleman	0.965 ± 0.021	0.570 ± 0.029	
Dieleman + L2	0.944 ± 0.020	0.552 ± 0.045	
Dieleman + Scale	0.973 ± 0.007	0.640 ± 0.110	
Dieleman + Offset	0.971 ± 0.006	0.628 ± 0.117	
Missclassification rate on speaker classification.			

REGUALIZATION ANALYSIS



Contours of properbility function on 3 synthetic datasets using extream regualization parameters.



NN + Offset NN + Scale

Missclassification rate boxplot using optimized regualization parameters.