
# CONVOLUTIONAL NEURAL NETWORKS AND ALGEBRAIC SCALE INVARIANCE FOR SPEECH CLASSIFICATION



## THE DIELEMAN NETWORK



# SCALE INVARAINT REGUALIZATION

$$\mathcal{R}(s) = \frac{1}{N} \sum_{i=1}^{N} \left. \frac{\partial P(C_{i,k}|s(x_i, \alpha), w)}{\partial \alpha} \right|_{\alpha=0}^{2}$$


Scale invariant

$$s(x,\alpha) = (1+\alpha)x \quad \mathcal{R} = \frac{1}{N} \sum_{i=1}^{N} \left( \nabla_x P(C_{i,k}|x_i, w) \cdot x_i \right)^2$$

Offset invariant

Offset invariant
$$s(x,\alpha) = x + \alpha \qquad \mathcal{R} = \frac{1}{N} \sum_{i=1}^{N} (\nabla_x P(C_{i,k}|x_i, w) \cdot \mathbf{1})^2$$

#### DTU Compute Institut for Matematik og Computer Science



Discrete Cosine

Transform

# DIELEMAN RESULTS

Derivatives

Speech

Signal


Feature

Vector


	TIMIT	ELSDSR	
Baseline	0.354	0.465	
Logistic on mean	$0.094 \pm 0.012$	$0.030 \pm 0.007$	
GMM on MFCC	$0.192 \pm 0.024$	$0.140 \pm 0.019$	
Dieleman	$0.093 \pm 0.012$	$0.026 \pm 0.006$	
Dieleman + L2	$0.114 \pm 0.013$	$0.036 \pm 0.016$	
Dieleman + Scale	$0.111 \pm 0.015$	$0.022 \pm 0.006$	
${\rm Dieleman} + {\rm Offset}$	$0.107 \pm 0.008$	$0.027 \pm 0.014$	
missclassification rate on sex classification			

	TIMIT	ELSDSR	
Baseline	0.988	0.957	
Logistic on mean	$0.796 \pm 0.046$	$0.338 \pm 0.043$	
GMM on MFCC	$0.836 \pm 0.020$	$0.391 \pm 0.023$	
Dieleman	$0.965 \pm 0.021$	$0.570 \pm 0.029$	
Dieleman + L2	$0.944 \pm 0.020$	$0.552 \pm 0.045$	
Dieleman + Scale	$0.973 \pm 0.007$	$0.640 \pm 0.110$	
Dieleman + Offset	$0.971 \pm 0.006$	$0.628 \pm 0.117$	
missclassification rate on speaker classification.			

## REGUALIZATION ANALYSIS



contours of properbility function on 3 synthetic datasets using extream regualization parameters.



 $missclassification\ rate$ boxplot using optimized regualization parameters.